

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2010 question paper**  
**for the guidance of teachers**

**0417 INFORMATION AND COMMUNICATION  
TECHNOLOGY**

**0417/13** Paper 13 (Written), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0417	13

Ques. No.	Answer	Part mark															
1	A Multimedia Projector C Dot Matrix Printer B Laser printer D Speakers	1, 1 1, 1															
2	DVD ROM Magnetic tape Graph plotter Projector Graphics tablet Trackerball	1 1															
3	<table border="1"> <thead> <tr> <th></th> <th>TRUE</th> <th>FALSE</th> </tr> </thead> <tbody> <tr> <td>A command line interface is a user friendly method of communication with a computer.</td> <td></td> <td>✓</td> </tr> <tr> <td>A desktop computer is not easily carried around.</td> <td>✓</td> <td></td> </tr> <tr> <td>A joystick is an example of hardware.</td> <td>✓</td> <td></td> </tr> <tr> <td>Output devices are examples of software.</td> <td></td> <td>✓</td> </tr> </tbody> </table>		TRUE	FALSE	A command line interface is a user friendly method of communication with a computer.		✓	A desktop computer is not easily carried around.	✓		A joystick is an example of hardware.	✓		Output devices are examples of software.		✓	1 1 1 1
	TRUE	FALSE															
A command line interface is a user friendly method of communication with a computer.		✓															
A desktop computer is not easily carried around.	✓																
A joystick is an example of hardware.	✓																
Output devices are examples of software.		✓															
4		1 1 1 1 1															
5 (a)	<b>a WAN</b> is a network connecting several LANs	1															
(b)	<b>a WLAN</b> is a network with very little cabling	1															
(c)	<b>a router</b> can allow networked computers to connect to the internet	1															
(d)	<b>bluetooth</b> is used to connect two mobile devices to each other	1															

<b>Page 3</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>6</b>	It is easier to transfer data to other computers using optical media rather than fixed hard discs.	✓	<b>1</b>	
	Optical media are cheaper to buy than magnetic media.	✓		
	Optical media store more data than magnetic media.		<b>1</b>	
	Data is easier to encrypt on optical media.			
	Optical media provide quicker access to individual data items than magnetic tape.	✓		
	CD ROMs are easier to update than magnetic media.			
<b>7</b>	<b>LEFT</b> 90 <b>REPEAT</b> 8 <b>FORWARD</b> 60 <b>RIGHT</b> 45 <b>END REPEAT</b>  1 mark for each correct statement		<b>5</b>	
<b>8</b>	Sending emails		<b>1</b>	
	Text messaging	✓		
	Sending a photograph as soon as it has been taken	✓	<b>1</b>	
	Using the Internet		<b>1</b>	
	Making a phone call wherever you are	✓		
	Leaving messages when somebody is not available			
<b>9</b>		TRUE	FALSE	<b>1</b>
	Blogging		✓	
	Booking a cinema ticket		✓	
	Pharming	✓		
	Phishing	✓		

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>10 (a)</b>	<b>Three</b> from: Pulse rate/heart rate Temperature Blood pressure Glucose level Rate of respiration Level of oxygen in the patient's blood	<b>3</b>												
<b>(b)</b>	Sensors feed back/physical variables are analogue data Computers can only work with digital data/binary data	<b>1</b> <b>1</b>												
<b>(c)</b>	<table border="1"> <tr> <td>Nurses always make mistakes.</td> <td></td> </tr> <tr> <td>Computers can monitor continuously without taking breaks.</td> <td>✓</td> </tr> <tr> <td>Computers can measure more than one variable at the same time.</td> <td>✓</td> </tr> <tr> <td>Computers can take readings more frequently.</td> <td>✓</td> </tr> <tr> <td>Nurses cannot take readings regularly.</td> <td></td> </tr> <tr> <td>Computers can analyse the results.</td> <td></td> </tr> </table>	Nurses always make mistakes.		Computers can monitor continuously without taking breaks.	✓	Computers can measure more than one variable at the same time.	✓	Computers can take readings more frequently.	✓	Nurses cannot take readings regularly.		Computers can analyse the results.		<b>1</b> <b>1</b> <b>1</b>
Nurses always make mistakes.														
Computers can monitor continuously without taking breaks.	✓													
Computers can measure more than one variable at the same time.	✓													
Computers can take readings more frequently.	✓													
Nurses cannot take readings regularly.														
Computers can analyse the results.														
<b>(d)</b>	<b>Two</b> from: Printouts are continuous Need different colours for each variable High quality printout	<b>2</b>												
<b>(e)</b>	<b>Two</b> from: (footprint) Space may be limited Easier to keep clean than other devices Surgeons – gloves which would make it more difficult to control other devices	<b>2</b>												
<b>11 (a)</b>	B3	<b>1</b>												
<b>(b)</b>	Any of A1:A5, A1:F1 or E7	<b>1</b>												
<b>(c)</b>	=C4-B4	<b>1</b>												
<b>(d)</b>	=D2*E2 or =E2*D2	<b>1</b>												
<b>(e)</b>	Replication/copy and paste/fill down	<b>1</b>												
<b>(f)</b>	6	<b>1</b>												
<b>(g)</b>	=SUM(F2:F5) OR =F2+F3+F4+F5	<b>1</b>												
<b>(h)</b>	F7	<b>1</b>												
<b>(i)</b>	D2 F2 F7	<b>1</b> <b>1</b> <b>1</b>												

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>12 (a)</b>	<p><b>Two</b> from:  Only one printer is needed  Only one scanner is needed  Data can be shared between computers/data can be accessed by one computer from another <u>more easily</u>  Software can be shared  All computers can access the internet <u>through one connection</u>  Network games can be played</p>		<b>2</b>								
<b>(b)</b>	<p><b>Two</b> from:  Viruses will be more easily spread  All computers would now be susceptible to hackers  If all computers are using the internet at the same time there will be speed issues</p>		<b>2</b>								
<b>13 (a)</b>	<table border="1"> <tr> <td>Firewall</td> <td></td> </tr> <tr> <td>Passwords</td> <td>✓</td> </tr> <tr> <td>Biometrics</td> <td>✓</td> </tr> <tr> <td>An intranet</td> <td></td> </tr> </table>	Firewall		Passwords	✓	Biometrics	✓	An intranet			<b>1</b> <b>1</b>
Firewall											
Passwords	✓										
Biometrics	✓										
An intranet											
<b>(b)</b>	<table border="1"> <tr> <td>It makes it impossible to access computer systems.</td> <td></td> </tr> <tr> <td>Only authorised users can understand the data.</td> <td>✓</td> </tr> <tr> <td>A key is needed to decrypt data.</td> <td>✓</td> </tr> <tr> <td>It prevents viruses.</td> <td></td> </tr> </table>	It makes it impossible to access computer systems.		Only authorised users can understand the data.	✓	A key is needed to decrypt data.	✓	It prevents viruses.			<b>1</b> <b>1</b>
It makes it impossible to access computer systems.											
Only authorised users can understand the data.	✓										
A key is needed to decrypt data.	✓										
It prevents viruses.											

<b>Page 6</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>14 (a)</b>		True (✓)	False (✓)	
	Examining documents helps to identify the inputs and outputs.	✓		<b>1</b>
	A questionnaire makes the workers feel good.		✓	<b>1</b>
	An interviewer can ask questions based on the previous response.	✓		<b>1</b>
	Observing the current system helps to identify any problems with it.	✓		<b>1</b>
<b>(b)</b>	Field names		✓	<b>1</b>
	Screen layout			
	Field types		✓	<b>1</b>
	Key field		✓	<b>1</b>
	Field lengths		✓	<b>1</b>
	User needs			
	System specification			
	Input forms			
<b>15 (a)</b>	Direct changeover			<b>1</b>
<b>(b)</b>	Parallel running			<b>1</b>
<b>(c)</b>	Phased/Pilot running			<b>1</b>

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0417	13

16	<p><b>Two</b> strategies and <b>two</b> reasons from:</p> <p>User testing To ensure system meets the needs of the user</p> <p><i>Other answers will depend on method of implementation – e.g.</i></p> <p><i>Phased implementation</i> (User) testing each module with normal/live data To see how system behaves in an ordinary day to day situation/system works as you would expect i.e. no error messages</p> <p>(User) testing each module with abnormal/extreme data To see how system reacts in unusual circumstances/to make sure error messages appear when data is abnormal</p> <p><i>Direct changeover</i> (User) testing whole system To ensure the whole system works when all modules are combined</p> <p><i>Parallel running</i> Analysis of user's results To compare the two systems/to ensure all processing/calculations is/are accurate</p>	2 + 2																								
17	<p><b>Three</b> from:</p> <p>Modem/router to connect to the internet ISP to provide internet/email access Email software/internet browser to create/send/receive emails Password to access email account Email address(es) to send/receive emails</p>	3																								
18	<table border="1"> <tr> <td data-bbox="245 1279 1214 1339">The customer types in the PIN.</td> <td data-bbox="1214 1279 1310 1339">1</td> <td data-bbox="1310 1279 1347 1339"></td> </tr> <tr> <td data-bbox="245 1339 1214 1400">If they are the same the customer is asked which service is required.</td> <td data-bbox="1214 1339 1310 1400">3</td> <td data-bbox="1310 1339 1347 1400">1</td> </tr> <tr> <td data-bbox="245 1400 1214 1460">The customer's account is checked to see if it has sufficient funds.</td> <td data-bbox="1214 1400 1310 1460">6/7</td> <td data-bbox="1310 1400 1347 1460">1</td> </tr> <tr> <td data-bbox="245 1460 1214 1520">The amount is checked against the card limit.</td> <td data-bbox="1214 1460 1310 1520">7/6</td> <td data-bbox="1310 1460 1347 1520">1</td> </tr> <tr> <td data-bbox="245 1520 1214 1581">The PIN number is compared with the PIN stored in the chip.</td> <td data-bbox="1214 1520 1310 1581">2</td> <td data-bbox="1310 1520 1347 1581">1</td> </tr> <tr> <td data-bbox="245 1581 1214 1641">The customer selects required service (cash).</td> <td data-bbox="1214 1581 1310 1641">4</td> <td data-bbox="1310 1581 1347 1641">1</td> </tr> <tr> <td data-bbox="245 1641 1214 1702">If there are sufficient funds and the amount is within the card limit the required notes are issued.</td> <td data-bbox="1214 1641 1310 1702">8</td> <td data-bbox="1310 1641 1347 1702">1</td> </tr> <tr> <td data-bbox="245 1702 1214 1762">The customer is asked how much money they want to withdraw.</td> <td data-bbox="1214 1702 1310 1762">5</td> <td data-bbox="1310 1702 1347 1762">1</td> </tr> </table>	The customer types in the PIN.	1		If they are the same the customer is asked which service is required.	3	1	The customer's account is checked to see if it has sufficient funds.	6/7	1	The amount is checked against the card limit.	7/6	1	The PIN number is compared with the PIN stored in the chip.	2	1	The customer selects required service (cash).	4	1	If there are sufficient funds and the amount is within the card limit the required notes are issued.	8	1	The customer is asked how much money they want to withdraw.	5	1	
The customer types in the PIN.	1																									
If they are the same the customer is asked which service is required.	3	1																								
The customer's account is checked to see if it has sufficient funds.	6/7	1																								
The amount is checked against the card limit.	7/6	1																								
The PIN number is compared with the PIN stored in the chip.	2	1																								
The customer selects required service (cash).	4	1																								
If there are sufficient funds and the amount is within the card limit the required notes are issued.	8	1																								
The customer is asked how much money they want to withdraw.	5	1																								

<b>Page 8</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0417</b>	<b>13</b>

<b>19</b>	<p><b>Three</b> from:</p> <p>Some situations are/real thing might be dangerous/it (model) is less dangerous Saves expensive mistakes in the construction real thing/cost of rebuilding/repairing is expensive Real thing may waste raw materials/natural resources It may take a long time to obtain results from the real thing Easier to modify Extremes which can't be tested in real life can be tested using models</p>	<b>3</b>
<b>20</b>	<p><b>Three</b> from:</p> <p>Check the last part of the URL (for example .gov, .ac, .ed, .sch should be reliable/.org, .co, .com less reliable). See if responsible bodies have endorsed the site e.g. NGFL Check the date of the last update Are any advertisements present Are there links to and from the website to and from well known reliable websites? Checking the author's credentials</p>	<b>3</b>
<b>21 (a)</b>	<p><b>Two</b> from:</p> <p>Usually single author readers can add comments but not edit blog Reverse chronological structure Usually personal External links</p>	<b>2</b>
<b>(b)</b>	<p><b>Two</b> from:</p> <p>Usually many authors Structure determined by content and users Usually objective Internal and external links Contributors can edit entries</p>	<b>2</b>