

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper
for the guidance of teachers

0580 MATHEMATICS

0580/22

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	22

Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
soi	seen or implied

Qu	Answers	Mark	Part marks
1	Wednesday 22 15 or 10 15pm	2	B1 B1
2 (a)	I cao	1	
(b)	I N cao	1	
3	$x - 5$ $\frac{x}{5}$ $\frac{5}{x}$ $5x$	2	M1 evaluating all 4 expressions for one value in the range. (1 and 2 are out of range)
4	25 (correct working essential)	2	M1 for $18 + 4 + 3$ with denominator 12 must be soi (oe is possible)
5	64000 or 6.4×10^4	2	SC1 for 63800 or 6.38×10^4 or figs 64 or 6.4×10^4 in answer space.
6	1, 2, 3, 4	3	M1 $10x < 45$ A1 $x < 4.5$
7	4.46 or 4.456 to 4.459 cao	3	B1 for 28 seen M1ft for $\frac{their28}{2\pi}$ oe or better.
8	13500 408	3	M1 135×10^2 or $408000 \div 10^3$ oe A1 A1
9	452	3	M1 $\tan 78.3 = \frac{x}{58.4}$ M1 "282" + 170 SC2 282 in answer space
10 (a)	50	1	
(b)	15	2	M1 finding area under graph SC1 15000
11	196	3	M1 $y = k(x - 3)^2$ A1 $k = 4$ M1 $y = \frac{(x-3)^2}{k}$ A1 $k = \frac{1}{4}$

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	22

12	(a)	10(.0)	2	M1 $\frac{1}{2} \times 8 \times 5 \times \sin 150$
	(b)	210	2	M1 30° correctly placed at <i>B</i> or <i>C</i> oe
13	(a)	15	2	M1 for $\frac{(9-3)}{0.4}$ oe
	(b)	11.7(0)	2	M1 for 9×1.3 oe
14	(a)	Shear, SF2, <i>x</i> axis invariant	3	B1 shear B1 SF2 B1 <i>x</i> axis invariant
	(b)	$\begin{pmatrix} 1 & 2 \\ 0 & 1 \end{pmatrix}$	2ft	$\begin{pmatrix} 1 & k \\ 0 & 1 \end{pmatrix}$ 2 marks if $k = 2$ or their SF in (a) 1 mark for any other $k, k \neq 0$
15	(a)	29 to 29.5	1	
	(b)	20 to 20.5	1	
	(c)	14 to 14.5	1	
	(d)	$\frac{13}{15}$ oe or 0.867	2	M1 8 seen
16	(a)	0.7 to 0.8 and 5.2 to 5.4	2	B1 B1
	(b)	-2 to -1 but must have a tangent at $x = 1$ for full marks	3	M1 drawing tangent at $x = 1$ M1 for using <i>y</i> step/ <i>x</i> step on their tangent wherever it is drawn
17	(a)	(-5, 0)	2	B1 ($k, 0$) or (-5, k)
	(b)	-2	1	
	(c)	$2\frac{1}{2}$ or $\frac{5}{2}$	2	M1 $\frac{5}{4} = \frac{k}{2}$ oe
18	(a)	$2(x+2)^3$ or $2x^3 + 12x^2 + 24x + 16$	2	M1 v. clear evidence of $f(x) \times 2$ then add 10
	(b)	$\sqrt[3]{(x+5)} - 2$	3	M1 correct first step M1 correct second step
	(c)	0	2	M1 $g(-5)$ seen or $2 \times -5 + 10$
19	(a)	$3\frac{1}{2}$	2	M1 $2x - 7 = 0$
	(b)	3 and -3	3	M1 $x^2 - 8 = 1$ A1 $x = 3$ A1 $x = -3$
	(c)	5	2	M1 $x - 2 = 3$