

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2007 question paper**

**0580 and 0581 MATHEMATICS**

**0580/04 and 0581/04** Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

|               |                                      |                  |              |
|---------------|--------------------------------------|------------------|--------------|
| <b>Page 2</b> | <b>Mark Scheme</b>                   | <b>Syllabus</b>  | <b>Paper</b> |
|               | <b>IGCSE – October/November 2007</b> | <b>0580/0581</b> | <b>04</b>    |

### Abbreviations

In addition to those already seen the following may crop up.

cao – correct answer only

ww – without working

www – without wrong working

oe – or equivalent

soi – seen or implied

bod – benefit of doubt

art – anything rounding to

isw – ignore subsequent working

ft – follow through

oor – out of range

isr – ignore subsequent rounding

rot – rounded or truncated

mog – marks on graph

| Page 3 | Mark Scheme                   | Syllabus  | Paper |
|--------|-------------------------------|-----------|-------|
|        | IGCSE – October/November 2007 | 0580/0581 | 04    |

|   |             |  |                      |   |
|---|-------------|--|----------------------|---|
| 1 | (a) (i)     | $385 \times 0.9$ oe<br>(\$) <b>346.5(0)</b> cao  | M1<br>A1             | Implied by ans 346 or 347<br>www2   |
|   | (ii)        | $385 \div 1.1(0)$ oe<br>(\$) <b>350</b> cao  | M1<br>A1             | www2  |
|   | (b) (i)     | $\frac{23}{23+19} \times 210$ oe<br><b>115</b> cao   | M1<br>A1             | www2  |
|   | (ii)        | their (i) $\times 2.50 + (210 - \text{their (i)}) \times 1.50$<br>(\$) <b>430</b> cao  | M1<br>A1             | (287.5 + 142.5)<br>www2   |
|   | (iii)       | {their (ii) – 410} / 410 ( $\times 100$ ) oe<br><b>4.88</b>  | M1<br>A1             | Dep on (ii) being greater than 410<br>www2 (4.878 ...)<br>After M0, SC1 for 104.9 or better or 4.9 ww   |
|   | (c)         | $2.6(210 - x)$ or $1.4(210 - x)$ seen<br>$2.6(210 - x) + 1.4x = 480$<br>$546 - 480 = 2.6x - 1.4x$<br>or $2.6x - 1.4x = 480 - 294$<br><b>55</b> cao | M1<br>M1<br>M1<br>A1 | Allow $2.6x + 1.4(210 - x) = 480$<br><br>Dep on M2<br>if trial and error, B4 or B0<br>if using simultaneous equations<br>$x + y = 210$ M1<br>$1.4x + 2.6y = 480$ M1<br>variable eliminated by correct method M1d<br>After 0 scored, SC2 for ans 155 |
|   | <b>[14]</b> |  |                      |   |

|   |             |  |                   |   |
|---|-------------|--|-------------------|---|
| 2 | (a) (i)     | <b>6</b>   | B1                | Allow 1 slip<br><br>dep on 1 <sup>st</sup> M1<br>www 3 4.53571...<br><i>Accept all <b>probabilities</b> as fract/dec/%<br/>-1 once for words or 2 sf, do not accept ratios i.s. cancelling after correct answer.</i><br>www2 e.g. ( $\frac{12}{756}$ , 0.0159 etc)<br><br>www2 e.g. ( $\frac{12}{420}$ , 0.0286 etc)<br><br>www2 e.g. ( $\frac{2208}{19656}$ , 0.112) |
|   | (ii)        | <b>4.5</b>   | B1                |   |
|   | (iii)       | $(1 \times 1 + 2 \times 2 + 4 \times 3 + 7 \times 4 + 4 \times 5 + 8 \times 6 + 2 \times 7)$ (127)<br>$\div 28$<br><b>4.54</b> | M1<br>A1          |   |
|   | (iv)        | $\frac{4}{28} \times \frac{3}{27}$<br><br>$\frac{1}{63}$ o.e.  | M1<br>A1          |   |
|   | (v)         | $\frac{4}{21} \times \frac{3}{20}$<br><br>$\frac{1}{35}$ o.e.  | M1<br>A1          |   |
|   | (vi)        | $\frac{24}{28} \times \frac{23}{27} \times \frac{4}{26}$<br><br>$\frac{92}{819}$ o.e.  | M1<br>A1          |   |
|   | (b) (i)     | <b>0.08</b> o.e.   | B1                |   |
|   | (ii)        | $0.9 \times 0.05$<br>their (b)(i) + $0.9 \times 0.05$<br><b>0.125</b> o.e.   | M1<br>M1dep<br>A1 |   |
|   | (iii)       | <b>7</b>   | B1 ft             |   |
|   | <b>[16]</b> |  |                   |   |

| Page 4 | Mark Scheme                   | Syllabus  | Paper |
|--------|-------------------------------|-----------|-------|
|        | IGCSE – October/November 2007 | 0580/0581 | 04    |

|   |         |  |               |   |   |
|---|---------|--|---------------|---|---|
| 3 | (a) (i) | (0, 1)   | B1            | Accept w/out brackets/ commas, condone vectors, or states $x = , y =$   |   |
|   | (ii)    | (4, 0) and (0, 4)  | B1B1          |   |   |
|   | (b)     | -1 cao   | B1            |   |   |
|   | (c)     | $(x) < 0$ (allow $\leq$ )  | B1            |   | Any other variable $< 0$ B0                             |
|   | (d)     | $x^2 + 1 = 4 - x$ o.e.   | B1            |   | must be these 4 terms                                   |
|   | (e)     | $\frac{p+(-)\sqrt{q}}{r}$ where $p = -1$ and $r = 2 \times 1$<br>and $q = 1^2 - 4(1)(-3)$ o.e. | M1<br>M1      |   | Allow second mark if in form $p \pm \frac{\sqrt{q}}{r}$ |
|   |         | -2.30, 1.30 cao www4   | A1A1          | If ww ans.correct but wrong acc - SC3<br>After A0, A0, SC1 for -2.3027756 and 1.3027756 rounded or truncated                  |   |
|   | (f)     | (-0.5, 4.5 or 4.49)  | B1ft<br>B1 ft | f.t (their -2.30 + their 1.30) $\div 2$<br>ft (4 - their $x$ co-ord dep on attempt at mid value of $x$ from values in e) [12] |   |

|   |         |  |                            |  |
|---|---------|--|----------------------------|--|
| 4 | (a) (i) | $4\pi 3.5^2 = 153.86$ to 153.96 or 154   | M1A1                       | www2   |
|   | (ii)    | $\frac{4}{3}\pi 3.5^3 = 179.5$ to 179.62 or 180  | M1A1                       | www2   |
|   | (iii)   | their (ii) $\times 5.6$<br>1005 to 1006 or 1008 or 1010 (g)  | M1<br>A1ft                 | their (ii) $\times 5.6$ correct to 3sf or better<br>(allow in kg)  |
|   | (b)     | $\pi 8^2 \times 8$ (1608-1609)<br>$\pi 8^2 h = 2 \times$ their (ii) + $\pi 8^2 \times 8$<br>$(2 \times$ their (ii) + $\pi 8^2 \times 8) \div (\pi 8^2)$<br>9.78 to 9.79 (cm) | M1<br>M1dep<br>M1dep<br>A1 | Alt $\pi 8^2 d = 2 \times$ their (ii) M1<br>$(2 \times$ their (a)(ii)) $\div (\pi 8^2)$ M1dep<br>add 8 M1dep<br>www4 |
|   | (c)     | 1000 (or 1) $\div 4.8 \div \frac{4}{3}\pi$<br>$\sqrt[3]{ans}$ (or $10 \times \sqrt[3]{ans}$ )<br>3.67 to 3.68 (cm)   | M1<br>M1dep<br>A1          | 49.7..... (or 0.0497)<br>Dep on previous M1<br>www3 figs 368 or ans 3.7 gets M2 [13]                                 |

| Page 5 | Mark Scheme                   | Syllabus  | Paper |
|--------|-------------------------------|-----------|-------|
|        | IGCSE – October/November 2007 | 0580/0581 | 04    |

|   |         |   |            |  |
|---|---------|---|------------|--|
| 5 | (a) (i) | $\sqrt{7^2 - 4^2} = 5.74$ (cm)  | M1A1       | www2 5.74456...  |
|   | (ii)    | 6.32 (cm)   | B1         | 6.32455.....   |
|   | (b)     | $2 \times \frac{1}{2} \times 8 \times '5.74' + 2 \times \frac{1}{2} \times 6 \times '6.32' + 8 \times 6$<br>131.8 to 132 (cm <sup>2</sup> ) | M1<br>A1ft | www2 ft 48 + 8 × their (a)(i) + 6 × their (a)(ii)  |
|   | (c) (i) | $((PX)^2) = (\text{their (a)(i)})^2 - 3^2$<br>$\sqrt{24}$ soi or 4.898..... seen  | M1<br>E1   | or their a(ii) <sup>2</sup> - 4 <sup>2</sup> or 7 <sup>2</sup> - (3 <sup>2</sup> + 4 <sup>2</sup> )            |
|   | (ii)    | $\text{Tan(PNX)} = \frac{\text{their(c)(i)}}{4}$ o.e.<br>50.7 to 50.84 oe   | M1<br>A1   | Alt correct trig methods involving their (a)(ii)<br>M1 for correct explicit statement<br>www2 for a trig ratio |
|   | (iii)   | (HPN) 180 - 2 × their (ii)<br>78.3 to 79  | M1<br>A1   | www2 Alt - cos rule method - M1 at explicit stage  |
|   | (iv)    | $\tan = \frac{\text{their(c)(i)}}{5}$ o.e.<br>44.4 to 44.43°  | M2<br>A1   | M1 for recognition of angle PAX or PAC oe<br>Alt trig methods with PA = 7 used<br>www3 44.4153086              |
|   | (v)     | PHN or PGM o.e. (letters)   | B1         | B0 if extras   |
|   |         |   |            | [15]   |

|   |         |  |                            |   |
|---|---------|--|----------------------------|---|
| 6 | (a) (i) | AB=13 cm and BD=15 cm (± 2 mm)<br>Angle A = 80° (± 2°)<br>A,B,C,D correct within 4 mm  | B1<br>B1<br>B1             | Dep. on B2  |
|   | (ii)    | Angle ADB correct (57-61°) (± 2°)<br>Angle DCB correct (101-105°) (± 2°)   | B1ft<br>B1ft               | Either in working or written on diagram   |
|   | (iii)   | Acc. bisector of angle A with arcs<br>(at least 5 cm long) (± 2°)(± 2 mm)  | B2ft                       | B1 for accurate without/wrong arcs  |
|   | (iv)    | Acc. perp. bisector of AD with at least 1 pair of arcs (± 2°)(± 2 mm) (at least 5 cm long)   | B2ft                       | B1 for accurate without/wrong arcs<br>B1 for each if accurate with arcs but short   |
|   | (v)     | 'Correct' area shaded below their perp. bisector and below their angle bisector  | B1                         | Dep. on at least B1 in (iii) and B1 in (iv)   |
|   | (b) (i) | $\frac{\sin D}{26} = \frac{\sin 80}{30}$<br>$(\sin D) = \frac{26 \sin 80}{30}$<br>58.57 to 58.6°   | M1<br>M1dep<br>A1          | No M marks in (b) for <u>measuring + using</u> lengths from diagram e.g. AD = 20 m but allow 13, 15, 9 used for 26, 30, 18 in b dep on 1 <sup>st</sup> M<br>www3<br>Ft 100 - their 58.6 |
|   | (ii)    | Angle BDC = 41.4<br>$(BC^2) = 18^2 + 30^2 - 2 \times 18 \times 30 \cos '41.4'$<br>square root of correct collection<br>20.3 to 20.35 (m) cao | B1 ft<br>M1<br>M1dep<br>A1 | Allow 41 or 42 for angle BDC<br>Dep on 1 <sup>st</sup> M (413.88... )<br>www4   |
|   | (iii)   | $0.5 \times 26 \times 30 \sin '41.4' +$<br>$0.5 \times 18 \times 30 \sin '41.4'$ oe<br>436 to 437 (m <sup>2</sup> ) cao                      | M2<br>A1                   | M1 for correct area of one triangle (257.9 or 178.6). Must see calc for trapezium height if used (30 sin '41.4')<br>Allow 41 or 42 for angle BDC<br>www3                                |
|   |         |  |                            | [20]  |

| Page 6 | Mark Scheme                   | Syllabus  | Paper |
|--------|-------------------------------|-----------|-------|
|        | IGCSE – October/November 2007 | 0580/0581 | 04    |

|         |  |                                     |  |
|---------|--|-------------------------------------|--|
| 7 (a)   | Correct axes   | <b>S1</b>                           | must fit on paper 2mm acc throughout<br>Ignore labels on triangles throughout  |
| (b)     | Correct triangle drawn (T)                                       | <b>T1</b>                           | vertices at (8, 6), (6, 10) and (10, 12)   |
| (c) (i) | Correct reflection in $y = x$ drawn (P)                          | <b>P2ft</b>                         | ft their T, P1 for two correct vertices drawn<br>(6, 8), (10, 6), (12, 10)<br><b>or</b> line $y = x$ correctly drawn (within 2mm of<br>(12,12) if extended)  |
| (ii)    | $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$                   | <b>B2</b>                           | B1 for a correct column  |
| (d) (i) | Correct enlargement, scale factor 0.5,<br>centre (0,0) drawn (Q) | <b>Q2ft</b>                         | (4, 3), (3, 5), (5, 6)<br>Q1 for any enlargement s.f. $\frac{1}{2}$ or 2 correct<br>vertices drawn<br>SC1 for 3 points within 5 mm if rays method<br>used <b>or</b> for correct enlargement but of P |
| (ii)    | Enlargement only<br>(scale factor) 0.5<br>(centre) (0, 0) o.e.   | <b>B1</b><br><b>B1</b><br><b>B1</b> | indep<br>indep   |
| (e)     | Correct stretch drawn (R)  | <b>R2ft</b>                         | R1 for two correct vertices ft<br>(4, 6), (3, 10), (5, 12)   |

[13]

|       |   |  |  |
|-------|---|--|--|
| 8 (a) | 2   | <b>B1</b>                                  |  |
| (b)   | $\frac{3}{2x-1} + 1$<br>$\frac{3+2x-1}{2x-1}$<br>$\frac{2+2x}{2x-1}$ o.e. final ans   | <b>M1</b><br><b>M1</b><br><b>A1</b>        | Dep on 1 <sup>st</sup> M1<br><br>www3  |
| (c)   | $y = \frac{3}{x} + 1$<br>$y - 1 = \frac{3}{x}$ or $xy = 3 + x$<br><br>$x(y - 1) = 3$<br>$\frac{3}{x - 1}$ o.e. final answer | <b>M1</b><br><br><b>M1dep</b><br><b>A1</b> | $x = \frac{3}{y} + 1$<br><br>Alt $x - 1 = \frac{3}{y}$<br><br>Dep on 1 <sup>st</sup> M1 $y(x - 1) = 3$<br>www3 $\frac{3}{x - 1}$ o.e.<br>If answer is $x = \frac{3}{x - 1}$ allow M2 |
| (d)   | 256   | <b>B2</b>                                  | B1 for $2^3 = 8$ or $2^8$ seen   |
| (e)   | $2^x = \frac{3}{-24/7} + 1$<br>-3   | <b>M1</b><br><br><b>A1</b>                 | M for r.h.s. followed by attempt at<br>recognising $2^x = \dots\dots\dots$<br><br>After M0, SC1 for 1/8 o.e seen<br>www2   |

[11]

| Page 7 | Mark Scheme                   | Syllabus  | Paper |
|--------|-------------------------------|-----------|-------|
|        | IGCSE – October/November 2007 | 0580/0581 | 04    |

|         |   |                        |  |
|---------|---|------------------------|--|
| 9 (a)   | $-7, 512, \frac{8}{9}, 81, 2187, -2106$ | <b>B6</b>              | B1 each. Allow in any order ignore letters   |
| (b) (i) | (P) $9 - 2n$                            | <b>B1</b>              | Accept correct expressions in any form<br>e.g. $7 - 2(n - 1)$<br>If 'n =' withhold the first mark earned |
| (ii)    | (Q) $n^3$                               | <b>B1</b>              |  |
| (iii)   | (R) $\frac{n}{n+1}$                     | <b>B1</b>              |  |
| (iv)    | (S) $(n+1)^2$                           | <b>B1</b>              |  |
| (v)     | (T) $3^{n-1}$                           | <b>B1</b>              |  |
| (vi)    | (U) $(n+1)^2 - 3^{n-1}$                 | <b>B1ft</b>            |  |
| (c)     | their(b)(i) = - 777<br>393 cao          | <b>M1</b><br><b>A1</b> | www2   |
| (d)     | 12                                      | <b>B2</b>              | SC1 for 11 or $n - 1 = 11$ or $3^{12}, 3^{11}$ seen [16]   |