

# Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/23

Paper 2 Multiple Choice (Extended)

May/June 2021

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


#### **INSTRUCTIONS**

There are **forty** questions on this paper. Answer **all** questions.


- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

## **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



**1** A gas is released at point P in the apparatus shown.



Which gas turns the damp universal indicator paper red most quickly?

- A ammonia, NH<sub>3</sub>
- **B** chlorine,  $Cl_2$
- **C** hydrogen chloride, HC1
- **D** sulfur dioxide, SO<sub>2</sub>
- 2 A 1 cm<sup>3</sup> sample of substance X is taken. This is sample 1.

X is then converted to a different physical state and a 1 cm<sup>3</sup> sample is taken. This is sample 2.

Sample 2 contains more particles in the 1 cm<sup>3</sup> than sample 1.

Which process caused this increase in the number of particles in 1 cm<sup>3</sup>?

- **A** boiling of liquid X
- **B** condensation of gaseous X
- C evaporation of liquid X
- **D** sublimation of solid X
- **3** Which statement about paper chromatography is correct?
  - **A** A solvent is needed to dissolve the paper.
  - **B** Paper chromatography separates mixtures of solvents.
  - **C** The solvent should cover the baseline.
  - **D** The baseline should be drawn in pencil.
- 4 Element X has 7 protons.

Element Y has 8 more protons than X.

Which statement about element Y is correct?

- A Y has more electron shells than X.
- **B** Y has more electrons in its outer shell than X.
- **C** Y is in a different group of the Periodic Table from X.
- **D** Y is in the same period of the Periodic Table as X.

**5** A covalent molecule Q contains only six shared electrons.

What is Q?

- A ammonia, NH<sub>3</sub>
- B chlorine, Cl<sub>2</sub>
- **C** methane, CH₄
- **D** water, H<sub>2</sub>O
- **6** Which statement explains why metals are malleable?
  - **A** The atoms release electrons to become cations.
  - **B** The electrons are free to move.
  - **C** The electrons and the cations are attracted to each other.
  - **D** The layers of ions can slide over each other.
- 7 Which statement about isotopes of the same element is correct?
  - **A** They have different numbers of electrons.
  - **B** They have different numbers of neutrons.
  - **C** They have different numbers of protons.
  - **D** They have the same mass number.
- 8 The element silicon has the same structure as diamond.

Which statement about silicon is correct?

- **A** Every silicon atom is bonded to three other atoms only.
- **B** Silicon has a high melting point.
- **C** Silicon is a good conductor of electricity.
- **D** Silicon is used as a lubricant.
- **9** Three ionic compounds of vanadium have the formulae  $V_2O$ ,  $VCl_2$  and  $V_2O_3$ .

What is the charge on the vanadium ion in each compound?

	V <sub>2</sub> O	VCl <sub>2</sub>	$V_2O_3$
Α	+1	-2	+2
В	+1	+2	+3
С	+2	-2	+2
D	+2	+2	+3

10 In separate experiments, electricity was passed through concentrated aqueous sodium chloride and molten lead(II) bromide.

What would happen in **both** experiments?

- **A** A halogen would be formed at the anode.
- **B** A metal would be formed at the cathode.
- **C** Hydrogen would be formed at the anode.
- **D** Hydrogen would be formed at the cathode.
- **11** The equation for the decomposition of calcium carbonate is shown.

$$CaCO_3 \rightarrow CaO + CO_2$$

What mass of calcium oxide is produced when 10 g of calcium carbonate is heated?

- **A** 4.4 g
- **B** 5.0 g
- **C** 5.6 g
- **D** 10.0 g
- **12** Gas syringe X contains 100 cm<sup>3</sup> of hydrogen bromide gas, HBr.


Gas syringe Y contains 100 cm<sup>3</sup> of carbon dioxide gas. The volume of each gas is measured at room temperature and pressure.

Which statement is correct?

- **A** The mass of HBr is less than the mass of  $CO_2$ .
- **B** The number of molecules of HBr equals the number of molecules of CO<sub>2</sub>.
- **C** The gas in syringe X contains more atoms than the gas in syringe Y.
- **D** The number of moles of HBr is more than the number of moles of CO<sub>2</sub>.

© UCLES 2021

13 Which simple cell produces the most electrical energy?



**14** When sulfur is heated it undergoes a .....1..... change as it melts.

Further heating causes the sulfur to undergo a .....2..... change and form sulfur dioxide.

Which words complete gaps 1 and 2?

	1	2
Α	chemical	chemical
В	chemical	physical
С	physical	chemical
D	physical	physical

- **15** Four statements about the effect of increasing temperature on a reaction are shown.
  - 1 The activation energy becomes lower.
  - 2 The particles move faster.
  - 3 There are more collisions between reacting particles per second.
  - 4 There are more collisions which have energy greater than the activation energy.

Which statements are correct?

**A** 1, 2 and 3

**B** 1, 3 and 4 **C** 2, 3 and 4 **D** 2 and 3 only

**16** An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- **A** Zn is the oxidising agent and it oxidises Cu<sup>2+</sup>.
- **B** Zn is the oxidising agent and it reduces Cu<sup>2+</sup>.
- **C** In is the reducing agent and it oxidises Cu<sup>2+</sup>.
- **D** Zn is the reducing agent and it reduces Cu<sup>2+</sup>.

17 The equation for the decomposition of hydrogen iodide is shown.

$$2HI \rightarrow H_2 + I_2$$

Some bond energies are shown.

bond	bond energy in kJ/mol
H–H	440
I–I	150
H–I	300

What is the energy change for the reaction?

- **A** -290 kJ/mol **B** -10 kJ/mol **C** +10 kJ/mol
- **D** +290 kJ/mol

**18** Element X forms an oxide, XO, that neutralises sulfuric acid.

Which row describes X and XO?

	element X	nature of oxide, XO
Α	metal	acidic
В	metal	basic
С	non-metal	acidic
D	non-metal	basic

19 Aqueous solutions of sodium sulfate and barium chloride are mixed.

$$Na_2SO_4(aq) + BaCl_2(aq) \rightarrow BaSO_4(s) + 2NaCl(aq)$$

Which process is used to separate a sample of barium sulfate from the reaction mixture?

- **A** precipitation
- В filtration
- C evaporation
- **D** distillation

- 20 Information about element J is shown.
  - Its atoms have four electrons in their outer shell.
  - It is a non-metal.
  - Its oxide has a macromolecular structure.
  - It has a high melting point.

#### What is J?

- A beryllium
- **B** carbon
- C silicon
- **D** sulfur
- 21 Which property is shown by transition elements?
  - A low density
  - **B** low melting point
  - C variable oxidation state
  - **D** white compounds
- 22 Helium and neon exist as monoatomic gases at room temperature and pressure.
  - statement 1 Helium and neon have eight electrons in their outer shell.
  - statement 2 Helium and neon are unreactive.

Which option is correct?

- A Statement 1 and statement 2 are incorrect.
- **B** Statement 1 is correct and explains statement 2.
- **C** Statement 1 is correct, but does not explain statement 2.
- **D** Statement 1 is incorrect, but statement 2 is correct.

3 and 4 only

D

**C** 1, 3 and 4

- 23 What are possible effects of an inadequate water supply during a drought?
  - 1 crop failure
  - 2 wastage of water
  - 3 human disease
  - 4 death of farm animals
- 24 Which statement explains why galvanising prevents iron from rusting?

**B** 1 and 2 only

- A Zinc is more reactive than iron and corrodes in preference to iron.
- **B** Zinc is more reactive than iron and loses electrons less easily than iron.
- **C** Zinc is less reactive than iron and corrodes in preference to iron.
- **D** Zinc is less reactive than iron and loses electrons more easily than iron.
- 25 Some metal nitrates and carbonates decompose when heated strongly.

Metal Q has a nitrate that decomposes to give a salt and a colourless gas only.

The carbonate of metal Q does not decompose when heated with a Bunsen burner.

What is metal Q?

1, 2 and 3

- A calcium
- **B** copper
- C sodium
- **D** zinc
- **26** Which compounds are released by the extraction of zinc from zinc blende and by respiration?

	extraction of zinc	respiration
Α	CO <sub>2</sub> and SO <sub>2</sub>	CO <sub>2</sub> only
В	CO <sub>2</sub> and SO <sub>2</sub>	CO <sub>2</sub> and H <sub>2</sub> O
С	CO <sub>2</sub> only	CO <sub>2</sub> only
D	CO <sub>2</sub> only	CO₂ and H₂O

- 27 Which gas is an air pollutant that causes acid rain?
  - A argon
  - B carbon monoxide
  - **C** methane
  - D nitrogen dioxide
- 28 Ammonia is made from nitrogen and hydrogen. The equation for the reaction is shown.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which conditions give the greatest equilibrium yield of ammonia?

	temperature /°C	pressure /atm
Α	200	15
В	200	150
С	500	15
D	500	150

- 29 Which reaction does not occur during the extraction of iron from hematite in a blast furnace?
  - $A \quad C + O_2 \rightarrow CO_2$
  - **B** CaO + SiO<sub>2</sub>  $\rightarrow$  CaSiO<sub>3</sub>
  - $\mathbf{C}$   $CO_2 + C \rightarrow 2CO$
  - $\textbf{D} \quad \text{4Fe + } 3O_2 \, \rightarrow \, 2\text{Fe}_2O_3$
- **30** Which substance is used as a catalyst in the manufacture of sulfuric acid by the Contact process?
  - **A** iron
  - **B** nickel
  - C phosphoric acid
  - **D** vanadium(V) oxide

**31** Metal X is a good conductor of electricity and is used for electrical wiring.

Metal Y is used to make an alloy which is resistant to corrosion and is used to make cutlery.

Metal Z is light and strong and is used in the manufacture of aircraft.

What are X, Y and Z?

	Х	Y	Z
Α	aluminium	iron	copper
В	copper	iron	aluminium
С	aluminium	copper	iron
D	copper	aluminium	iron

32 The formulae of two compounds of manganese are MnO<sub>2</sub> and KMnO<sub>4</sub>.

In these two compounds the oxidation state of potassium is +1 and the oxidation state of oxygen is -2.

What are the oxidation states of manganese in each of these two compounds?

	MnO <sub>2</sub>	KMnO <sub>4</sub>
Α	+2	+3
В	+2	+7
С	+4	+3
D	+4	+7


- 33 Which statement about calcium carbonate is correct?
  - **A** It is made by the thermal decomposition of limestone.
  - **B** It is used to neutralise alkaline soils.
  - **C** It is a reactant in the test for carbon dioxide.
  - **D** It is used to remove impurities in iron extraction.


**34** Ethanol is reacted with acidified potassium manganate(VII).


Which row describes the type of reaction and the type of organic compound formed?


	type of reaction	organic compound
Α	oxidation	carboxylic acid
В	oxidation	alkene
С	dehydration	carboxylic acid
D	dehydration	alkene

**35** The diagrams show the structural formulae of four compounds.










Which two compounds are structural isomers?

- A 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

**36** Which statement about alkanes is correct?

- **A** They burn in oxygen.
- **B** They contain carbon, hydrogen and oxygen atoms.
- **C** They contain double bonds.
- **D** They contain ionic bonds.

- 37 How much hydrogen is needed to react completely with 0.02 moles of butene to make butane?
  - **A**  $0.24\,\mathrm{dm}^3$
- **B**  $0.48\,\mathrm{dm}^3$
- $\mathbf{C} = 0.96 \, \text{dm}^3$
- **D**  $1.20\,\mathrm{dm}^3$
- **38** What is an advantage of the fermentation process for producing ethanol compared with the catalytic addition of steam to ethene?
  - A Fermentation requires less heat energy.
  - **B** Ethanol from fermentation needs to be distilled.
  - **C** Raw materials for fermentation are non-renewable.
  - **D** The fermentation process is carried out in batches rather than continuously.
- **39** The structure of a synthetic polymer is shown.



The structure shows that it is a ......1....... It is formed by ......2...... polymerisation.

Which words complete gaps 1 and 2?

	1	2
Α	polyamide	addition
В	polyamide	condensation
С	polyester	addition
D	polyester	condensation

- **40** Which substance is a natural polymer?
  - A ethene
  - **B** Terylene
  - C nylon
  - **D** protein

## **BLANK PAGE**

15

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	<b> </b>	2 H	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine -			
	5			8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>L</u>	tellurium 128	84	Ъ	polonium –	116	_	livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209			
	2			9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	F1	flerovium -
	=			5	Ф	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	П	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	£	mercury 201	112	ű	copernicium –
										29	n	copper 64	47	Ag	silver 108	79	Αu	gold 197	111	Rg	roentgenium
dr																		platinum 195			E
Group										27	ပိ	cobalt 59	45	몬	rhodium 103	77	٦	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
				J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	В	bohrium –
					ГО	s.				24	ن	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>а</u>	tantalum 181	105	op O	dubnium —
				at	ator	relati				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium -
							J			21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			3	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Вb	rubidium 85	55	Cs	caesium 133	87	Ē.	francium -

71 Lu	lutetium 175	103	۲	awrencium	ı
02 <b>Yb</b>	ytterbium 173	102	2	nobelium	1
69 Tm	thulium 169	101	Md	mendelevium	ı
68 Er	erbium 167	100	Fm	ferminm	ı
67 Ho	holmium 165	66	Es	einsteinium	ı
。 O	dysprosium 163	86	ರ	californium	ı
65 Tb	terbium 159	26	益	berkelium	ı
64 Gd	gadolinium 157	96	Cm	curium	ı
e3 Eu	europium 152	92	Am	americium	ı
Sm	samarium 150	94	Pn	plutonium	ı
Pm	promethium -	93	d	neptunium	ı
9 <b>P</b> N	neodymium 144	82	$\supset$	uranium	238
59 P	praseodymium 141	91	Ра	protactinium	231
G 58	cerium 140				
57 <b>La</b>	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).