

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2011 question paper
for the guidance of teachers**

0620 CHEMISTRY

0620/33

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0620	33

- 1 (a) (i) Cs / Fr [1]
- (ii) Br [1]
- (iii) U / Pu / Th [1]
- (iv) I or At [1]
- (v) As [1]
- (vi) He / Ne / Ar / Kr / Xe [1]
- (b) (i) GeO_2 / GeO [1]
- (ii) TeBr_2 / TeBr_4 [1]
- (c) (i) Sr^{2+} [1]
- (ii) F^- [1]
- 2 (a) (i) molecule / unit / simple compound / building block **and** used to make a polymer / big molecule / long chain / macromolecule [1]
- formation of a polymer / big molecule / long chain / macromolecule **or** joining of monomers **and** elimination / removal / formation of a simple or small molecule / H_2O / HCl [1]
- note:** two points needed for 1 mark in both parts
- (ii) -O- linkage [1]
three correct monomer units [1]
continuation [1]
- (b) (i) catalyst **and** from living organism [1]
accept: biological catalyst / protein catalyst
- (ii) enzyme denatured / destroyed [1]
- (iii) chromatography [1]
locating agent / description of locating agent [1]
measure R_f / compare with standards [1]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0620	33

- 3 (a) sodium hydroxide solution [1]
 warm [1]
 (only) ammonium phosphate gives off ammonia / gas (which will turn red litmus paper blue) [1]
or:
 sodium hydroxide solution [1]
 dissolve fertiliser in water [1]
 Ca^{2+} gives (white) ppt [1]
or:
 flame test [1]
 Ca^{2+} brick red / orange / orange-red [1]
 NH_4^+ no colour [1]
- (b) iron catalyst [1]
 pressure 150–300 atmospheres [1]
 temperature 370–470 °C [1]
 $\text{N}_2 + 3\text{H}_2 \rightleftharpoons 2\text{NH}_3$ [1]
note: units required for temperature and pressure
- (c) potassium / K [1]
- (d) (i) needs to be soluble / in solution (to be absorbed by plants) [1]
 (ii) base [1]
 proton acceptor [1]
- (e) plant growth depends on soil acidity or pH / plants have optimum pH (for growth) [1]
 add $\text{Ca}(\text{OH})_2$ / CaO / CaCO_3 / lime / slaked lime / quicklime / limestone [1]
- 4 (a) (i) alloy / mixture [1]
 iron and carbon / another metal or element etc. [1]
 (ii) electron loss [1]
- (b) electrons move from / lost from Mg [1]
 to steel / iron [1]
- (c) (i) $2\text{H}^+ + 2\text{e}^- \rightarrow \text{H}_2$ [2]
 not balanced = 1

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0620	33

- (ii) sacrificial protection – is a cell [1]
 cathodic protection – is electrolysis NOT electrical cell [1]
or:
 sacrificial protection – electrons from more reactive metal [1]
 cathodic protection – electrons from battery etc. [1]
or:
 sacrificial protection – does not need or use power / battery / electricity / electrical cell [1]
 cathodic protection – does [1]
or:
 sacrificial protection uses up / needs a sacrificial / more reactive metal [1]
 cathodic protection doesn't [1]
- 5 (a) light / UV / sun / sunlight / solar energy [1]
 starts / initiates / speeds up [1]
- (b) (i) 0.03% – 1(%) carbon dioxide [1]
accept: less than 1(%)
 20% – 21(%) oxygen [1]
- (ii) remove carbon dioxide from atmosphere [1]
 produce oxygen [1]
 any **two** from:
 photosynthesis
 chlorophyll / chloroplast
 light / sun / sunlight / UV / photochemical
 formed carbohydrates / glucose / sugar(s) [2]
- (c) reaction is photochemical / needs light [1]
 (light) causes formation of silver / silver ions reduced [1]
 (on formation of silver) goes black [1]
 no light still silver(I) bromide / stays white / no reaction [1]
- 6 (a) any **three** from:
 barium more reactive / forms ions more readily
 barium reacts with (cold) water, nickel does not
 barium more vigorous with acids
 nickel compounds coloured, barium compounds white
 nickel has more than one oxidation state, barium has one
 nickel / nickel compounds catalysts, barium / barium compounds not catalysts
 nickel forms complex ions, barium does not [3]
- (b) (i) forward reaction favoured by low temperatures / reverse reaction favoured by high temperatures / heat [1]
 exothermic [1]
- (ii) products / RHS [1]
 has fewer moles / molecules / smaller volume / ORA [1]
- (iii) do not react or left behind / left at 60°C [1]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2011	0620	33

- (iv) electrolysis [1]
 cathode (pure) nickel [1]
 anode impure nickel [1]
 electrolyte is a soluble nickel salt [1]
- 7 (a) correct method shown [1]
 i.e. $126/14 (= 9)$ or $14x = 126$ or $x = 9$ or $(12 \times 9) + 18 = 126$ [1]
 C_9H_{18}
note: correct formula only = 1 [1]
- (b) (i) all hydrogen atoms 1bp [1]
 C—C bond atoms 1bp [1]
 C=C 2 bp [1]
- (ii) correct repeat unit [1]
 continuation [1]
- (iii) bonds broken [1]
 H-H +436 (kJ/mol) C=C +610 = +1046 (kJ/mol)
 bonds formed
 $2C-H -415 \times 2$ kJ/mol C-C -346 = -1176 (kJ/mol) [1]
 -130 kJ/mol / more energy released than absorbed [1]
or:
 bonds broken [1]
 3882 (kJ/mol)
 bonds formed [1]
 4012 (kJ/mol)
 -130 kJ/mol / more energy released than absorbed [1]
allow: ecf for final mark as long as the answer is not positive
note: units not necessary
- (c) (i) butan-1-ol or butan-2-ol or butanol [1]
- (ii) $CH_3-CH_2-CH(Br)-CH_2Br$ [2]
 $C_4H_8Br_2 = 1$
note: any other dibromobutane = 0
- (iii) HI [1]