CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the March 2015 series

0625 PHYSICS

0625/32

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the March 2015 series for most Cambridge IGCSE® components.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2015	0625	32

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

B marks

are independent marks, which do not depend on other marks. For a B mark to be scored, the point to which it refers must be seen specifically in the candidate's answer.

M marks

are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks

are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, **provided subsequent working gives evidence that they must have known it**. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

A marks

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored. A marks are commonly awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. An A mark following an M mark is a dependent mark.

Brackets ()

Brackets around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

<u>Underlining</u>

Underlining indicates that this <u>must</u> be seen in the answer offered, or something very similar.

OR / or

This indicates alternative answers, any one of which is satisfactory for scoring the marks.

e.e.o.o.

This means "each error or omission".

o.w.t.t.e.

This means "or words to that effect".

Ignore

This indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty.

Spelling

Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, do not allow ambiguities, e.g. spelling which suggests confusion between reflection / refraction / diffraction or thermistor / transistor / transformer.

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2015	0625	32
Not/NOT	This indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate, i.e. right plus wrong penalty applies.		
ecf	meaning "error carried forward" is mainly applicable to nummay in particular circumstances be applied in non-numerical indicates that if a candidate has made an earlier mistake an incorrect value forward to subsequent stages of working, may be awarded, provided the subsequent working is correctly earlier mistake. This prevents a candidate from being penal for a particular mistake, but only applies to marks annotated	al questions nd has carrio arks indicat ect, bearing lised more t	. This ed an ed by ecf in mind the
Significant figures	Answers are normally acceptable to any number of significations to this general rule will be specified in the mark	•	≥ 2. Any
Units	Deduct one mark for each incorrect or missing unit from an otherwise gain all the marks available for that answer: max		
Arithmetic errors	Deduct one mark if the only error in arriving at a final answ arithmetic one. Regard a power-of-ten error as an arithmeti	•	an

Allow these only where specified in the mark scheme.

Fractions

D	200 4	Mark Scheme		
	age 4	Cambridge IGCSE – March 2015	Syllabus 0625	Paper 32
<u> </u>		Cambridge 1963E - Water 2013	0023	JZ
1	(a) (i)	$a = (v - u) \div t$ OR $a = \Delta v \div t$ in any form OR in words in any form AND with correct numbers substituted		B1
	(ii)	Straight line from origin to point (3.2s, 32m/s)		B1
	(iii)	Area under graph OR $\frac{1}{2} \times 3.2 \times 32$ OR $s = \frac{1}{2} at^2$ OR $\frac{1}{2} \times 10 \times 3.2^2$ 51 m		C1 A1
	(b) (i)	Air resistance increases		B1
	(ii)	Graph line Y under graph line X Graph has decreasing gradient Graph extends to value of <i>t</i> greater than 3.5 s and greater than X		B1 B1 B1
				[Total: 8]
2	(a) (i)	$(W = mg = 2.8 \times 10^6 \times 10 =) 2.8 \times 10^7 \text{ N}$		B1
	(ii)	$3.2 \times 10^7 - 2.8 \times 10^7$ 4.0×10^6 OR 0.4×10^7 N		C1 A1
	(iii)	$F = ma$ in any form OR $(a =) F \div m$ OR $4.0 \times 10^6 \div (2.8 \times 10^6)$ 1.4 m/s^2		C1 A1
	` '	ss of rocket decreases (as fuel is used up)		
	OR Val OR	ue of g/gravitational force on rocket decreases as rocket rises		B1
	Air	resistance decreases		
				[Total: 6]
3	`´ Re	te: answers in either order sultant/net/total force sultant/net/ total turning effect/moment/torque/couple		B1 B1
	(b) (i)	1. $(240 \times 1.2 =) 290 \text{ (N m)}$ 2. $F \times 3.2$		B1 B1
	(ii)	F × 3.2 = 288 90 N		C1 A1

Р	age 5	Mark Scheme	Syllabus	Paper
	age 3	Cambridge IGCSE – March 2015	0625	32
	(iii)	To balance the weight OR to make resultant (vertical) force zero OR to make resultant moment zero OR to keep the ladder in (vertical) equilibrium OR because there is a downward force OR because the ladder is pressing on the ground OR otherwise the ladder would fall / sink (into the ground)		B1
				[Total: 7]
4	(a) (i)	kinetic		B1
	(ii)	(GPE =) $mgh \ OR \ 1.0 \times 10 \times 300$ 3000 J		C1 A1
	(iii)	$Q = mc\Delta\theta$ in any form OR $Q \div mc$ OR $3000 \div [(1.0 \times) 4200]$ 0.71 °C		C1 A1
	(iv)	Energy used to heat air (via air resistance) / Heat lost to surrounding OR Energy retained as KE of water (at bottom of waterfall) OR Sound (energy) produced	ngs	B1
	(b) Ter	nperature change/difference is (very) small		В1
				[Total: 7]
5	(a) (i)	X-rays		B1
	(ii)	Infra-red		B1
	(b) (i)	$v = f\lambda$ in any form OR $v \div f$ OR $3.0 \times 10^8 \div (2.45 \times 10^9)$ 0.12 m		C1 A1
	(ii)	$(Q =) \ ml \ \ {\sf OR} \ \ 150 \times 330 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$		C1 C1
		$P = Q/t$ in any form OR $(t =) Q/P$ OR (0.65×1100) OR 715 69 s		C1 A1
				[Total: 8]
6	(a) (i) (ii) (iii)	Normal at Q drawn AND refracted ray drawn with <i>r</i> less than <i>i</i> Emerging ray drawn parallel to PQ AND normal drawn Two equal angles, marked X, between rays and normal		B1 B1 B1
	(b) (i)	$n = \sin i \div \sin r$ in any form OR 1.62 = $\sin 65 \div \sin r$ in any form OR $\sin r = \sin 65 \div 1.62$		C1
		r = 34°		A1

P	age	6	Mark Scheme www.dynamicpapers.c	Paper
	age		Cambridge IGCSE – March 2015 0625	32
		(ii)	n = speed (of light) in air ÷ speed (of light) in glass in any form OR $1.62 = 3.0 \times 10^8$ ÷ speed in glass in any form (speed in glass = 3.0×10^8 ÷ 1.62) = 1.8 OR 1.9×10^8 m/s	C1
			(speed in glass = 3.0 × 10 · 1.02) = 1.0 Or 1.9 × 10 111/5	AI
	(c)	Dis	persion	B1
				[Total: 8]
7	(a)	(i)	A region in which a force acts upon an (electric) charge/charged object	B1
		(ii)	At least 4 radial straight lines with lines evenly spaced Arrows on lines pointing away from + charge	B1 B1
	(b)	Use	e positively charged rod	B1
		Pla	ce rod close to surface of sphere	B1
			uch sphere (briefly) with finger OR Connect sphere to earth and remove earth nection OR Briefly connect sphere to earth	B1
		Re	move charged rod	B1
				[Total: 7]
8	(a)	(i)	diode	B1
Ū	(-,			
		(ii)	 0.7 V I = V÷R in any form OR (I =) V÷R OR 11.3÷4 2.8 A 	B1 C1 A1
	(b)	(i)	 (12÷8 =) 1.5 A (1.5 + 2.825 =) 4.3 A ecf (a)(ii)2. and (b)(i)1. 	B1 B1
		(ii)	1.5 A ecf (b)(i)1.	B1
				[Total: 7]
9	(a)	(i)	Upper box: (split-ring) commutator OR split-ring Lower box: brush(es) OR contact(s)	B1 B1
		(ii)	X (is the N pole)	B1
	(b)	(i)	Any two from: Greater current (through coil) OR battery with greater voltage More turns in coil OR coil with greater area Use stronger magnet OR soft-iron core in coil OR bring magnetic poles closer to coil	B2

www.dynamicpapers.com
Syllabus Paper

П	Page 7 Mark Scheme S				
Pa	age	_	Cambridge IGCSE – March 2015	Syllabus 0625	Paper 32
		(ii)	Coil rotates in opposite direction OR rotates anticlockwise OR rotation reversed	0023	B1
	(c)	Ele	gnetic field is cut (by the wires of the coil) ctromagnetic induction takes place Voltage/e.m.f. is induced/produced (causing current in the coil)		B1
			Current is induced (in the coil)		B1
					[Total: 8]
10	(a)	(i)	 to heat the cathode/filament OR produces thermionic/electron emission 		B1
			2. cathode / negative terminal		B1
			3. anode / positive terminal		B1
		(ii)	So that electrons are not obstructed/stopped/deflected (by (air/gas) molecules/particles) OR so filament does not burn out/melt		B1
	(b)	(i)	Y-plates OR Voltage applied to Y-plates / Y inputs / Y terminals Alternating voltage/A.C. applied to Y-plates/Y inputs/Y terminals		B1 B1
		(ii)	X-plates OR time-base switched on		B1
		(iii)	Reduce voltage/input/charge/current/field OR Suggestion of change in V/cm setting/gain		B1
					[Total: 8]
11	(a)	Bot	h have positive/same charge		B1
	(b)	A B C	continues along original line deflected by any angle up to 135° (by eye) returns along same line OR deflected more than 135° (by eye)		B1 B1 B1

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2015	0625	32

(c) Any two from:

Atom is mostly empty space OR Nucleus is (very) much smaller than the atom OR Nucleus is very small

Charge of nucleus is (very) concentrated / (very) dense OR Nucleus contains all the positive charge of the atom OR Nucleus has positive charge

Nucleus contains most of the mass of the atom OR Nucleus is (very) massive OR Nucleus is (very) dense

[Total: 6]