UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the October/November 2007 question paper

0625 PHYSICS

0625/06

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2007 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

					w.dynamicpape		
	Page 2			Mark Scheme IGCSE – October/November 2007	Syllabus 0625	Paper 06	
		~ 1			0020		
1	(a)	24				[1]	
	(h)	~ °	C			[4]	
	(a)	s, ° 23,		each error)		[1] [2]	
	(c)	(i)	reas	son consistent with results		[1]	
		(ii)	Thre	ee from:			
			roon volu	n temp/draughts etc			
			beal	ker			
			liqui amo	d ount of stirring			
				ace area		[3]	
	(d)	lid				[1]	
						[Total: 9]	
2	(a)	8,	14, 20	0, 25, 34, 41 (-1 each error)		[2]	
		<i>(</i> 1)	~				
	(b)	(1)	Grap suita	on: able scales labelled symbol/unit		[1]	
				lots to nearest ½ sq (-1 each error or omission) thin and straight		[2] [1]	
			mic			[']	
		(ii)	corre	ect value (29mm – 31mm)to nearest ½ sq.		[1]	
		. ,		r how obtained		[1]	
						[Total: 8]	
3	(a)	0.41, 0.13, 0.14, 0.12(-1 each error)				[2] [1]	
		I in A at least once					
	(b)	stat	temer	nt (yes)			
	()			- correct within limits of experimental accuracy		[1]	
	(c)	var	iable	resistor/extra cell/variable power source/potential div	vider/potentiometer	[1]	
	, <u></u>	<i></i>				-	
	(d)	(i)		ect arithmetic for <i>R</i> 3.90 (ecf) and 2/3 sf		[1] [1]	
		(;;)					
		(ii)	voit	neter correct position and symbol		[1]	
						[Total: 8]	

Page 3	Mark Scheme	vw.dynamicpap	Paper
l ugo o	IGCSE – October/November 2007	0625	06
(a) (i) >	x = 2.1, 2.2		[1
• • •	a = 6.5, 6.6 and <i>h</i> with same unit		[1 [1
	correct arithmetic for n1.47 – 1.51 (ecf) 2/3 sf and no unit		[1 [1
(b) two e	qual heights from bench (or other valid method)		[′
			[Total: 6
(a) (i) 5	50, 75/76		[1
	25 (ecf) cm ³ (at least once and not contradicted)		[1 [1
(iii) c	lensity 4.36 (ecf)		[1
dens	at least once and not contradicted) ity g/cm ³ 3.02 both to 2/3 sf		[1 [1 [1
(c) Same	e method, lots of grains		[1

[Total: 9]