UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the October/November 2006 question paper

4024 MATHEMATICS

4024/01

Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



www.dynamicpapers.comPage 2Mark SchemeSyllabusPaperGCE 0 LEVEL - OCT/NOV 2006402401

1	(a)	1		1	
	(b)	8		1	Accept 0.53 or better
	()	0 0.e.			
2	(a)	1.77(0)		1	
	(b)	147		1	
3	(a)	5 <i>x</i> ⁶		1	
	(b)	1		1	3
	()	1 – or −2		-	Accept $\frac{3}{2}$, 1.5
		2			2
4	(a)	80		1	
	(b)	₆₂ 1		1	Not 125 Accord 62.5
		$\frac{02}{2}$			2 Accept 02.5
5	(a)	. 7 7		1	Accept any equivalents
Ŭ	(u)	$0.7^2, \frac{7}{11}, 0.7, \frac{7}{2}$		•	
		11 9			
	(b)	400		1	
6	(a)	34		1	Accept –34, ±34
	(b)	-9		1	
7	(a)	13		1	6.5
-	()	$\frac{10}{40}$ 0.e.			Not $\frac{0.0}{0}$
					9
	(d)	70 c.a.o.		1	Accept - 70, ±70, 7 x 10, 10 x 7
	(c)	8 c.a.o.		1	Accept – 8, ±8 Not 8 x 1
8	(a)	$2^{2} \times 3^{3}$		1	Accept 2 x 2 etc. condone x1"
					throughout
	(b)	2 [°] x 3 [°] x 5		1*	Answer 1080 look back. Give mark if
					correct prime factors seen
	(c)	75 or 3 x 5 ²		1	
9	(a)	-1 (≤ <i>x</i> <) 2	B1 + B1	2	Reversed answers – SC1
	(b)	-1. 0. 1 \		1 √	Given $-p \leq x < q$ in (a), allow
	(-)	NB: 0 must be included			\sqrt{if} n and a are positive integers
10	(2)	5.2 0.2 0		1	Inclusion of units \rightarrow no marks
10	(a) (b)	2.1×10^8		2	SC1 for figs 21: Condono 2.1×10^8
44		2.1 × 10			
11	(a)	$\frac{4}{2}$ 0.6.		ľ	Allow $\frac{4x}{x}$
		15			15
	(b)	$(2 \ 1)$	M1		004 (
		$\left \frac{-}{5} - \frac{-}{2} \right C = 1600 \text{ o.e.}$			SC1 for $\frac{15}{15}$ s.o.l.
					10
		(\$)24 000	A1	2*	
12	(a)	3a - 2c. o.e.		1	
	(~)				
	(b)	Establishing $k \overrightarrow{OP} = \ell \overrightarrow{BA}$		1*	IVIUST DE NUMERICAI
				_	
	(c)	3		1	Accept 1.5, 3:2
		20.6.			
13	(a)	Correct, ruled, line (and no others)		1	Accept if line dotted. 3 mm tolerance
	(b)	correct method to produce 900 (7 sided)	M1	-	
	(~)	or			
		correct method to produce 720 (6 sided)			
		or			
		correct method to produce 540 (5 sided)			
		or			
		$\frac{360 - \text{their } 54}{360 - 54}$ or $6x = 360 - 54$			
		6			
		(ext < method)			
		129 [°]	A1	2*	

www.dynamicpapers.comPage 3Mark SchemeSyllabusPaperGCE 0 LEVEL - OCT/NOV 2006402401

			-	
14	(a)	16	1	
	. ,	27		
		21		
	(a)	$\frac{2}{1} \times \frac{1}{1} \times \frac{1}{1} \times \frac{4}{1}$ MT		
		3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2		
		6 A1	2*	
			_	
		27		
15	(a)	9	1	
	(b)	3π Both correct 3 *		In (b) condone 3, $k = 3$, $3k\pi$.
	(c)	π	1	If no marks:- M1 for
	. ,	$60^{\circ} \text{ or } \frac{\pi}{2}$ One correct 2		circum = 18π or 2π x their (a) $$
		5)		Must be numerical
16	(2)	(i) 2	1	Condone 2n
10	(a)	(i) 2 (ii) F_{1} 2 their (a) 1	1	Condone $\Sigma \rho$
		(ii) $5\sqrt{5}$ there (a) = 1		
	(d)	$\begin{pmatrix} 1 \\ 0 \end{pmatrix}$ and (50)	1	
		$\left(\frac{-2}{2},0\right)$ and $\left(0,0\right)$		
17	(2)	(i) 2	1	Accort (y, α) y^2 or $(y =) ky^2$
11	(a)			Accept $(y \alpha) \times of (y -) \wedge x$
		(II) 1	1	Accept (y α) x or (y =) kx
	(b)	4	2	
18	(a)	2 pairs of angles stated equal B1		
		Reasons + conclusion (dep on 1 st B1) B1	2	Lost for wrong or irrelevant
				statements
	(b)	(i) 12	1	
	(,	(ii) x 2 M1	-	
		$\frac{1}{11} = \frac{1}{2} 0.0.$		
		14 - x = 3		
		$PX = \frac{28}{28}$ A1	2*	
		$B^{-} = \frac{0.6}{5}$		
		$BX = \frac{28}{5} \text{ o.e.} $ A1	2*	
	1			1

www.dynamicpapers.com

Page 4	Mark Scheme	Syllabus	Paper		
	GCE O LEVEL - OCT/NOV 2006	4024	01		

14	(a)	1550 (≤ distance <) 1650	B1		
		5.5 (≤ speed <) 6.5	B1	2	SC1 for any 2 seen
	(b)	300 sec o.e.		1	
15	(a)	$(-4 \ 2)$		2	SC1 for 3 correct elements
		$\begin{pmatrix} -6 & 0 \end{pmatrix}$ o.e.			condone intrusive letters
	(b)	1(2,3)			seen and isw
	()	$\left -\frac{1}{2} \right _{4}^{2} = 0.e.$	B1 + B1	2*	
10		$2(4 \ 5)$			
16	(a)	(i) $4p + 7$ c.a.o		1	
		(ii) $-1\sqrt{\text{solution of (their } 4p + 7)} = 3$		1	
	(b)	(a−1) ² −1	M1		
		a ² – 2a or a(a – 2)	A1	2*	
17	(a)	y = 2x + 3 o.e.		1	
	(b)	(i) Lines $x = 1$ and $y = 3$ drawn	B1		
		Lines $x + y = 2$ drawn	B1	2	
		(ii) Correct region identified		1	Part of region below the x axis should
		dept. on all 3 lines correct condonir	ng		be indicated
		minor inacc.			
18	(a)	Armas		1	
		(MAS)			
		4020			
		Le l			
				_	
	(b)	$P \cap Q'$ o.e.		1	$(P' \cup Q)'$
	(c)	25 - x + x + 20 - x + 4 (= 36)	M1		
		13	A1	2*	Diag. with <i>x</i> , 25 − <i>x</i> , 20 − <i>x</i> , 4 all
					marked earns the M1

www.dynamicpapers.comPage 5Mark SchemeSyllabusPaperGCE 0 LEVEL - OCT/NOV 2006402401

19	(a)	20	1	
	(b)	110	1	
	(c) (d)	20 50 or 180 [their $(y + z)$]	1	
20	(a)	$3:5 \text{ c.a.o. or } = \frac{3}{2} \text{ c.a.o.}$	1	Accept fraction: condone inclusion of
	<i>a</i>	5^{-10}		
	(D) (C)	9:25 or (their (a))	1	Accept 9π : 25π
	(0)	Idea of $\left(\frac{3}{5}\right)^{\circ}$ M1		NB. $\left(\frac{5}{3}\right)^{\circ}$ is M1
		27:98 c.a.o A1	2*	
21	(a)	(i) $\frac{15}{15}$ o e seen	1*	Allow 1.88 but not 1.9: Not 7.5
		8		4
		(ii) 95	1	
	(b)	Graph from (0,0) to (20, 95) $$	1	Graph must be continuous and non decending
		Fully correct graph or $$ to their 95		
		St. line (+ve gradient) from $t = 0.6$		If such pat fully, some stu
		boriz line (not on axis) from t = 8-12	2	SC1 for 2 or 3 parts correct
		correct curvature from t = 12-20		
22	(a)	(i) 15	1	Not -15
		(1) (10.0)		[but allow $$ mark in (c) for –30]
			1	
		(iii) $30 \sqrt{2} \times \text{their } 15$	1	
		$\frac{6}{10}$ o.e.	1	
	(b)	$5 k^2 - 111$		Accept 5
		$-\frac{1}{k}$ or $\frac{10k}{10k}$	1	Accept $-\frac{1}{\sqrt{61}}$
23	(a)	Arc of circle, centre L, radius 2 cm	1	Allow within 2 mm
	(b)	St lines, parallel to AB and BC, 2 cm		
		distance B1		
		Fully correct locus +B1 dep	2	
	(C)	25 (and) 48 or 29 and 48 $(\pm 2^{\circ})$ B1 + B1	2	Correct locus range $23 \rightarrow 50$ incl.
				SC1 if one angle in range or for
				reversed angles
				from their loci (arc or point)
24	(2)	A drawn (4.4) (8.4) and (10.2)	1	dept. on relevant locus
24	(a) (b)	△ urawii (4,4), (0,4) anu (10,2) Rotation P1		Not turn: extra transf. seen loses both
1	(0)			marks
		90 ° CW, centre (0,0) B1	2	Condone –90°; Allow $\begin{pmatrix} 0 \\ 0 \end{pmatrix}$ or 0.
	(c)	∆ drawn (−2, 2), (−4, 2), (−5, 1) B2	2*	SC1 for 2 points plotted or for 3 pts stated