CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the October/November 2012 series

4024 MATHEMATICS (SYLLABUS D)

4024/12 Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	www.dynamicpapers.com			
Page 2	Page 2 Mark Scheme		Paper	
	GCE O LEVEL – October/November 2012	4024	12	

Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
WWW	without wrong working
•	· 1· 1

soi seen or implied

Qu.	Answers	Mark	Part Marks
1	(a) 10.6	1	
	(b) 3 / 50 cao	1	
2	(a) $2\frac{11}{12}$	1	
	(b) 4 cao	1	
3	(a) 34	1	
	(b) 10	1	
4	(a) $3\frac{1}{2}$ oe	1	
	(b) oe	1	
5	$-1, -\frac{17}{20}, -\frac{4}{5}, 0, \frac{3}{4}$	2	C1 for 4 correct when one is covered or C1 for reversed answer
6	(a) 3 (h)	1	
	(b) 35 or ft $\frac{50 + 90}{\text{their (a)} + 1}$	1√	
7	(a) $8k+1$	1	
	(b) $2x^2 + 5x - 12$	1	
8	(a) 255°	1	
	(b) (0)7 h 53 min	1	
9	(a) 6	1	
	(b) 11	1	
10	(a) $2^2 \times 3^2 \times 5$ oe	1	
	(b) 11 www	1	

	Dama 2	Marile Cale area		WW	/w.dynamicpa	
	Page 3	Mark Scheme GCE O LEVEL – October/Nov	ember 2	012	Syllabus 4024	Paper 12
11	(a) 6		1			
	(b) 1 3		1			
12	18		2	B1 for	r'' = 2 or B1 for 4	$\frac{32}{4^2} = \frac{y}{3^2}$ oe
13	(a) 9.45		1			
	(b) 1.95 or <i>t</i>	their (a) – 7.5	1√			
14	(a) Both $p =$	= 6 and $q = 4$	1			
	(b) 33 or f.t.	29 + their q (provided q has a value)	1√^			
	(c) 34		1			
15	(a) $4p(4+p)$	<i>v</i>)	1			
	(b) $(x+2a)$		2	B1 for	any partial factoris	sation
16	(a) 0	• /	1			
	(b) A B 5	A B B C C C A C A B 6 5 7 6 7	1			
		their (number of 7s) om table total no. of outcomes d (number of 7s) > 0	1√^			
17	(a) 0.0406		1			
	(b) 6.8(00)	$) \times 10^{-4}$	1			
	(c) 4		1			
18	(a) 3		1			
	(b) $13\frac{1}{2}$ oe		1			
	(c) $4\frac{1}{2}$ oe		1			
19	(a)		2	C1 for	r 2 or 3 correct elem	ients
	(b) or $\begin{pmatrix} \frac{3}{4} \\ \frac{1}{4} \\ \frac{1}{4} \end{pmatrix}$	$\begin{pmatrix} 1 \\ 4 \\ 1 \\ 4 \end{pmatrix}_{oe}$	2		t det M = 4 or for $\frac{1}{4}$ for used or seen	× (2 × 2 matrix)

	Page 4	Mark Scheme			w.dynamicpa Syllabus	Paper
		GCE O LEVEL – October/No	vember 2	012	4024	12
20	(a) (i) 4		1			
	(ii) 2		1			
	(b) Both a c = 6	= 1 and b = 2.	1 1			
21	(a)		2		• 4 or 5 correct eler d matrix	nents in a 2×3
	(b) (one wa	ay) stretch	1			
		to y-axis/x-axis invariant and /scale) factor $\frac{1}{2}$.	1 dep.			
22	(a) (11, 3)		1			
	(b) parallel	ogram	1			
	(c) 27		2	or	r their $(BC) \times$ their r 9 × (their $BC + 2$)	
23	(a) 124		1			
	(b) 118		1			
	(c) 31		1			
	(d) 38		1			
24	(a) 18		2	M1 fo	360 _r their (180 – 160	ī
	(b) (i) 10 (ii) 20			or M1	for $(n-2) \times 180 =$	= 160 <i>n</i> oe
25	(a) $\frac{u}{5}$ or an	y equiv.	1			
		rrect method = 2	M1 A1		$\mathbf{D} = \frac{1}{2} \times (u + 3u) \times \mathbf{D}$ $= 10u + \frac{1}{2} \times 10 \times 2$	
	(1	ntinuous graph from (0, 0) to 0, 40),without any horizontal or rtical lines. Curve, concave upwards	1 1 ind.			

			w.dynamicpap	.dynamicpapers.com		
	Page 5	Mark Scheme			Syllabus	Paper
	GCE O LEVEL – October/Nove			012	4024	12
26	(a) 2011		2	B1 for	(n =) 223 seen	

		_	
	(c) (i) $9x - 9y$, or $9y - 9x$, or any equiv.	1	
	(ii) "123 is not a multiple of 9" oe	1	
27	(a) 126° to 128° inclusive	1	
	(b) acceptable quadrilateral <i>ABCD</i>	1	
	(c) (i) acceptable circular arc, centre C	1	
	(ii) acceptable bisector of angle <i>ABC</i>	1	
	(d) $DP = 2$ to 2.5cm with correct P		ep. on an acceptable <i>D</i> and both (c) aarks