

Centre No.						Paper Reference					Surname	Initial(s)		
Candidate No.						4	4	0	0	/	4	H	Signature	

Paper Reference(s)

4400/4H**London Examinations IGCSE****Mathematics**

Paper 4H

Higher Tier

Monday 1 June 2009 – Morning

Time: 2 hours

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

Materials required for examination

Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used.

Items included with question papers

Nil

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions. Write your answers in the spaces provided in this question paper.

Without sufficient working, correct answers may be awarded no marks.

You must NOT write on the formulae page. Anything you write on the formulae page will gain NO credit.

If you need more space to complete your answer to any question, use additional answer sheets.

Information for Candidates

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 22 questions in this question paper. The total mark for this paper is 100.

There are 20 pages in this question paper. Any blank pages are indicated.

You may use a calculator.

Advice to Candidates

Write your answers neatly and in good English.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2009 Edexcel Limited.

Printer's Log. No.
H34023A


W850/U4400/57570 4/4/6/4/3

*Turn over*

edexcel 
advancing learning, changing lives

**IGCSE MATHEMATICS 4400
FORMULA SHEET – HIGHER TIER**

Pythagoras' Theorem






Volume of cone = $\frac{1}{3} \pi r^2 h$

Volume of sphere = $\frac{4}{3} \pi r^3$

Curved surface area of cone = $\pi r l$

Surface area of sphere = $4\pi r^2$




adj = hyp \times cos θ
opp = hyp \times sin θ
opp = adj \times tan θ

or $\sin \theta = \frac{\text{opp}}{\text{hyp}}$

$\cos \theta = \frac{\text{adj}}{\text{hyp}}$

$\tan \theta = \frac{\text{opp}}{\text{adj}}$


In any triangle ABC




Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2} ab \sin C$





Volume of prism = area of cross section \times length



Circumference of circle = $2\pi r$

Area of circle = πr^2

Area of a trapezium = $\frac{1}{2} (a + b)h$



Volume of cylinder = $\pi r^2 h$

Curved surface area of cylinder = $2\pi r h$

The Quadratic Equation
The solutions of $ax^2 + bx + c = 0$,
where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$



Leave
blank

Answer ALL TWENTY TWO questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1. Show that $\frac{2}{3} \div \frac{5}{9} = 1\frac{1}{5}$

(Total 3 marks)

Q1

2. Angelou has x sweets.
He eats 5 of these sweets.
He puts all the sweets he has left into a bag.
- (i) Nina has 3 times as many sweets as the number that Angelou put into the bag.
Nina has 39 sweets.
- Use this information to write down an equation in x .

.....

- (ii) Solve your equation to find the value of x .

 $x = \dots\dots\dots$

(Total 5 marks)

Q2



3. Work out the value of $\frac{a(b+1)}{16}$ when $a = 6$ and $b = -9$

Leave
blank.....
(Total 3 marks)

Q3

4. The table gives information about the shoe sizes of 67 people.

Shoe size	6	7	8	9	10
Number of people	20	19	0	26	2

Find the median shoe size.

.....
(Total 2 marks)

Q4



5. (a) Calculate the circumference of a circle of radius 40 m.
Give your answer correct to 3 significant figures.

..... m
(2)

(b)




Diagram **NOT**
accurately drawn

The diagram shows a circle inside a rectangle.
The rectangle has length 10 cm and width 8 cm.
The radius of the circle is 3 cm.

Calculate the area of the shaded region.
Give your answer correct to 3 significant figures.

..... cm²
(4)

(Total 6 marks)

Leave
blank

Q5



6. The diagram shows a biased spinner, numbered 1, 2, 3 and 4

Leave blank




Diagram **NOT** accurately drawn

When the spinner is spun, the number on which it lands is the score.

The table shows the probabilities for three of the scores.

Score	Probability
1	0.3
2	0.1
3	0.4
4	

The spinner is spun once.
Work out the probability that the score is

(a) 4

.....
(2)

(b) an odd number.

.....
(2)

(Total 4 marks)


Q6



Leave blank


7. The diagram shows a parallelogram.

(a) On the grid, rotate the parallelogram through 90° anticlockwise about the point O .



(2)

(b)



Describe fully the single transformation that maps triangle **P** onto triangle **Q**.

.....

(2)

(Total 4 marks)

Q7

7

Turn over



Leave blank

8. (a)




Diagram **NOT** accurately drawn

Calculate the value of x .
Give your answer correct to 3 significant figures.

$x = \dots\dots\dots$
(3)

(b)




Diagram **NOT** accurately drawn

Calculate the length of AB .
Give your answer correct to 3 significant figures.

$\dots\dots\dots$ cm
(3)

(Total 6 marks)

Q8



9. Solve $\frac{12-x}{3} = 7$

Leave
blank

$x = \dots\dots\dots$

(Total 3 marks)

Q9

10. Express 132 as a product of its prime factors.

$\dots\dots\dots$

(Total 3 marks)

Q10






<p>11. Jagdeesh has to work out $\frac{84.2 \times \sqrt{38.2}}{41.6}$ without using a calculator.</p> <p>Use suitable approximations to work out an estimate for Jagdeesh's calculation. You must show all your working.</p>	Leave blank
	Q11 <input type="checkbox"/>

.....
(Total 3 marks)



12. The straight line, **L**, passes through the points (0, 2) and (2, 3).



(a) Work out the gradient of **L**.

.....
(2)

(b) Find the equation of **L**.

.....
(2)

(c) Write down the equation of a line parallel to **L**.

.....
(1)

(Total 5 marks)

Leave
blank



Q12



Leave blank

13. $ABCD$ and $PQRS$ are two similar quadrilaterals.

Diagrams **NOT** accurately drawn



AB corresponds to PQ .
 BC corresponds to QR .
 CD corresponds to RS .

Find the value of

(a) x ,

$x = \dots\dots\dots$
(1)

(b) y ,

$y = \dots\dots\dots$
(2)

(c) z .

$z = \dots\dots\dots$
(2)

(Total 5 marks)


Q13



14. A coin is biased so that when it is thrown, the probability that it will show Heads is $\frac{3}{4}$

The coin is thrown twice.

(a) Complete the probability tree diagram.



(3)

(b) Work out the probability that the coin shows Tails on both throws.

.....
(2)

(Total 5 marks)

Leave
blank

Q14



<p>15. (a) Simplify $3c^5d \times c^2d^4$</p> <p>.....</p> <p style="text-align: right;">(2)</p> <p>(b) Simplify $(2x^3y)^4$</p> <p>.....</p> <p style="text-align: right;">(2)</p> <p>(c) Simplify fully $\frac{2x-6}{x^2-3x}$</p> <p>.....</p> <p style="text-align: right;">(2)</p> <p style="text-align: right;">(Total 6 marks)</p>	<p>Leave blank</p> <p style="text-align: center;">Q15</p> <div style="border: 1px solid black; width: 20px; height: 20px; margin: 0 auto;"></div>
<p>16. (a) Factorise $2x^2 - x - 3$</p> <p>.....</p> <p style="text-align: right;">(2)</p> <p>(b) Hence write down the solutions of $2x^2 - x - 3 = 0$</p> <p>.....</p> <p style="text-align: right;">(1)</p> <p style="text-align: right;">(Total 3 marks)</p>	<p style="text-align: center;">Q16</p> <div style="border: 1px solid black; width: 20px; height: 20px; margin: 0 auto;"></div>



17. A curve has equation $y = x^2 + 3x$

(a) Find $\frac{dy}{dx}$

.....
(2)

(b) Find the gradient of the curve at the point where $x = -4$

.....
(1)

(c) The curve has a minimum point.
Find the coordinates of this minimum point.

.....
(3)

(Total 6 marks)

Leave
blank

Q17



Leave blank

18. The diagram shows a parallelogram, $ABCD$.
 M is the midpoint of BC .
 N is the midpoint of AD .




Diagram **NOT** accurately drawn

$$\vec{AB} = \mathbf{x}$$

$$\vec{AD} = \mathbf{y}$$

Find, in terms of \mathbf{x} and/or \mathbf{y} , the vectors

- (a) \vec{MN}

.....
(1)

- (b) \vec{AC}

.....
(1)

P is the point such that $\vec{CP} = \mathbf{y} - \frac{1}{2}\mathbf{x}$

- (c) Find, in terms of \mathbf{x} and/or \mathbf{y} , the vector \vec{PA}
 Simplify your answer as much as possible.

.....
(3)


Q18

(Total 5 marks)



19. The histogram shows information about the widths, w centimetres, of some leaves.

Leave blank



The number of leaves with widths in the class $3 < w \leq 4$ is 15

(a) Find the number of leaves with widths in the class $0 < w \leq 2$

.....
(2)

(b) Find an estimate of the number of leaves with widths in the range

$$4.5 < w \leq 5.5$$

.....
(3)

Q19

(Total 5 marks)



20. The diagram shows an equilateral triangle of side 2 m.




Diagram **NOT** accurately drawn

Leave blank

(a) (i) Use the diagram to show that $\cos 60^\circ = \frac{1}{2}$

(ii) Use the diagram to find the exact value of $\sin 60^\circ$
Give your answer as a surd.

$\sin 60^\circ = \dots\dots\dots$ (4)

(b) Use the exact values of $\cos 60^\circ$ and $\sin 60^\circ$ to show that $(\cos 60^\circ)^2 + (\sin 60^\circ)^2 = 1$

(2)

Q20

(Total 6 marks)



21. (a) Solve $2x^2 + 3x - 1 = 0$
Give your solution(s) correct to 3 significant figures.

Leave
blank

(b) Solve $\frac{2}{x} - \frac{1}{x+1} = 1$

.....
(3)

.....
(4)

Q21

(Total 7 marks)

TURN OVER FOR QUESTION 22



Leave
blank

22. (a) Each of the numbers x , y and z is greater than 1 and less than 10

$$x \times 10^5 + y \times 10^4 = z \times 10^5$$

Find an expression for z in terms of x and y .
Give your answer as simply as possible.

$$z = \dots\dots\dots$$

(2)

- (b) Each of the numbers 3×10^n , 4×10^m and $a \times 10^p$ is in standard form.

$$\frac{3 \times 10^n}{4 \times 10^m} = a \times 10^p$$

- (i) Find the value of a .

$$a = \dots\dots\dots$$

- (ii) Find an expression for p in terms of n and m .

$$p = \dots\dots\dots$$

(3)

(Total 5 marks)

Q22

TOTAL FOR PAPER: 100 MARKS

END

