

Mark Scheme (Results)

January 2017

Pearson Edexcel International GCSE in Human Biology (4HB0) Paper 02



Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Accept	Reject	Marks
	Description of Process removal of faeces sweating removal of urine egestion Removal of water onto skin surface excretion	Removal of water on to skin surface can be excretion as an alternative to sweating	Reject	Marks 7
	removal of carbon dioxide during Conversion of glucose produced during digestion into glycogen in the liver Conversion of proteins into polypeptides in the stomach Passage of insulin into the blood from the pancreas digestion digestion assimilation secretion			Total 7

Question number	Answer	Accept	Reject	Marks
2 (a)				
	Description	Part		
	prevents internal reflection	choroid;		1
	light sensitive layer	retina;		
	a transparent layer that bends light as it enters the eye	cornea;		1
	carries impulses to the brain	optic nerve;		1
	contains muscles which helps to focus images	ciliary body;		1
	watery fluid at the front of the eye	aqueous humor;		1

www.dynamicpapers.com

(b)	(i)	middle ear;		1
	(ii)	bone;		1
	(iii)	3 of		
		 collect/pick up/transfer vibrations; from eardrum; across middle ear; to oval window/cochlea; amplify vibrations; 		3

Question number	Answer Accept		Reject	Marks
2 (c)	 (oxygen absorption) causes pressure in chamber to drop/pressure difference either side of eardrum; eardrum curves (inwards)/presses against malleus; vibration reduced/stopped; hearing impaired/not as good; 			3 Total 14

Question number	Answer	Accept	Reject	Marks
3 (a) (i)	 use a ruler/tape measure; measure up one arm/from hand to head; 			
	across the head;to the second arm/hand;			3
(ii)	1900 cm;			1
(iii)	1900 and 2.5; 1900 ÷ 2.5; 760;	Allow ecf from 3aii 1 mark for 1900 and 2.5 1 mark for correct sum (division) using figures above 1 mark for correct answer using above Allow full marks for correct final answer with no working		3
(iv)	 of no repeats; difficulty in measuring distance; errors in starting/stopping timer; possible anticipation by students/delay in student response; delay caused by synapses; 			3

www.dynamicpapers.com

(b)	 2 of alcohol is a depressant/sedative; impulse speed/transmission (across the synapse) would be slower; slows reactions; 			2 Total 12
-----	---	--	--	---------------

Question number	Answer	Marks
4	8 of	
	• cilia damaged/destroyed/paralysed;	
	accumulation/overproduction of mucus;	
	causes smoker's cough;	
	leads to lung infection/bronchitis;	
	• lung cancer;	
	• emphysema/COPD;	
	 walls of alveoli break down/lose elasticity/enlargement of alveoli/surface area of alveoli reduced; 	
	carbon monoxide combines with haemoglobin;	
	 gas exchange/oxygen uptake reduced/less oxygen in blood/transported; 	
	 less respiration; 	
	less ATP/energy released/tired/fatigued;	8

Question number		A	nswer	Accept	Reject	Marks
5 (a) (i)						
	Part	Name of Part	Function of Part			
	X	cell membrane	controls substances entering/leaving cell;			
	Y	nucleus	controls activity/contains genes/DNA/chromosomes;			3
	Z	cytoplasm	(chemical) reactions occur;			
(ii)	mitochondribosomes			Golgi apparatus / chromosomes		
		nic reticulum;		,		3
(b) (i)	• two oblong	g shaped cells wit	h cilia;			
	Three of:					2
	• nucleus, (cell) membrane, (cytoplasm, cilia labelled;			2
(ii)		moves mucus;out of trachea/to the throat/away from the lungs;		Ignore produces /secretes mucus		2
	OR					Total 10
	moves ovum/egg;					10
	 along ovid 	luct/towards uteri	us;			
	• along ovid	luct/towards uter	us;			

Question number	Answer	Accept	Reject	Marks
6 (a) (i)	 mitosis/cell division; chromosomes only visible at this time / chromosomes condense; 			2
(ii)	 2 of respiration; to release energy/to make ATP; for cell division/mitosis; 			2
(iii)	 so chromosomes can be seen more clearly; 			1
(b) (i)	• 47;			1
(ii)	 both chromosomes are X/it is XX/if it were male would be XY/no Y chromosome; 			1
(iii)	 chromosomes unable to pair up; can't form haploid cell/cell with 23 chromosomes / unequal distribution of chromosomes; during meiosis; 			
	auge.ee.e,			2
				Total 9

www.dynamicpapers.com

WWW.C	lynam	icpapers	.com
-------	-------	----------	------