

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/12

Paper 1 Multiple Choice May/June 2013

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.



1	Wh	Which mixture could best be separated by using a separating funnel?				
	A	oil and sand				
	В	oil and water				
	С	sodium chloride and sand				
	D	sodium chloride and water				
2	Wh	ich process involves boiling a liquid and condensing the vapour?				
	Α	crystallisation				
	В	distillation				
	С	evaporation				
	D	filtration				
3	Wh	ich compound, when mixed with aqueous barium nitrate, does not form a white precipitate?				
	Α	ammonium carbonate				
	В	dilute sulfuric acid				
	С	silver nitrate				
	D	sodium carbonate				
4	The	e structure of metals consists of positive ions in a 'sea of electrons'.				
		nich statement correctly describes what happens to the particles in the metallic heating element an electric kettle when the kettle is switched on?				
	A	Electrons move in both directions in the element.				
	В	Electrons move in one direction only in the element.				
	С	Electrons move in one direction and positive ions move in the opposite direction in the element.				
	D	Positive ions move in one direction only in the element.				
5		turally-occurring bromine has a relative atomic mass of 80 and consists entirely of two topes of relative atomic masses 79 and 81.				
	What can be deduced about naturally-occurring bromine from this information only?					

© UCLES 2013 5070/12/M/J/13

Bromine has different oxidation states.

D Bromine is radioactive.

В

C

A Bromine contains the two isotopes in equal proportions.

Bromine isotopes have different numbers of protons.

6 Silicon carbide, SiC, has a structure similar to diamond. Boron nitride, BN, has a structure similar to graphite. Bronze is an alloy of copper and tin.

Which statements about SiC, BN and bronze are correct?

- 1 All are bonded covalently.
- 2 All except silicon carbide conduct electricity when solid.
- 3 All have high melting points.
- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 7 What can be deduced about two gases that have the same relative molecular mass?
 - **A** They have the same boiling point.
 - **B** They have the same number of atoms in one molecule.
 - **C** They have the same rate of diffusion at room temperature and pressure.
 - **D** They have the same solubility in water at room temperature.
- **8** Sodium is in Group I of the Periodic Table.

When sodium combines with chlorine, what happens to each sodium atom?


- **A** It gains one electron from one chlorine atom.
- **B** It shares one electron with one chlorine atom.
- **C** It transfers one electron to one chlorine atom.
- **D** It transfers two electrons to one chlorine atom.
- **9** Hydrogen and sulfur react to form the compound hydrogen sulfide.

Which row shows the type of bonding between hydrogen and sulfur and the electrical conductivity of liquid hydrogen sulfide?

	type of bonding	electrical conductivity in the liquid state
Α	covalent	good
В	covalent	non-conductor
С	ionic	good
D	ionic	non-conductor


10	Wh	hich statement about aqueous potassium sulfate is correct?								
	A	It contains more sulfate ions than potassium ions.								
	В	It contains two different types of molecule.								
	С	It does not conduct electricity.								
	D	It forms a white	pre	cipitate when	added	to aqueo	ous barium i	nitrate.		
11		e volume of a g n two volumes c				bines wit	th an equal	volume (of gaseous h	ydrogen to
	Wh	at is the formula	for	the hvdride of	X?					
		H_2X		HX		HX_2	D	H_2X_2		
		1127		100	J	11212	5	1 127 12		
12	The	e relative atomic	mas	ss of chlorine i	is 35.5.					
	Wh	at is the mass o	f 2 n	noles of chlori	ne gas	?				
	Α	17.75 g	В	35.5 g	С	71 g	D	142 g		
13	Ho	w could a sampl	e of	potassium be	obtain	ed from p	ootassium c	hloride, K	Cl?	
		method 1	ado	ding zinc to a	solutior	n of KC <i>l</i>				
		method 2	ele	ctrolysing an a	aqueou	ıs solutio	n of KC <i>l</i>			
		method 3	ele	ctrolysing mol	ten KC	:1				
	Α	method 1 only								
	В	methods 1 and	2							
	С	methods 2 and	3							
	D	method 3 only								
14	A c	oncentrated aqu	ieou	s solution of c	opper(II) chloric	de is electro	lysed usir	ng inert electi	rodes.
	Wh	at is the product	at t	he positive ele	ectrode	?				
	A	chlorine								
	В	copper								
	С	hydrogen								
	D	oxygen								

15 The diagrams show an electrolysis experiment using inert electrodes.



Which could be liquid **Y**?

- A aqueous copper(II) sulfate
- B concentrated aqueous sodium chloride
- C dilute sulfuric acid
- **D** ethanol
- **16** The energy profile for the forward direction of a reversible reaction is shown.



Which row correctly shows both the sign of the activation energy and the type of the enthalpy change for the **reverse** reaction?

	sign of activation energy	enthalpy change
Α	negative	endothermic
В	negative	exothermic
С	positive	endothermic
D	positive	exothermic

17 Which ionic equation describes a redox reaction?

A
$$Ag^{+}(aq) + Cl^{-}(aq) \rightarrow AgCl(s)$$

$$\textbf{B} \quad 2 \text{H}^{\scriptscriptstyle +}(\text{aq}) \ + \ \text{CO}_3^{\ 2 \scriptscriptstyle -}(\text{aq}) \ \rightarrow \ \text{CO}_2(g) \ + \ \text{H}_2\text{O}(\text{I})$$

$$\mathbf{C} \quad \mathsf{H}^{+}(\mathsf{aq}) + \mathsf{OH}^{-}(\mathsf{aq}) \rightarrow \mathsf{H}_{2}\mathsf{O}(\mathsf{I})$$

D
$$Zn(s) + Cu^{2+}(aq) \rightarrow Zn^{2+}(aq) + Cu(s)$$

18 Four separate mixtures of a solution and a solid are made, as given in the table.

The mixtures are warmed.

In which mixtures does gas form?

	NaOH(aq) and NH₄C <i>l</i> (s)	NaOH(aq) and Mg(s)	H ₂ SO ₄ (aq) and NH ₄ C <i>l</i> (s)	H₂SO₄(aq) and Mg(s)	
Α	✓	X	✓	X	key
В	✓	x	×	✓	√ = gas forms
С	x	✓	✓	X	x = no gas forms
D	X	✓	X	✓	

19 Four oxides are added separately to aqueous sodium hydroxide.

- 1 aluminium oxide
- 2 carbon dioxide
- 3 copper(II) oxide
- 4 magnesium oxide

Which oxides react with aqueous sodium hydroxide?

- A 1 and 2 only
- **B** 1, 3 and 4 only
- C 2 only
- **D** 3 and 4 only

20 Chlorine can be manufactured by the following reaction.

$$4HCl(g) + O_2(g) \rightleftharpoons 2H_2O(g) + 2Cl_2(g) \Delta H$$
 is negative

A mixture in dynamic equilibrium is formed.

Which change to the mixture will increase the amount of chlorine at equilibrium?

- A adding a catalyst
- **B** adding more HCl(g)
- C decreasing the pressure
- **D** increasing the temperature
- 21 Which is a use of sulfuric acid?
 - A as a bleach
 - **B** in the manufacture of ammonia
 - **C** in the manufacture of fertilisers
 - **D** in the manufacture of sulfur trioxide
- 22 Which statement about ammonia is correct?
 - A It is a colourless, odourless gas.
 - **B** It is a gas which turns damp blue litmus paper red.
 - **C** It is formed when potassium nitrate is heated with aqueous sodium hydroxide and aluminium.
 - **D** It is manufactured using vanadium(V) oxide as a catalyst.
- 23 Which property is common to calcium, potassium and sodium?
 - **A** Their atoms all have more neutrons than protons.
 - **B** Their ions all have eight electrons in their outer shell.
 - C They all sink when added to water.
 - **D** They are all deposited at the positive electrode when their molten chloride is electrolysed.

24 The table shows the solubility of some compounds of metal Q in cold water.

salt	solubility in cold water
carbonate	insoluble
chloride	soluble
sulfate	insoluble

What is metal Q?

- A barium
- **B** lead
- C magnesium
- **D** sodium

25 Which two statements indicate that metal *M* may have a proton number between 21 and 30?

- 1 It conducts electricity.
- 2 It does not react with water.
- 3 It forms two basic oxides with formulae MO and M_2O_3 .
- 4 It forms two coloured sulfates.
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4


26 An atom of which element has the same electronic configuration as the strontium ion?

- A calcium
- **B** krypton
- C rubidium
- **D** selenium

27 Which substance, in the given physical state, is found at the bottom of the blast furnace?

	substance	physical state
Α	calcium carbonate	solid
В	calcium silicate	liquid
С	carbon	liquid
D	iron	solid

28 Gas Z is to be separated from a mixture of gases X, Y and Z by the apparatus shown in the diagram.



For which mixture will this system work successfully?

	x	Y	Z
Α	hydrogen	carbon dioxide	nitrogen
В	oxygen	hydrogen	carbon monoxide
С	nitrogen	oxygen	hydrogen
D	carbon dioxide	nitrogen	oxygen

- 29 Magnesium can be obtained by heating magnesium oxide with which element?
 - A carbon
 - **B** hydrogen
 - C sodium
 - **D** zinc

30 Methanol is manufactured using the following reaction.

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

The usual conditions are 30 atmospheres and 300 °C.

At 400 °C the percentage of methanol in the equilibrium mixture is lower than at 300 °C.

What could be the explanation for this?

- A All the molecules are gaseous.
- **B** The forward reaction is exothermic.
- **C** The reaction is slower at 400 °C.
- **D** There are fewer product molecules than reactant molecules.
- 31 In the electrolysis of molten aluminium oxide for the extraction of aluminium, the following three reactions take place.

1
$$Al^{3+} + 3e^- \rightarrow Al$$

$$2 20^{2-} \rightarrow O_2 + 4e^{-}$$

3 C +
$$O_2 \rightarrow CO_2$$

Which reactions take place at the positive electrode?

- **A** 1 only **B** 2 only **C** 1 and 3 only **D** 2 and 3 only
- **32** An alloy of copper and zinc is added to an excess of dilute hydrochloric acid. The resulting mixture is then filtered.

Which observations are correct?

	filtrate	residue
Α	colourless solution	none
В	colourless solution	red-brown
С	blue solution	grey
D	blue solution	none

33 The compounds $CO(NH_2)_2$ and NH_4NO_3 are used as fertilisers.

The proportion of nitrogen by mass in $CO(NH_2)_2$ is1..... that in NH_4NO_3 .


The proportion of nitrogen by mole in CO(NH₂)₂ is2..... that in NH₄NO₃.

Which words correctly complete gaps 1 and 2?

	1	2
Α	equal to	equal to
В	higher than	equal to
С	higher than	higher than
D	lower than	lower than

- 34 Which method will remove salt from seawater?
 - **A** chlorination
 - **B** distillation
 - **C** filtration
 - **D** use of carbon
- **35** Which organic compound requires the least oxygen for the complete combustion of one mole of the compound?
 - $A C_3H_7OH$
- **B** C₃H₇COOH
- \mathbf{C} $\mathbf{C}_3\mathbf{H}_8$
- \mathbf{D} $\mathbf{C}_4\mathbf{H}_8$
- 36 Which polymer contains only three elements?
 - A protein
 - **B** poly(ethene)
 - C poly(propene)
 - **D** starch

37 What are the reactions of compounds W, X, Y and Z?



	decolourises aqueous bromine	has a pH of less than 7	reacts with a carboxylic acid to form an ester
Α	X and Y	W, X and Y	W, X , Y and Z
В	X and Y	X and Z	X and Z
С	W and Z	W, X and Y	X and Z
D	W and Z	X and Z	W, X and Y

38 The diagram shows the partial structure of *Terylene*.

From which pair of compounds is it made?

- 39 Which straight chain hydrocarbon can form a polymer by addition polymerisation?
- **A** C_6H_{14} **B** C_7H_{14} **C** C_8H_{18}
- **D** C_9H_{20}

40 Which information is correct regarding the formation of ethanol by the process of fermentation?

	substances fermented	gas evolved during fermentation
Α	carbohydrates	carbon dioxide
В	carbohydrates	carbon monoxide
С	hydrocarbons	carbon dioxide
D	hydrocarbons	carbon monoxide

BLANK PAGE

BLANK PAGE

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

The Periodic Table of the Elements DATA SHEET

Group	0	4	He	Helium 2	2	٩		10 Neon	40	Ā	Argon 18	84	궃	Krypton 36	131	×e	Xenon 54		R	Radon 86				175	Ľ	Lutetium 71		۲	Lawrencium 103
	₹				19	ш	- Girci	6	35.5	C1	Chlorine 17	80	Ā	Bromine 35	127	н	lodine 53		Ą	Astatine 85				173	Υp	Ytterbium 70		٩	Nobelium 102
	>				16	c)	Oxygen 8	32	တ		62	Se	Selenium 34	128	Те	Tellurium 52		Ро	Polonium 84				169	Ę	Thulium 69		Md	Mendelevium 101
	>				14	Z	- Statistics	7	31	۵	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	Ξ	Bismuth 83				167	ш	Erbium 68		Fm	Fermium 100
	≥					ن !) ⁵	6 carbon	28	S	Silicon 14	73	Ge	Germanium 32	119	Sn	Tin 50	207	Pb	Lead 82				165	운	Holmium 67		Es	Einsteinium 99
	≡					<u> </u>	נ מ	5	27	ΝI	Aluminium 13	70	Ga	Gallium 31	115	In	Indium 49	204	11	Thallium 81				162	ò	Dysprosium 66		ర	Californium 98
												65	Zn	Zinc 30	112	ဗ	Cadmium 48	201	Hg	Mercury 80				159	₽ T	Terbium 65		Ř	Berkelium 97
												64	C	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79				157	gq	Gadolinium 64			Curium 96
												59	Z	Nickel 28	106	Pd	Palladium 46	195	ቷ	Platinum 78				152	En	Europium 63		Am	Americium 95
					1							29	ပိ	Cobalt 27	103	몺	Rhodium 45	192	i	Iridium 77				150	Sm	Samarium 62		Pu	Plutonium 94
		-	I	Hydrogen 1								56	Fe	Iron 26	101	Ru	Ruthenium 44	190	Os	Osmium 76					Pm	Promethium 61		N	Neptunium 93
												55	Mn	Manganese 25		ည	Technetium 43	186	Re	Rhenium 75				144	Š	Ž 09	238	_	Uranium 92
												52	ပ်	Ε	96	Mo	Molybdenum 42	184	≥	Tungsten 74				141	Ą	Praseodymium 59		Ра	Protactinium 91
												51	>	Vanadium 23	93	q	Niobium 41	181	Та	Tantalum 73				140	ပီ	Cerium 58	232	두	Thorium 90
												48	F	Titanium 22	91	Z	Zirconium 40	178	¥	* Hafnium				ı			nic mass	lod	nic) number
												45	Sc	Scandium 21	88	>	Yttrium 39	139	La	Lanthanum 57 *	227	Ac	Actinium 89	l corioc	001100	N D	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number
	=				σ	. A		4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	s	Strontium 38	137	Ва	Barium 56	226	Ra	Radium 88	*58_71 Lanthanoid series	Apting John		а	×	<u>م</u>
	_					=	j .	3	23	Na	Sodium 11	39	¥	Potassium 19	85	R _b	Rubidium 37	133	Cs	Caesium 55		ŗ	Francium 87	*58_71	100-1-1	001-06		Key	q

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.