

Centre Number	Candidate Number	Name
---------------	------------------	------

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CHEMISTRY

5070/02

Paper 2 Theory

October/November 2006

1 hour 30 minutes

Candidates answer on the Question Paper.
Additional Materials: Answer Paper

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Section A

Answer **all** questions.

Write your answers in the spaces provided on the Question Paper.

Section B

Answer any **three** questions.

Write your answers on any lined pages and/or separate answer paper.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is printed on page 20.

For Examiner's Use	
Section A	
B7	
B8	
B9	
B10	
Total	

This document consists of **17** printed pages and **3** lined pages.




Section A


Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.


A1 The diagram shows the structures of various compounds.




A




B




C



D



E



F

(a) Use the letters **A** to **F** to answer the following.

Each compound may be used once, more than once or not at all.

(i) Which **one** of these compounds is most likely to contribute to acid rain?

.....

[1]

(ii) Which **one** of these compounds is an amphoteric oxide?

.....

[1]

(iii) Which **two** of these compounds have giant structures?

..... and

[1]

(iv) Which **one** of these compounds when molten, releases a reddish brown gas at the anode on electrolysis?

.....

[1]

(b) What is the empirical formula of compound F?

.....[1]

(c) Carbon monoxide is a poisonous atmospheric pollutant.
State how this gas gets into the air.

.....
.....[1]

A2 The table shows the decomposition temperatures of some metal carbonates.

metal carbonate	decomposition temperature / °C
magnesium carbonate	540
calcium carbonate	900
strontium carbonate	1280
barium carbonate	1360

(a) (i) Describe how the decomposition temperature depends on the position of the metal in the reactivity series.

.....
.....[1]

(ii) Write an equation for the thermal decomposition of magnesium carbonate.

.....[1]

(b) Petroleum fractions need to be cracked.


(i) Why do oil companies need to crack petroleum fractions?

.....
.....[1]

(ii) State the conditions needed for cracking.

.....[2]

(iii) Complete the following equation for the cracking of tetradecane.




[1]

A3 A student investigated the reaction of calcium carbonate with hydrochloric acid.



The student used large pieces of calcium carbonate and carried out the reaction at 20 °C. The concentration of hydrochloric acid was 1.0 mol/dm³.

The results of the experiment were plotted as a graph which is shown below.



(a) After how many seconds did the reaction stop?

.....[1]

(b) Calculate the number of moles of carbon dioxide released during the reaction.
[The volume of one mole of any gas at r.t.p. is 24 dm³]

[1]

- (c) The student repeated the experiment using the same mass of calcium carbonate and the same concentration of acid at 20 °C.

This time the student used small pieces of calcium carbonate. On the grid opposite, sketch the graph for the reaction of small pieces of calcium carbonate with hydrochloric acid.

[2]

- (d) When the student repeated the experiment using hydrochloric acid of concentration 2.0 mol/dm³, the speed of reaction increased.

Use the kinetic particle theory to explain why the speed of this reaction increased.

.....

.....

.....[2]

A4 Helium, neon, argon, krypton and xenon are noble gases.

(a) State a use for argon.

.....[1]

(b) Use ideas about electronic structure to explain why the noble gases are unreactive.

.....
.....[1]

(c) Complete the table to show the number of particles in two isotopes of argon.

isotope	number of protons	number of electrons	number of neutrons
${}^{36}_{18}\text{Ar}$			
${}^{40}_{18}\text{Ar}$			

[2]


(d) Explain why potassium comes after argon in the Periodic Table even though it has a relative atomic mass which is lower than that of argon.

.....
.....[1]

(e) Compounds of xenon with fluorine were first made in the 1960s.
Xenon reacts with fluorine at 400 °C to form xenon tetrafluoride, XeF₄.
Write a symbol equation for this reaction.

[1]


- (f) Balloons filled with helium, neon, argon and krypton were tied to a bar. They were held horizontally at the same height and then released. The position of three of the balloons 5 seconds after release is shown in the diagram.



Predict the position of the balloon filled with krypton.

.....
.....[1]

A5 The diagram shows the stages in water purification.



(a) After the air is blown in, the impure water contains iron(III) ions.

(i) What is the approximate percentage of oxygen in the air?

.....[1]

(ii) Describe a test for iron(III) ions.

test.....

result.....[2]

(b) Aluminium sulphate is added to clump tiny particles of clay together to form larger particles of solid.

(i) Suggest how the solids are separated from the water.

.....[1]

(ii) Aluminium sulphate contains Al^{3+} ions and SO_4^{2-} ions. Deduce the formula of aluminium sulphate.

.....[1]

(c) Why are the following added during the water purification process?

(i) carbon

.....[1]

(ii) chlorine

.....[1]

(d) Calcium hydroxide is added to neutralise the acidic solution formed after chlorine has been added. This solution contains hydrochloric acid.

(i) Write an equation for the reaction of calcium hydroxide with hydrochloric acid.

.....[1]

(ii) Write the ionic equation for this reaction.

.....[1]

A6 Methane, CH₄, is the major constituent of natural gas.

(a) Draw a dot-and cross-diagram to show how the outer shell electrons are arranged in methane.

show hydrogen electrons as •
show carbon electrons as x

[1]

(b) At a temperature of -5 °C and a pressure of 26 atmospheres, methane combines with water and forms an ice-like structure called methane hydrate. Large quantities of methane hydrate have been found underground.

(i) Describe the arrangement and motion of the particles in solid methane hydrate.

.....
.....[2]

(ii) The methane hydrate underground has not yet been extracted in large amounts. When it is extracted, large volumes of methane are released.

Suggest **two** reasons why methane hydrate decomposes when it is extracted.

.....
.....[2]

(iii) Describe how the presence of methane in the atmosphere may affect the environment.

.....
.....[1]

(c) A very small quantity of methane is present in the atmosphere.


State another source of this gas.

.....[1]

(d) State a use of methane.

.....[1]


(e) In the presence of light methane reacts with chlorine.



Draw an energy profile diagram for this reaction.

Show:

- the reactants and products,
- the activation energy,
- the enthalpy change.



[3]


Section B

Answer **three** questions from this section on the lined pages at the end of this booklet.

Tie any extra sheets loosely to this booklet.

The total mark for this section is 30.

B7 A simplified diagram of the nitrogen cycle is shown below.




- (a) Although certain bacteria in the soil convert nitrogen gas into nitrates, other bacteria convert nitrogen into ammonium salts. The ionic equation for this second reaction is



Explain why this is a reduction reaction. [1]

- (b) In the presence of hydrogen ions, a different type of bacterium converts nitrate ions into nitrogen gas and water. Give the ionic equation for this reaction. [1]

- (c) Ammonia is synthesized by the Haber process.



- (i) State the sources of both the nitrogen and hydrogen needed for the Haber process. [2]
- (ii) State the essential conditions for the Haber process. [2]

- (d) Fertilisers are added to the soil to improve crop yields. A farmer has the choice of two fertilisers, ammonium nitrate, NH_4NO_3 , or diammonium hydrogen phosphate, $(\text{NH}_4)_2\text{HPO}_4$.

Show by calculation which of these fertilisers contains the greater percentage of nitrogen by mass.


You must show your working.

[3]

- (e) State one major problem caused when the nitrates from fertilisers leach from the soil into streams and rivers.

[1]

B8 The diagram shows the stages in the manufacture of sulphuric acid.



- (a)** In the furnace, an ore containing zinc sulphide, ZnS, is heated in oxygen to make zinc oxide, ZnO, and sulphur dioxide.

Write an equation for this reaction. [1]


- (b)** In the converter, sulphur dioxide and oxygen are passed over a series of catalyst beds at a temperature of about 420 °C.



- (i)** An increase in pressure increases the yield of sulphur trioxide. Explain the reason for this effect. [1]
- (ii)** Even though an increase in pressure increases the yield of sulphur trioxide, the reaction in the converter is carried out at atmospheric pressure. Suggest a reason for this. [1]
- (iii)** In some sulphuric acid plants, the gases are cooled when they pass from one catalyst bed to the next. Use the equation to explain why the gases need to be cooled. [2]
- (c)** When sulphuric acid is reacted with excess iron powder, iron(II) sulphate and hydrogen are produced.

Suggest how crystals of iron(II) sulphate could be prepared from this reaction mixture. [2]

- (d)** 12.0 cm³ of an aqueous solution of sulphuric acid exactly neutralised 20.0 cm³ of a solution of sodium hydroxide of concentration 0.150 mol/dm³.



Calculate the concentration, in mol/dm³ of the aqueous sulphuric acid. [3]

B9 Both ethanoic acid and butanoic acid are found in some plants and bacteria.

(a) Draw the structure of butanoic acid showing **all** atoms and bonds. [1]

(b) Explain:

(i) what is meant by a weak acid, [1]

(ii) how you could show that butanoic acid is a weak acid. [2]

(c) Butanoic acid can be converted into an ester by heating it with an alcohol and a few drops of concentrated sulphuric acid.

A sample of an ester contains 0.18 g of carbon, 0.03 g of hydrogen and 0.08 g of oxygen. The relative molecular mass of the ester is 116.


Calculate both the empirical and molecular formulae of this ester. [3]

(d) Ethanoic acid can be produced by the bacterial fermentation of glucose, $C_6H_{12}O_6$. During this process glucose is first oxidised to ethanol.

(i) Write an equation for the fermentation of glucose to form ethanol and carbon dioxide. [1]

(ii) State the reagents and conditions required for ethanol to be oxidised to ethanoic acid in the laboratory. [2]

B10 The diagram shows a cell for purifying copper.



- (a) Describe what you would observe during this electrolysis and write the equations for the reactions at the electrodes. [3]
- (b) The electrodes and the electrolyte conduct electricity.
- (i) Explain how the structure of metals allows copper electrodes to conduct electricity. [1]
- (ii) Explain why solid copper(II) sulphate does not conduct electricity but an aqueous solution of copper(II) sulphate does conduct. [2]
- (c) Describe how the apparatus shown in the diagram could be modified in order to electroplate an iron object, such as a knife, with nickel. [2]
- (d) Bronze is an alloy of copper and tin. Bronze is less malleable than pure copper. Use ideas about the structure of metals and alloys to explain why bronze is less malleable than pure copper. [2]

Area with horizontal dotted lines for writing.

DATA SHEET
The Periodic Table of the Elements

		Group																																																	
I	II	III	IV	V	VI	VII	0					0																																							
7 Li Lithium 3	9 Be Beryllium 4	1 H Hydrogen 1	11 B Boron 5	12 C Carbon 6	13 Al Aluminium 13	14 N Nitrogen 7	15 O Oxygen 8	16 F Fluorine 9	17 Ne Neon 10	18 Ar Argon 18	19 Cl Chlorine 17	20 He Helium 2																																							
23 Na Sodium 11	24 Mg Magnesium 12	27 Co Cobalt 27	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36	37 Rb Rubidium 37	38 Sr Strontium 38	39 Y Yttrium 39	40 Zr Zirconium 40	41 Nb Niobium 41	42 Mo Molybdenum 42	43 Tc Technetium 43	44 Ru Ruthenium 44	45 Rh Rhodium 45	46 Pd Palladium 46	47 Ag Silver 47	48 Cd Cadmium 48	49 In Indium 49	50 Sn Tin 50	51 Sb Antimony 51	52 Te Tellurium 52	53 I Iodine 53	54 Xe Xenon 54																						
39 K Potassium 19	40 Ca Calcium 20	55 Mn Manganese 25	56 Fe Iron 26	57 Co Cobalt 27	58 Ni Nickel 28	59 Cu Copper 29	60 Zn Zinc 30	61 Ga Gallium 31	62 Ge Germanium 32	63 As Arsenic 33	64 Se Selenium 34	65 Br Bromine 35	66 Kr Krypton 36	67 Rb Rubidium 37	68 Sr Strontium 38	69 Y Yttrium 39	70 Zr Zirconium 40	71 Nb Niobium 41	72 Mo Molybdenum 42	73 Tc Technetium 43	74 Ru Ruthenium 44	75 Rh Rhodium 45	76 Pd Palladium 46	77 Ag Silver 47	78 Cd Cadmium 48	79 In Indium 49	80 Sn Tin 50	81 Sb Antimony 51	82 Te Tellurium 52	83 I Iodine 53	84 Xe Xenon 54	85 Fr Francium 87	86 Ra Radium 88	87 Ac Actinium 89	88 La Lanthanum 57	89 Ce Cerium 58	90 Pr Praseodymium 59	91 Nd Neodymium 60	92 Pm Promethium 61	93 Sm Samarium 62	94 Eu Europium 63	95 Gd Gadolinium 64	96 Tb Terbium 65	97 Dy Dysprosium 66	98 Ho Holmium 67	99 Er Erbium 68	100 Tm Thulium 69	101 Yb Ytterbium 70	102 Lu Lutetium 71		
133 Cs Caesium 55	137 Ba Barium 56	140 Ce Cerium 58	141 Pr Praseodymium 59	142 Nd Neodymium 60	143 Pm Promethium 61	144 Sm Samarium 62	145 Eu Europium 63	146 Gd Gadolinium 64	147 Tb Terbium 65	148 Dy Dysprosium 66	149 Ho Holmium 67	150 Er Erbium 68	151 Tm Thulium 69	152 Yb Ytterbium 70	153 Lu Lutetium 71	154 Fr Francium 87	155 Ra Radium 88	156 Ac Actinium 89	157 La Lanthanum 57	158 Ce Cerium 58	159 Pr Praseodymium 59	160 Nd Neodymium 60	161 Pm Promethium 61	162 Sm Samarium 62	163 Eu Europium 63	164 Gd Gadolinium 64	165 Tb Terbium 65	166 Dy Dysprosium 66	167 Ho Holmium 67	168 Er Erbium 68	169 Tm Thulium 69	170 Yb Ytterbium 70	171 Lu Lutetium 71	172 Fr Francium 87	173 Ra Radium 88	174 Ac Actinium 89	175 La Lanthanum 57	176 Ce Cerium 58	177 Pr Praseodymium 59	178 Nd Neodymium 60	179 Pm Promethium 61	180 Sm Samarium 62	181 Eu Europium 63	182 Gd Gadolinium 64	183 Tb Terbium 65	184 Dy Dysprosium 66	185 Ho Holmium 67	186 Er Erbium 68	187 Tm Thulium 69	188 Yb Ytterbium 70	189 Lu Lutetium 71
226 Ra Radium 88	227 Ac Actinium 89	232 Th Thorium 90	233 Pa Protactinium 91	234 U Uranium 92	235 Np Neptunium 93	236 Pu Plutonium 94	237 Am Americium 95	238 Cm Curium 96	239 Bk Berkelium 97	240 Cf Californium 98	241 Es Einsteinium 99	242 Fm Fermium 100	243 Md Mendelevium 101	244 No Nobelium 102	245 Lr Lawrencium 103	207 Pb Lead 82	208 Bi Bismuth 83	209 Po Polonium 84	210 At Astatine 85	211 Rn Radon 86	212 Fr Francium 87	213 Ra Radium 88	214 Ac Actinium 89	215 La Lanthanum 57	216 Ce Cerium 58	217 Pr Praseodymium 59	218 Nd Neodymium 60	219 Pm Promethium 61	220 Sm Samarium 62	221 Eu Europium 63	222 Gd Gadolinium 64	223 Tb Terbium 65	224 Dy Dysprosium 66	225 Ho Holmium 67	226 Er Erbium 68	227 Tm Thulium 69	228 Yb Ytterbium 70	229 Lu Lutetium 71													

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

a	X
b	X

 a = relative atomic mass
 X = atomic symbol
 b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).