



Cambridge Assessment International Education
Cambridge Ordinary Level

BIOLOGY

5090/22

Paper 2 Theory

May/June 2019

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2019 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **11** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mark schemes will use these abbreviations:

;	separates marking points
/	alternatives
()	contents of brackets are not required but should be implied
R	reject
A	accept (for answers correctly cued by the question, or guidance for examiners)
lg	ignore (for incorrect but irrelevant responses)
AW	alternative wording (where responses vary more than usual)
AVP	alternative valid point (where a greater than usual variety of responses is expected)
ORA	or reverse argument
<u>underline</u>	actual word underlined must be used by candidate
+	statements on both sides of the + are needed for that mark

Question	Answer	Marks	Guidance
1(a)(i)	enzyme(s) / protein(s) / catalyst(s) ;	1	
1(a)(ii)	<u>starch</u> + maltose / glucose ; protein / polypeptide + amino acids / polypeptides / peptides / peptones ; fat / oil / lipid / triglyceride + fatty acids and glycerol ;	3	
1(a)(iii)	break down / digest / hydrolyse ; cellulose ;	2	
1(b)	stomach + acid / pH below 7.0 ; tablet does not break down / contents not released + stomach ; prevents <u>enzyme</u> + denaturation / destruction / inactivity ; small intestine / duodenum + alkali / pH above 7.0 ; tablet breaks down / contents released + small intestine / duodenum ; optimum AW OR fastest rate AW ;	3	

Question	Answer	Marks	Guidance
2(a)(i)	1 (light) enters / refracted AW / converged / travels through (bacterium) ; 2 (light) detected / absorbed / received AW + by receptors ; 3 fibres contract ; 4 movement towards light ; 5 sequence mark : if point(s) 1 / 2 appear before point(s) 3 / 4 ;	3	
2(a)(ii)	more AW + light ; <u>chlorophyll</u> ; <u>photosynthesis</u> ; produce AW + glucose / starch / carbohydrate / sugar ;	2	
2(b)	(A) cornea / lens / aqueous humour / vitreous humour ; (B) retina / photoreceptors / fovea / yellow spot / rods / cones ;	2	
2(c)	(uses) nitrogen + gas / in air / atmospheric ; produce AW + ammonium ;	2	

Question	Answer	Marks	Guidance
2(d)(i)	<u>photosynthesis</u> ; oxygen + produced / released AW ;	2	
2(d)(ii)	any suggested method of having less oxygen present ; any suggested method of keeping oxygen away from enzyme ; <u>mutation</u> ;	1	

Question	Answer	Marks	Guidance
3(a)	(C) <u>testa</u> / <u>seed coat</u> ; (D) <u>plumule</u> ; (E) <u>radicle</u> ; (F) <u>cotyledon(s)</u> ;	4	
3(b)(i)	nucleus / chromosome(s) / DNA ;	1	
3(b)(ii)	<i>gene</i> made of DNA / section of a chromosome ; copied / passed on / inherited / hereditary ; one AW + characteristic / trait / protein / polypeptide ; <i>dominant allele</i> version / form / type + of a gene ; expressed AW + always / if only one copy present / by heterozygote / over another allele ;	4	

Question	Answer	Marks	Guidance
3(b)(iii)	<p>1</p> <p>2</p> <p>3 (genotype of J) <u>Rr</u> / <u>heterozygous</u> ;</p>	3	2,3 A Rr genotypes to be written as rR

Question	Answer	Marks	Guidance
4(a)	<u>discontinuous</u> ;	1	
4(b)(i)	eat / consume / feed on + plant / producer ;	1	
4(b)(ii)	three / 3 / third / consumer / secondary consumer / carnivore ;	1	
4(c)	<p><u>variation</u> / <u>varieties</u> ;</p> <p><u>mutation</u> ;</p> <p>camouflage AW ;</p> <p>survive / not eaten / get more food OR not seen by + predators / prey ;</p> <p>reproduce / breed / offspring / population increase ;</p> <p>pass on + <u>gene</u> / <u>allele</u> ;</p>	5	A reverse argument for responses that refer to a frog in the area to which it is less well adapted
5(a)	<p>(K) combustion / burning ;</p> <p>(L) <u>respiration</u> ;</p> <p>(M) <u>photosynthesis</u> ;</p> <p>(N) decomposition / decay / rotting / respiration ;</p>	4	<p>(L) Ig aerobic / anaerobic</p> <p>(N) Ig <u>decomposers</u> / bacteria / fungi</p>

Question	Answer	Marks	Guidance
5(b)(i)	<p>award either the number marking point or the number star marking point in each instance – e.g. award either 1 or 1* but do not award both</p> <p>(any month from May to Sep / long days / point 3 awarded)</p> <p>1 falls AW / low / lowest / more removed from air ;</p> <p>2 more + leaves / foliage ;</p> <p>3 more / long(er) + light / daylight ;</p> <p>4 more / fast(er) + photosynthesis ;</p> <p>5 carbon dioxide + used in photosynthesis ;</p> <p>6 photosynthesis faster than respiration ;</p> <p>(any month from Sep to May / short days / point 3* awarded)</p> <p>1* rises AW / high / highest / more released into air ;</p> <p>2* less + leaves / foliage ;</p> <p>3* less / short(er) + light / daylight ;</p> <p>4* less / slow(er) + photosynthesis ;</p> <p>5* carbon dioxide + produced in respiration ;</p> <p>6* respiration faster than photosynthesis ;</p>	3	
5(b)(ii)	<p>line drawn from y-axis to middle of grid + shows only a trough ;</p> <p>line drawn from middle of grid to end of grid + shows only a peak ;</p>	2	

Question	Answer	Marks	Guidance
6(a)	<i>blood vessel P</i> <u>pulmonary vein</u> ; oxygenated blood ; from lungs / to heart / to left atrium ;	3	
6(b)	<i>structure Q</i> left ventricle / muscle ; pumps / contracts / pushes blood ; high pressure ; blood to + body / aorta ;	3	
6(c)	<i>structure R</i> <u>valve</u> ; atrioventricular / tricuspid ; opens + blood into <u>right</u> ventricle ; closes + blood into pulmonary artery / blood to lungs ; prevent backflow AW + of blood ; (prevents backflow) into right atrium ;	4	

Question	Answer	Marks	Guidance
7(a)(i)	reflex / involuntary ;	1	
7(a)(ii)	<p>1 <u>impulse</u> ;</p> <p>2 <u>synapse</u> ;</p> <p>3 from + <u>receptor</u> ;</p> <p>4 sensory / afferent ;</p> <p>5 relay / inter / intermediate ;</p> <p>6 CNS / spinal cord ;</p> <p>7 motor / efferent ;</p> <p>8 to + <u>effector</u> ;</p> <p>9 muscle / named muscle correct for withdrawal reflex ;</p> <p>10 sequence mark: point(s) 3/4/5/6 <u>must be ticked before</u> point(s) 7/8/9 ;</p>	7	
7(b)	<p><u>impulse</u> + not transmitted AW ;</p> <p>effector / named effector + not activated AW ;</p>	2	

PUBLISHED

Question	Answer	Marks	Guidance
8(a)	diffusion ; down concentration gradient / from high to low concentration ; plasma / hydrogencarbonate / HCO_3^- ; <u>capillary</u> ; dissolves + mucus / moist lining / water film ; alveoli / air sac ; <u>exhalation</u> / <u>expiration</u> / <u>breathed out</u> ; intercostal muscles relax OR <u>internal</u> intercostal muscles contract ; ribs + down / in / fall ; diaphragm + relaxes / moves up / becomes domed ; decreased volume / increased pressure ; (out through) bronchioles / bronchi / bronchus / trachea ;	7	
8(b)	<u>photosynthesis</u> ; <u>reacts with</u> + water ; <u>light</u> + <u>energy</u> ; produce AW + glucose / starch / carbohydrate / sugar ; chlorophyll / chloroplasts ;	3	

Question	Answer	Marks	Guidance															
9(a)	root <u>hair</u> ; cell wall ; membrane ; partially AW + permeable ; osmosis / diffusion ; stem ; <u>xylem</u> ; leaf / mesophyll ; water film ; air / intercellular AW + spaces ; out of / through + stomata / guard cells ; transpiration / evaporation / water vapour ;	7																
9(b)	<table border="1"> <thead> <tr> <th data-bbox="324 655 600 722"><i>factor ;</i></th> <th data-bbox="600 655 862 722"><i>variation ;</i></th> <th data-bbox="862 655 1346 722"><i>explanation ;</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="324 722 600 821">temperature / heat</td> <td data-bbox="600 722 862 821">high / higher AW</td> <td data-bbox="862 722 1346 821">increased AW + <u>evaporation / water vapour</u></td> </tr> <tr> <td data-bbox="324 821 600 956">wind / air movement</td> <td data-bbox="600 821 862 956">fast / faster AW</td> <td data-bbox="862 821 1346 956">fewer water <u>molecules</u> outside / increased concentration gradient</td> </tr> <tr> <td data-bbox="324 956 600 1023">light</td> <td data-bbox="600 956 862 1023">high / higher AW</td> <td data-bbox="862 956 1346 1023">stomata / guard cells + open</td> </tr> <tr> <td data-bbox="324 1023 600 1157">humidity / moisture in air</td> <td data-bbox="600 1023 862 1157">low / lower AW</td> <td data-bbox="862 1023 1346 1157">fewer water <u>molecules</u> outside / increased concentration gradient</td> </tr> </tbody> </table>	<i>factor ;</i>	<i>variation ;</i>	<i>explanation ;</i>	temperature / heat	high / higher AW	increased AW + <u>evaporation / water vapour</u>	wind / air movement	fast / faster AW	fewer water <u>molecules</u> outside / increased concentration gradient	light	high / higher AW	stomata / guard cells + open	humidity / moisture in air	low / lower AW	fewer water <u>molecules</u> outside / increased concentration gradient	3	
<i>factor ;</i>	<i>variation ;</i>	<i>explanation ;</i>																
temperature / heat	high / higher AW	increased AW + <u>evaporation / water vapour</u>																
wind / air movement	fast / faster AW	fewer water <u>molecules</u> outside / increased concentration gradient																
light	high / higher AW	stomata / guard cells + open																
humidity / moisture in air	low / lower AW	fewer water <u>molecules</u> outside / increased concentration gradient																