

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**GCE Advanced Subsidiary Level and GCE Advanced Level**

**MARK SCHEME for the May/June 2012 question paper  
for the guidance of teachers**

**9701 CHEMISTRY**

**9701/33**

Paper 31 (Advanced Practical Skills 1),  
maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9701	33

Question	Sections	Indicative material	Mark	Total
1 (a)	PDO Layout	<b>I</b> Two balance readings and mass used unambiguously recorded.	1	
	MMO Collection	<b>II</b> Two rough titres and burette readings recorded.	1	
		<b>III</b> Single table for each accurate titration <i>Minimum of 2×2 “boxes”</i>	1	
	PDO Recording	<b>IV</b> Correct headings and units in weighing table and accurate titration table(s) <i>Acceptable headings:</i> <i>mass of tube + FA 4;</i> <i>mass of tube + residue/mass of empty tube (mass of FA 4 used);</i> <i>initial/final or 1<sup>st</sup>/2<sup>nd</sup> (burette)(reading)/ (volume)/ (reading at)/(volume at) start/finish;</i> <i>volume added/used/ titre; or wtte,</i> <b>not</b> “difference” or “total volume” <i>Acceptable units are solidus:/cm<sup>3</sup>; brackets: (cm<sup>3</sup>);</i> <i>in words: volume in cubic centimeters, volume in cm<sup>3</sup>. Similarly for mass in g, etc.</i> If units are not included in the heading every entry in the table must have the correct unit.	1	
	MMO Collection	<b>V</b> All accurate burette readings to 0.05 cm <sup>3</sup> <i>Do not award this mark if:</i> <i>50(.00) is used as an initial burette reading;</i> <i>more than one final burette reading is 50.(00);</i> <i>any burette reading is greater than 50.(00)</i>	1	
	MMO Decisions	<b>VI</b> Two uncorrected accurate titres within 0.10 cm <sup>3</sup> in both steps <i>Do not allow the Rough even if ticked.</i> <i>Do not award this mark if having performed two titres within 0.10 cm<sup>3</sup> a further titration is performed which is more than 0.10 cm<sup>3</sup> from the closer of the initial two titres, unless a fourth titration, within 0.1 cm<sup>3</sup> of any other has also been carried out. Mark not awarded if any burette reading is given to zero dp apart from an initial reading of 0</i>	1	
(a) cont.	Step 2: Examiner subtracts candidate's titre (corrected to 0.01 cm <sup>3</sup> ) from supervisor's titre.			
	MMO Quality	Award <b>VII, VIII, IX</b> if $\delta \leq 0.1 \text{ cm}^3$	1	
		Award <b>VII, VIII</b> if $0.10 < \delta \leq 0.20 \text{ cm}^3$	1	
		Award <b>VII</b> if $0.20 < \delta \leq 0.40 \text{ cm}^3$	1	
		<b>Spread penalty</b> (see below)		

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9701	33

Question	Sections	Indicative material	Mark	Total
		<p>Step 3: Examiner calculates  <u>corrected candidate titre × candidate mass added</u>  supervisor mass added  and subtracts the corrected value from the supervisor's titre.  <i>If 1 g &gt; candidate mass &gt; 3g then use default value of 2.00 g for the Q marks and do not award one mark (from marks X to XII)</i></p>		
(a) cont.	MMO Quality	<p>Award <b>X, XI, XII</b> if <math>\delta \leq 1.00 \text{ cm}^3</math></p> <p>Award <b>X, XI</b> if <math>1.00 &lt; \delta \leq 2.00 \text{ cm}^3</math></p> <p>Award <b>X</b> only if <math>2.00 &lt; \delta \leq 4.00 \text{ cm}^3</math>  If Supervisor's <math>t_3 &lt; 10.00 \text{ cm}^3</math> then halve the tolerances.</p> <p><i>Apply <b>spread penalty</b> to each of steps 2 &amp; 3 as follows:  titres selected (by examiner) differ by  <math>&gt; 0.50 \text{ cm}^3 = -1</math>;  Apply a spread penalty of <math>-1</math> if only one accurate titration is performed.</i></p>	1 1 1	[12]
(b)	ACE Interpretation	<p>(i) Check mean titre correctly calculated from clearly selected values (ticks or working)  <b>no mark awarded here</b></p> <p>(ii) Expression <math>\{(b)(i) \times 0.10\}/1000</math>  <b>and</b></p> <p>(iii) as (ii)  <i>If no working shown then answer must be correct</i></p> <p>(iv) Expression <math>(b)(iii) \times 2 \times 10</math>  <i>If no working shown then answer must be correct</i></p>	1 1	[2]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9701	33

Question	Sections	Indicative material	Mark	Total
(c)	ACE Interpretation	<p><b>I (i)</b> Calculation of mean for <b>(b)(i) and (c)(i)</b> Candidate must average two (or more) titres that are within 0.20 cm<sup>3</sup> of each other. Working must be shown or ticks must be put next to the two (or more) accurate readings selected. <i>The mean should normally be quoted to 2 dp rounded to the nearest 0.01. Example: 26.667 must be rounded to 26.67.</i> <i>Two special cases where the mean may not be to 2 dp:</i> <i>allow mean to 3 dp only for 0.025 or 0.075 e.g. 26.325;</i> <i>allow mean to 1 dp if <b>all</b> accurate burette readings were given to 1 dp and the mean is exactly correct, e.g. 26.0 and 26.2 = 26.1 is correct but 26.0 and 26.1 = 26.1 is incorrect.</i> <i>Do <b>not</b> award this mark if:</i> <i>any selected titre is not within 0.20 cm<sup>3</sup> of any other selected titre <b>unless</b> a spread penalty has been applied <b>or</b> two pairs of accurate titres shown (eg 21.1, 21.2, 21.4, 21.5 should have a mean of 21.3);</i> <i>the rough titre was used to calculate the mean;</i> <i>the candidate carried out only 1 accurate titration in <b>both</b> steps 2 and 3;</i> <i>burette readings were incorrectly subtracted to obtain any of the accurate titre values.</i></p>	1	
		<p><b>II (ii) (c)(i) × 0.1/1000</b></p> <p><b>and</b></p> <p><b>(iii) as (c)(ii)</b> <i>If no working shown then answer must be correct</i></p>	1	
		<p><b>III (iv) (c)(iii) × 10</b> <i>If no working shown then answer must be correct</i></p>	1	
	PDO Display	<p><b>IV</b> Working is shown in every step of <b>(b)(ii) and (iv), (c)(ii) and (iv)</b> and at least 3 steps attempted <i>Working must be a step in the right direction</i></p>	1	[4]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9701	33

Question	Sections	Indicative material	Mark	Total
<b>(d)</b>	ACE Conclusion	<b>I (i)</b> $\text{CaCO}_3 + 2\text{HCl} \rightarrow \text{CaCl}_2 + \text{CO}_2 + \text{H}_2\text{O}$ <i>Allow <math>\text{H}_2\text{CO}_3</math></i>	1	[4]
	PDO Display	<b>II (iii)</b> $\{(\mathbf{d})(\mathbf{ii})/2\} \times 100.1$ <i>If the balancing is incorrect then the value of <b>(d)(ii)</b> must be correct for ecf to be allowed.</i>	1	
	ACE Conclusion	<b>III (iv)</b> expression $\{(\mathbf{d})(\mathbf{iii})/\text{mass in (a)}\} \times 100$ <i>If no working shown then answer must be correct</i>	1	
	PDO Display	<b>IV</b> Final answer to <b>every</b> step attempted out of <b>(b)</b> , <b>(c)</b> and <b>(d) apart from (b)(iv)</b> to 3 or 4 sf (minimum 6 steps attempted)	1	
<b>(e)</b>	ACE Interpretation	<b>(i)</b> $(\pm)0.05 \text{ cm}^3$	1	[2]
		<b>(ii)</b> $\{0.1/\text{one of the titre values in step 3}\} \times 100$ ( <i>ecf (i) <math>\times 2</math> for error</i> )	1	
<b>(f)</b>	ACE Improvement	Explanation must not contradict suggested improvement: larger mass reacts with more HCl so smaller titre so larger % error; larger mass may be excess and won't dissolve in HCl; larger mass would result in smaller % <b>mass</b> error; greater acid spray would result in greater % error.	1	[1]
			<b>[Total: 25]</b>	

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9701	33

Question	Sections	Indicative material	Mark	Total
FA 6 = $\text{KMnO}_4(\text{aq})$ ; FA 7 = $\text{MnSO}_4(\text{aq})$ ; FA 8 = $\text{MnO}_2$ ; FA 9 = $\text{KI}(\text{aq})$ ; FA 10 = $\text{NaCl}(\text{aq})$				
2 (a)	MMO Collection	I (ii) (purple) turns colourless <b>and</b> effervescence/fizzing/bubbling <b>or</b> solution turns colourless/ solution remains colourless <i>Note: positive <math>\text{O}_2</math> test may be reported here</i>	1	
		II (iii) solution <u>turns</u> brown/red-brown/ orange/yellow <b>or</b> black solid (formed)	1	
		III (iv) off-white/buff/beige/pale brown ppt darkens/turns brown on standing <b>and</b>	1	[6]
		(v) off-white/ buff/beige/pale brown ppt insoluble in excess $\text{NH}_3$	1	
		IV (vi) (pale) brown solution/(dark) brown ppt	1	
		V (vii) effervescence <b>and</b> (gas) reignites glowing splint in (vii) or (ii) <b>or</b> <u>gas</u> reignites glowing splint	1	
		VI (viii) (gas) bleaches (damp) litmus paper		
(b)	ACE Conclusions	(i) Mn from two pieces of evidence: <b>FA 7</b> off-white/etc ppt with $\text{NaOH}$ <b>and</b> $\text{NH}_3$ <b>or</b> off-white/etc ppt with $\text{NaOH}$ <b>darkening</b> <b>or</b> off-white/etc ppt with $\text{NH}_3$ <b>insoluble in excess</b> <i>allow: white/cream ppt darkening in both <math>\text{NaOH}</math> and <math>\text{NH}_3</math>/white/cream ppt turning brown and insoluble in excess of either</i> <b>or FA 6</b> is purple <b>and</b> an oxidising agent	1	[3]
		(ii) redox <b>or</b> iodide/ $\text{I}^-$ oxidised <b>or</b> manganese/manganate/ $\text{Mn}(\text{VII})/\text{MnO}_4^-$ reduced	1	
		(iii) <b>FA 7</b> +2 <b>and</b> product +3 to +6	1	

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9701	33

Question	Sections	Indicative material	Mark	Total
(c)	MMO Decisions PDO Layout	I (i) $\text{AgNO}_3(\text{aq})$ , then $\text{NH}_3(\text{aq})$ (ignore $\text{HNO}_3$ )	1	[6]
		II (ii) Tabulated with no repeated headings <i>Allow from incorrect reagents but withhold if extra reagent introduced (unless <math>\text{HNO}_3</math>).</i>	1	
	MMO Collection	III <b>FA 9</b> yellow ppt with $\text{Ag}^+$ insoluble in $\text{NH}_3$ <b>and FA 10</b> white ppt with $\text{Ag}^+$ soluble in $\text{NH}_3$ <i>Allow correct obs for <math>\text{Ag}^+</math> and <math>\text{Pb}^{2+}</math></i>	1	
	ACE Conclusions	IV (iii) <b>FA9</b> = iodide/ $\text{I}^-$ <b>and FA10</b> = chloride/ $\text{Cl}^-$ <i>Allow from correct colour of <math>\text{Ag}^+</math> ppt provided <math>\text{AgI}</math> not soluble/<math>\text{AgCl}</math> not insoluble in <math>\text{NH}_3</math></i>	1	
	MMO Collection	V (iv) <b>Both</b> correct – ecf from (iii) iodide: purple fumes/gas or black solid chloride: misty/white/steamy fumes bromide: red-brown/orange solid or red-brown vapour (not brown)	1	
		VI (v) (blue) solution/turns green/yellow-green (not yellow)	1	
			[Total: 15]	