



Mark Scheme (Results)

June 2014

Pearson Edexcel International
GCSE Human Biology (4HB0/01)

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at:

www.pearson.com/uk

June 2014

Publications Code UG039175

All the material in this publication is copyright

© Pearson Education Ltd 2014

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

| Question number | Answer | Marks |
|-----------------|-----------------------------------|-------|
| 1 (a) | A cytoplasm; | (1) |
| (b) | C organelle, cell, tissue, organ; | (1) |
| (c) | B oxygen and carbon dioxide; | (1) |
| (d) | B bacteria; | (1) |
| (e) | D producers; | (1) |
| (f) | A P; | (1) |
| (g) | D; pulmonary vein | (1) |
| (h) | D 54 g; | (1) |
| (i) | A 0 %; | (1) |
| (j) | B diffusion; | (1) |

(Total for Question 1 = 10 marks)

| Question number | Answer | Comments | Marks |
|-----------------|--------------------------------------------------------------|--------------------------------|-------|
| 2 (a) | biuret | | (1) |
| (b) (i) | measuring cylinder; | | (1) |
| (ii) | wear goggles/eye protection; | Ignore wearing (safety) gloves | (1) |
| (iii) | bottom of meniscus on 3; | | (1) |
| (c) | protein not present in food P; protein present in food Q; | | (2) |

(Total for Question 2 = 6 marks)

| Question number | Answer | Comments | Marks |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|
| 3 (a) | <ul style="list-style-type: none"> controls cell activities/chemical reactions/contains genes/genetic information/DNA; site of chemical reactions; controls what enters/leaves the cell | | (3) |
| (b) | <ul style="list-style-type: none"> destroyed/digested/broken down; by (digestive) enzymes; | allow kills | (2) |
| (c) | <ul style="list-style-type: none"> binds/combines with antigens/clumps pathogens/bacteria; (antigen/antibody complex) acts as a signal to phagocytes enables phagocytes to break down pathogens more quickly/easily owtte; | | (2) |

(Total for Question 3 = 7 marks)

| Question number | Answer | Comments | Marks |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| 4 (a) | <ul style="list-style-type: none"> A pulp cavity; B enamel; C dentine; | | (3) |
| (b) | <ul style="list-style-type: none"> 4/5/6/7/8; | | (1) |
| (c) | <ul style="list-style-type: none"> (vitamin) D; calcium/calcium phosphate; | | (2) |
| (d) | <ul style="list-style-type: none"> removes plaque/bacteria/food particles; prevents/reduces acid formation; less enamel worn away; fluoride (in toothpaste) strengthens <u>enamel</u>; | | (3) |

(Total for Question 4 = 9 marks)

| Question number | Answer | Comments | Marks |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------------|
| 5 (a) | <ul style="list-style-type: none"> organisms in correct order as follows: <p>barley → cows → humans</p> <p>OR</p> <pre> humans / \ barley → cows </pre> <ul style="list-style-type: none"> arrows in correct direction; | | (2) |
| (b) (i) | <p>two from:</p> <ul style="list-style-type: none"> heat/movement/respiration/excretion / egestion/ not all of animal/organism is eaten/digested;; | allow faeces as an alternative to egestion | (2) |
| (ii) | <ul style="list-style-type: none"> barley contains more energy/produced faster ; (eating barley means) shorter food chain; less energy/biomass lost; | accept converse argument | (2) |
| (c) (i) | <ul style="list-style-type: none"> plants release oxygen during photosynthesis; oxygen needed for respiration; for energy; | | (2) |
| (ii) | <ul style="list-style-type: none"> carbon dioxide; water; | | (2) |

(Total for Question 5 = 10 marks)

| Question number | Answer | Comments | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------|
| 6 (a) (i) | B AV/atrioventricular valve/tricuspid valve; C aorta; | | (2) |
| (a) (ii) | D; A; A; E; | Also accept C | (4) |
| (b) | Four from: <ul style="list-style-type: none"> • atheroma/fatty plaques/deposits; • <u>coronary</u> arteries narrowed/blocked; • reduced/no blood flow (to heart); • reduced/no oxygen/glucose; • to heart/cardiac muscle/cells; • aerobic respiration reduced/stopped; • heart muscle dies; | | (4) |

(Total for Question 6 = 10 marks)

| Question number | Answer | Comments | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| 7 (a) (i) | fertilisation; | | (1) |
| (ii) | oviduct/fallopian tube; | | (1) |
| (b) (i) | row containing mitosis and 2; | | (1) |
| (ii) | mutation | | (1) |
| (c) (i) | <ul style="list-style-type: none"> • X placenta/chorionic villi; • Y amniotic fluid; | | (2) |
| (ii) | shock absorber/protection of the embryo/fetus; | | (1) |
| (iii) | three from: <ul style="list-style-type: none"> • oxygen(to embryo); • food/glucose/nutrients (to embryo); • from(blood of) mother to embryo; • reference to growth of embryo | | (3) |

(Total for Question 7 = 10 marks)

| Question number | Answer | Comments | Marks |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------|
| 8 (a) (i) | <ul style="list-style-type: none"> maltose; | | (1) |
| (ii) | <ul style="list-style-type: none"> salivary gland; pancreas; small intestine/ ileum | Ignore mouth | (2) |
| (b) (i) | <ul style="list-style-type: none"> 30 degrees 5/5.0; 50 degrees 6.7;; | Award 1 mark for 6.6 or 6.66 | (3) |
| (ii) | <p>Three from:</p> <ul style="list-style-type: none"> higher at 40 °C /40 °C is the optimum/slower at 60 °C; denatured at 60 °C; bonds (in enzyme broken); (shape of) active site altered; substrate no longer fits; | Allow comparison of data | (3) |
| (iii) | <p>Three from:</p> <ul style="list-style-type: none"> readings 10 degrees apart; not enough readings around 40 °C degrees/take more readings around 40 °C; optimum might be higher or lower than 40 degrees; don't appear to be any repeats; | | (3) |

(Total for Question 8 = 12 marks)

| Question number | Answer | Comments | Marks |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|------------|
| 9 (a) (i) | traffic/car (exhausts) | | (1) |
| (ii) | factories/power stations/burning fossil fuels/volcanoes; | | (1) |
| (b) (i) | 6; 20;; | Award one mark if 6/30 or 0.2 seen | (3) |
| (ii) | <ul style="list-style-type: none"> • results show that there is less lichen present when sulfur dioxide/pollution is present/nearby; • it is an effective/good indicator of pollution/lichen appears to be affected by/sensitive to sulfur dioxide/pollution; | Allow reverse argument | (2) |
| (c) | <p>Two from:</p> <ul style="list-style-type: none"> • stops oxygen from combining with haemoglobin/reduces oxygen-carrying capacity of red blood cells/blood; • less oxygen reaches (brain) cells; • less respiration; • death of (brain) cells; | | (2) |

(Total for Question 9 = 9 marks)

| Question number | Answer | Comments | Marks |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| 10 (a) (i) | Two from <ul style="list-style-type: none"> • flies may land on uncovered food; • bacteria/pathogens transferred to food from the air; • pathogens/bacteria transferred to food from server; | | (2) |
| | (ii) Two from <ul style="list-style-type: none"> • takes time for bacteria to travel through the gut; • bacteria have an incubation period/need time to multiply; • certain level of bacteria/bacterial toxin needed (before symptoms show); | | (2) |

| Question number | Answer | Comments | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------|
| 10 (b) (i) | <ul style="list-style-type: none"> • S appropriate scale chosen; • L axes labelled appropriately with correct units; • A axes correct way round, i.e. year on the X axis; • P points plotted correctly; • S suitable line through points/bar chart; | | (5) |
| (ii) | <p>For Salmonella only:</p> <ul style="list-style-type: none"> • statement true for food poisoning from salmonella; • data to support above statement, e.g. gone down each year apart from 2005 – 2007/from 31 to 9; <p>For all bacteria:</p> <ul style="list-style-type: none"> • statement mainly true/not entirely true for total no of food poisoning cases from all bacteria; • data to support statement, e.g. fallen from 94 (in 1997) to 70 (in 2005) / fell until 2005, but rose again in 2007 to 2009; | <p>Allow salmonella only decreased</p> <p>Allow all bacteria decreased and then increased</p> | (4) |

(Total for Question 10 = 13 marks)

| Question number | Answer | Comments | Marks |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------|
| 11 (a) (i) | homeostasis; | | (1) |
| (ii) | <ul style="list-style-type: none"> • hypothalamus; • constrict/vasoconstrict; • sweat; • evaporate; • shivering; • air; • insulation; | | (7) |
| (b) (i) | <ul style="list-style-type: none"> • peaks in winter/more ice in winter; • troughs in summer/less ice in summer; | Note: reference to seasons but wrong way round gains 1 mark | (2) |
| (ii) | <ul style="list-style-type: none"> • sea ice volume is falling; • means it is getting warmer; | | (2) |

(Total for Question 11 = 12 marks)

| Question number | Answer | Comments | Marks |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|------------|
| 12 (a) (i) | Three from: <ul style="list-style-type: none"> • platelets release enzyme; • thrombokinase; • prothromin to thrombin; • fibrinogen to fibrin; • a 'mesh' is formed over the cut owtte | | (3) |
| (ii) | <ul style="list-style-type: none"> • stops blood flow/person losing too much blood; • stops pathogens/bacteria/disease-causing organisms entering; | Allow reduces risk of infection Reject: stops disease (entering) | (2) |
| (b) (i) | <ul style="list-style-type: none"> • male; • normal blood clotting; • X^hY; • X^hX^h; | Do not accept normal Allow reversal of chromosomes i.e. YX^h | (4) |
| (ii) | <ul style="list-style-type: none"> • females produced can only be X^HX^h or X^HX^H; • if child who has haemophilia is female they must have X^hX^h; • but man whose blood clots normally must have X^H allele/does not carry recessive allele; • father cannot pass on X^h to child/mother passes X^h to child; | Do not allow Punnett square or genetic diagram | (3) |

(Total for Question 12 = 12 marks)

