

Mark Scheme November 2008

IGCSE

IGCSE Mathematics (4400)

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our Customer Services on + 44 1204 770 696, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

November 2008

Publications Code UG020617

All the material in this publication is copyright

© Edexcel Ltd 2008

Contents

1.	4400/1F	5
2.	4400/2F	17
3.	4400/3H	25
4.	4400/4H	39

November 2008 IGCSE 4400 Maths Mark Scheme - Paper 3H

Q	Working	Answer	Mark	Notes
1.	$\frac{11.7}{6.5}$		2	M1 for 11.7 or 6.5
		1.8		A1 Accept $\frac{9}{5}$ etc
				Total 2 marks

2. (a)			$7(p-3)$	1	B1 cao
(b)	$4x + 20$ seen	or $x + 5 = 3$		3	M1 for $4x + 20$ seen
	$4x = 12 - 20$				M1 for $4x = 12 - 20$ or for $4x = 12 - 5$ following $4x + 5 = 12$
			-2		A1
				Total 4 marks	

Q	Working	Answer	Mark	Notes
3. (a)	$1 \times 10 + 2 \times 9 + 3 \times 3 + 4 \times 17 + 5 \times 11$ or $10 + 18 + 9 + 68 + 55$ or 160		3	M1 for at least 3 correct products and summing them
	$\frac{"160"}{50}$			M1 (dep) for division by 50
		3.2		A1 Accept 3 if $\frac{160}{50}$ seen
(b)(i)		$\frac{17}{50}$	3	B1 Accept 0.34 or 34%
(ii)	$\frac{10+3}{50}$ or $\frac{10}{50} + \frac{3}{50}$			M1
		$\frac{13}{50}$		A1 Accept 0.26 or 26%
(c)	'No' ticked and eg <i>The scores are not equally likely. 4 is most likely.</i>		1	B1
				Total 7 marks

4. (a)		translation	2	B1 Accept translated, translate etc	These marks are independent but award no marks if the answer is not a single transformation
		7 to the left and 1 down or $\begin{pmatrix} -7 \\ -1 \end{pmatrix}$		B1	
(b)		rotation	3	B1 Accept rotated, rotate etc	
		90°		B1 Accept quarter turn Accept 270°clockwise	
		(0, 0)		B1 Accept origin, O	
				Total 5 marks	

Q	Working	Answer	Mark	Notes	
5. (a)	$\frac{35}{100} \times 180$ or 63		3	M1	M2 for $\frac{65}{100} \times 180$
	180 - "63"			M1 dep	
		117		A1	cao
(b)	$\frac{84}{0.35}$ or $84 \times \frac{100}{35}$		3	M2	for $\frac{84}{0.35}$ or $84 \times \frac{100}{35}$
				M1	for $\frac{84}{35}$ or 2.4
		240		A1	
(c)	$\frac{442}{0.65}$ or $442 \times \frac{100}{65}$		3	M2	for $\frac{442}{0.65}$ or $442 \times \frac{100}{65}$
				M1	for $\frac{442}{65}$ or 6.8 or 65% = 442
		680		A1	cao
				Total 9 marks	

6.	$\pi \times r^2 \times 7.6$		3	M2	if $r = \frac{4.3}{2}$ or 2.15 (M1 if $r = 4.3$ may be implied by answer rounding to 441)
		110		A1	for answer rounding to 110 ($\pi \rightarrow 110.367 \dots$ 3.14 $\rightarrow 110.311 \dots$)
				Total 3 marks	

Q	Working	Answer	Mark	Notes
7.	$\frac{2}{5} \times \frac{7}{4}$ or $\frac{14}{35} \div \frac{20}{35}$		3	B2 for $\frac{2}{5} \times \frac{7}{4}$ (B1 for inverting second fraction ie $\frac{7}{4}$) or B1 for 2 fractions with a denominator of 35 etc B1 for correct numerators
	$\frac{14}{20}$			B1 eg for $\frac{14}{20}$ oe or correct cancelling
				Total 3 marks

8. (a)(i)		p^6	2	B1 cao
(ii)		q^5		B1 cao
(b)	$12x - 3 - 8x + 12$		2	M1 for 3 correct terms
		$4x + 9$		A1 cao
(c)	$y^2 + 5y + 3y + 15$		2	M1 for 3 correct terms or $y^2 + 8y + c$ or ... + 8y + 15
		$y^2 + 8y + 15$		A1 cao
				Total 6 marks

Q	Working	Answer	Mark	Notes
9.	$\cos x^\circ = \frac{5.4}{8.7}$ or 0.6206...		3	M1 for cos A1 for $\frac{5.4}{8.7}$ or 0.6206... or M1 for sin and $\frac{\sqrt{46.53}}{8.7}$ following correct Pythagoras and A1 for value which rounds to 0.78 or M1 for tan and $\frac{\sqrt{46.53}}{5.4}$ following correct Pythagoras and A1 for value which rounds to 1.26
		51.6		A1 for answer rounding to 51.6
				Total 3 marks

Q	Working	Answer	Mark	Notes
10. (a)		(2, 7)	2	B2 B1 for 2 B1 for 7
(b)	eg $\frac{13-1}{5-(-1)}$ or $\frac{12}{6}$ or $\frac{6}{3}$		4	M1 for clear attempt to use $\frac{\text{vertical difference}}{\text{horizontal difference}}$
	2			A1
		$y = 2x + 7$ or $y = "2" x + 7$		B2 for $y = 2x + 7$ or $y = "2" x + 7$ B1 for $y = 2x + c$ or for $y = "2" x + c$ where $c \neq 7$ or for $2x + 7, "2" x + 7,$ $L = 2x + 7, L = "2" x + 7$ etc ft from their "2" only if it supported by working such as a fraction or numbers indicated on a diagram, even though it may not have gained M1
				SC If no other marks scored, award B1 for $y = mx + 7$ for any m inc $m = 1$
				Total 6 marks

Q	Working	Answer	Mark	Notes
11. (a)		4 10 19 33 54	1	B1 cao
(b)		Points	2	B1 Allow $\pm \frac{1}{2}$ sq ft from sensible table
		Curve		B1 or line segments (dep on 4 pts correct or ft correctly or 5 ordinates from (a) plotted correctly and consistently within intervals but not above end points)
(c)	27 (or $27\frac{1}{2}$) indicated on graph or stated		2	M1 for 27 (or $27\frac{1}{2}$) indicated on graph or stated
		≈ 66		A1 ft from sensible graph
				Total 5 marks

Q	Working	Answer	Mark	Notes
12. (a)	$\frac{10}{6}$ oe or $\frac{6}{10}$ oe seen		3	B1 for $\frac{10}{6}$ oe (1.666...) or $\frac{6}{10}$ oe (0.6) or $\frac{2}{3}$ (0.666...)
	$5.1 \times \frac{10}{6}$ or $5.1 \div \frac{6}{10}$ or 8.5			M1 for $5.1 \times \frac{10}{6}$ or $5.1 \div \frac{6}{10}$ or $5.1 \times \frac{2}{3}$ or 8.5
		3.4		A1 cao
(b)	(scale factor) ² eg $\left(\frac{6}{10}\right)^2$ or $\frac{36}{100}$ or $\left(\frac{10}{6}\right)^2$ or $\frac{100}{36}$		3	M1 M2 for $\frac{\frac{1}{2} \times 6 \times 5.1 \sin \theta}{\frac{1}{2} \times (10 + 6) \times 3.4 \sin \theta}$ or $\frac{\frac{1}{2} \times 6 \times 5.1 \sin \theta}{\frac{1}{2} \times 10 \times 8.5 \sin \theta - \frac{1}{2} \times 6 \times 5.1 \sin \theta}$
	eg 100 - 36, 64, $1 - \frac{36}{100}$, $\frac{64}{100}$			M1
		$\frac{9}{16}$ oe		A1
				Total 6 marks

Q	Working	Answer	Mark	Notes
13. (a)	4.5	1.9 3.1 4.1	2	B2 for all correct (B1 for 2 or 3 correct)
(b)		Points	2	B1 Allow $\pm \frac{1}{2}$ sq ft from table if at least B1 scored in (a)
		Curve		B1 ft from their points if at least 5 points are correct or ft correctly
(c)(i)		2	2	B1 cao
(ii)		1.6 or 1.7		B1 for answer which rounds to 1.6 or 1.7 ft from curve if B1 scored for curve in (b) Condone >1 dp
				Total 6 marks

14. (a)		$3b(3a - 4b)$	2	B2 B1 for $3(3ab - 4b^2)$ or $b(9a - 12b)$ or for two factors one of which is $3b$ or $(3a - 4b)$ and the other is linear
(b)		$8a^3b^6$	2	B1 B1 for 8 B1 for a^3b^6
				Total 4 marks

Q	Working	Answer	Mark	Notes
15. (a)	$\frac{7}{9} \times \frac{6}{8}$		2	M1
		$\frac{42}{72}$ oe		A1 for $\frac{42}{72}$ oe inc $\frac{7}{12}$
(b)	$\frac{7}{9} \times \frac{2}{8} + \frac{2}{9} \times \frac{7}{8}$		3	M1 for one of correct products $\frac{7}{9} \times \frac{2}{8}$ or $\frac{2}{9} \times \frac{7}{8}$ M1 for sum of both correct products
				or M2 for $1 - (a) - \frac{2}{9} \times \frac{1}{8}$
				SC M1 for $\frac{7}{9} \times \frac{2}{9}$ or $\frac{2}{9} \times \frac{7}{9}$ M1 for $\frac{7}{9} \times \frac{2}{9} + \frac{2}{9} \times \frac{7}{9}$
		$\frac{28}{72}$ oe		A1 for $\frac{28}{72}$ oe inc $\frac{7}{18}$
				Total 5 marks

16. (a)(i)		54	2	B1
(ii)	angle between chord & tangent = angle in alternate segment			B1 Accept 'alternate segment'
(b)	angle $BCD = 90^\circ$		2	B1
	angle in a semicircle is a right angle			B1 Accept if 'semicircle' seen
(c)(i)		102	2	B1
(ii)	opposite angles of a cyclic quadrilateral are supplementary			B1 Accept if 'opposite' and 'cyclic' seen ('Alternate segment' is an alternative)
				Total 6 marks

Q	Working	Answer	Mark	Notes
17. (a)	$10x = 7.\dot{7}$		2	M1 Accept $100x = 77.\dot{7}$
		$\frac{7}{9}$ oe		A1
(b)(i)		$\frac{y}{90}$	3	B1
(ii)	eg $9d = 1 + \frac{y-1}{10}$ or $90d = 10 + y - 1$ or $90d = y + 9$ or $\frac{10+y-1}{90}$ or $0.1 + 0.0\dot{y}$			M1 for equation which would give a correct answer or for an expression which, if simplified would give a correct answer or for $0.1 + 0.0\dot{y}$ but not for $9d = 1.y - 1$ or similar
		$\frac{9+y}{90}$ or $\frac{1}{10} + \frac{y}{90}$		A1 isw and award 2 marks if $\frac{9+y}{90}$ or $\frac{1}{10} + \frac{y}{90}$ seen
				Total 5 marks

Q	Working	Answer	Mark	Notes
18.	$\frac{2}{x+2} + \frac{x}{(x+2)(x+3)}$		5	B1 for factorising $x^2 + 5x + 6$
	$\frac{2(x+3) + x}{(x+2)(x+3)}$ or $\frac{2(x+3)}{(x+2)(x+3)} + \frac{x}{(x+2)(x+3)}$ or $\frac{2(x^2 + 5x + 6) + x(x+2)}{(x+2)(x^2 + 5x + 6)}$			B1 for correct single fraction even if unsimplified or for correct sum of two fractions with the same denominator ft from incorrect factorisation
	$\frac{2x+6+x}{(x+2)(x+3)} = \frac{3x+6}{(x+2)(x+3)}$ or $\frac{2x+6+x}{x^2+5x+6} = \frac{3x+6}{x^2+5x+6}$			B1 for $\frac{2x+6+x}{(x+2)(x+3)}$ or $\frac{2x+6+x}{x^2+5x+6}$
	$\frac{3(x+2)}{(x+2)(x+3)}$			B1
		$\frac{3}{x+3}$		B1 cao
				SC if no denominator, award 3 rd B1 for $2x + 6 + x$ and 4 th B1 for $3(x+2)$
				Total 5 marks

Q	Working	Answer	Mark	Notes
19.	$\frac{45}{360} \times \pi \times 6.7^2 - \frac{1}{2} \times 6.7^2 \times \sin 45^\circ$		5	M1 for $\frac{45}{360}$ oe
				M1 for $\pi \times 6.7^2$ or value which rounds to 141 seen
				M1 for completely correct method of finding the area of triangle <i>OAB</i> eg $\frac{1}{2} \times 6.7^2 \times \sin 45^\circ$ or $6.7 \times \sin 22.5^\circ \times 6.7 \times \cos 22.5^\circ$
	17.628... (or 17.619...) - 15.871...			A1 for either area correctly evaluated rounded or truncated to 1 dp
		1.76 or 1.75		A1 for answer rounding to 1.76 if π key used ($\pi \rightarrow 1.7572\dots$) or for answer rounding to 1.75 if $\pi = 3.14$ used ($3.14 \rightarrow 1.7483\dots$)
				Total 5 marks

Q	Working	Answer	Mark	Notes
20.	$\text{eg } r^2 + 9 = (r+2)^2$ $r^2 + 3^2 = (r+2)^2$ $r = \sqrt{(r+2)^2 - 9}$ $r+2 = \sqrt{r^2 + 9}$		5	M2 for correct use of Pythagoras' Rule M1 for $r^2 + 3^2$ or $r^2 + 9$ or $(r+2)^2$
	$r^2 + 9 = r^2 + 4r + 4$			B1
	$4r = 5$			M1
		$1\frac{1}{4}$ or 1.25		A1 Accept $\frac{5}{4}$
				Total 5 marks

Further copies of this publication are available from
Edexcel UK Regional Offices at www.edexcel.org.uk/sfc/feschools/regional/
or International Regional Offices at www.edexcel-international.org/sfc/academic/regional/

For more information on Edexcel qualifications, please visit www.edexcel-international.org/quals
Alternatively, you can contact Customer Services at www.edexcel.org.uk/ask or on + 44 1204 770 696

Edexcel Limited. Registered in England and Wales no.4496750
Registered Office: One90 High Holborn, London, WC1V 7BH