

# Mark Scheme (Results)

## November 2010

IGCSE

IGCSE Mathematics (4400)  
Paper 3H Higher Tier

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our Customer Services on + 44 1204 770 696, or visit our website at [www.edexcel.com](http://www.edexcel.com).

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

November 2010

All the material in this publication is copyright  
© Edexcel Ltd 2010

## November 2010 IGCSE Mathematics (4400) Mark Scheme - Paper 3H

The following questions require a seen valid method before the accuracy mark can be awarded: Q6, Q12, Q14b, Q16b, Q21b

For all other questions a correct answer implies a correct method

Question		Working	Answer	Mark		Notes
1.		$1 \times 4 + 2 \times 9 + 3 \times 8 + 5 \times 4 (=66)$ "66" $\div (4+9+8+4)$	2.64	3	M1 M1 A1	Any 3 correct products with the intention to add dep allow 3 with working 3 without working = MOMOA0 2.6 without working =M2 A0
						Total 3 marks

2.	ai		$4c - 12$	1	B1	
	aii		$d^8 + 4d$	2	B2	B1 each term
	b		$x(3 - 2x)$	2	B2	B1 for $x$ (expression with one correct term)
						Total 5 marks

3.			BAC= 70 isosceles triangle ABC = 40 or PAC = 110 or PA(CA ext)= 70 $x = 40$	4	B1 B1 B1 B1	(can be marked on diagram) dep on prev B1. Must not contain incorrect statements. look for values on diagram dep on reason. Either alternate (with ABC) or angles between parallel lines (=180) or alternate (with 110) or corresponding (with 70) answer only = B1B0B1B0
						Total 4 marks

Question		Working	Answer	Mark		Notes
4.	a	$\pi \times 8.9^2$	248.8..... m <sup>2</sup> or sq metres oe	3	M1 A1 B1	or $3.14... \times 8.9^2$ or $\frac{22}{7} \times 8.9^2$ awrt 248.7 to 248.9 ind
	b		250	1	B1ft	ft (a) if given to $\geq 3$ sig figs (ignore units). Do not award marks from part a).
						Total 4 marks

5.	a	$\frac{6}{7} \times \frac{1}{4}$ $\frac{6}{28}$ or $\frac{3}{7} \times \frac{1}{2}$		2	M1 A1	or $\frac{6}{7} \div \frac{28}{7}$ answer $\equiv \frac{3}{14}$ (but not $= \frac{3}{14}$ ) or cancelling
	b	$\frac{51}{15}$ and $\frac{25}{15}$ any multiple of 15 valid $\frac{51}{15} - \frac{25}{15}$ correct fractions subtracted $\frac{26}{15}$		3	M1 M1 A1	$\frac{6}{15}$ and $\frac{10}{15}$ dep $\frac{-4}{15}$ or $\frac{6}{15} - \frac{10}{15}$ (dep on M2) $2 - \frac{4}{15}$ oe (but not $1\frac{11}{15}$ )
						Total 5 marks

6.	a	$7x - 2x = -4 - 3$ $5x = -7$	-1.4	3	M1 M1 A1	correct gathering of terms Accept $-7/5$ (not $-7 \div 5$ ) No working: M0A0
	b	$16 - 5y = 2 \times 3$ $-5y = -10$ oe	2	3	M1 M1 A1	$16/3 - 2 = 5y/3$ $10/3 = 5y/3$ Accept $-10/-5$ (not $-10 \div -5$ ) No working: M0A0
						Total 8 marks

Question		Working	Answer	Mark		Notes
7.	ai		Mr Smith's hats	1	B1	
	aii		0	1	B1	none or zero, $\emptyset$ or $\{ \}$ , "empty set" etc; allow "There aren't any"
	bi		$B$	1	B1	
	bii		$\epsilon$	1	B1	
						Total 4 marks

8.	a	$x/9 = \tan 36^\circ$ or $\tan 36^\circ$ or 0.726.. seen $9 \times \tan 36^\circ$	6.54	3	M1 M1 A1	$x^2 + 9^2 = (9/\cos 36^\circ)^2$ oe (e.g. $x^2 + 9^2 = 11.12^2$ ) $\sqrt{(9/\cos 36^\circ)^2 - 9^2}$ awrt 6.54 use isw if better seen in body
	b	$10^2 = 4.5^2 + y^2$ oe $\sqrt{10^2 - 4.5^2}$ or $\sqrt{79.75}$	8.93	3	M1 M1 A1	or $10^2 - 4.5^2$ M2 for $4.5 \times \tan(\cos^{-1} 4.5/10)$ awrt 8.93 use isw if better seen in body
						Total 6 marks

9.	a		1, 5, 6	2	B2	B1 three positive whole nos with med 5 or mean 4
	b		5, 5, 7, $x$	2	B2	$x > 7$ B1 four nos with single mode 5 or med 6
						Total 4 marks

10.	a	$14 \times 15 \div 21$ oe	10	2	M1 A1	Correct use of s.f. 2/3 or 3/2 or 5/7 or 7/5
	b	$18 \times 21 \div 15$ oe	25.2	2	M1 A1	Correct use of s.f. 5/7, 7/5, 6/5, 5/6, 18/"10", "10"/18, 14/"10", "10"/14 cao
						Total 4 marks

Question		Marking	Answer	Mark		Notes
11.	a	Read at cf = 20 or 20.5	15 → 15.5	2	M1 A1	answer only = M1 A1
	b	Read at cf = 10 & 30	28 → 30	2	M1 A1	or 34 → 35, and 6 → 7 seen  answer only = M1A1
	c		4	1	B1	
						<b>Total 5 marks</b>

12.		2 lines where coefficients of $x$ or $y$ are equal	$x = 1.5, y = -2$	3	M1  A1 A1	e.g $6x - 15y = 39$ , or $6x - 15y = 39$ $6x + 3y = 3$ $30x + 15y = 15$ and then add/subtract (condone 1 arithmetic error) leads to $18y = -36$ or $36x = 54$ or make $x$ or $y$ subject and substitute correctly
						<b>Total 3 marks</b>

13.	a		$(x - 5)(x - 3)$	2	B2	B1 for one bracket correct or $(x+5)(x+3)$
	b		$(x - 7)(x + 7)$	1	B1	
						<b>Total 3 marks</b>

Question		Working	Answer	Mark		Notes
14.	a		0.2 to 0.3, 3.7 to 3.8	2	B2	inclusive; B1 for each
	b	Draw $y = x + 1$	0.4 to 0.5 & 4.5 to 4.6	3	M1 A1 A1	for $0 \leq x \leq 5$ inclusive dep on M1 inclusive dep on M1
						Total 5 marks

15.		$\pi \times 1.5^2 \times 4$ (= 28.2...) $\frac{4}{3} \times \pi \times 1.5^3$ (=14.1...) "14.1" $\times$ 0.5 (=7.06...) cyl vol + hemisphere vol	35.3	5	M1 M1 M1 M1 A1	Volume of cylinder Volume of sphere 0.5 $\times$ their sphere vol dep M1M1 (allow cyl volume + sphere volume if hemisphere not calculated) 35.3 to 35.4 (not $11.25\pi$ )
						Total 5 marks

16.	a		$3x^2 + 6x - 24$	3	B3	B1 each term
	b	$"3x^2 + 6x - 24" = 0$ $(3x + 12)(x - 2)$ oe  $x = -4$ or 2 sub both $x$ values	$(-4, 80), (2, -28)$	5	M1ft M1ft  A1 M1ft A1	Must be a 3 term quadratic or " $\frac{-6 \pm \sqrt{6^2 - 4 \times 3 \times -24}}{2 \times 3}$ " condone 1 sign error cao cao (needs first 2 M's)
						Total 8 marks

Question		Working	Answer	Mark		Notes
17	a	$(\frac{1}{6})^3$	$\frac{1}{216}$ oe	2	M1 A1	(or 0.00463 or better)
	b	$\frac{1}{6} \times (\frac{5}{6})^2$ $3 \times \frac{1}{6} \times (\frac{5}{6})^2$	$\frac{75}{216}$ oe	3	M1 M1 A1	1 correct combination 1, -1, -1 oe 25/72 (or 0.347 or better)
						Total 5 marks

18.		$xP = 100(y - x)$ or $P = \frac{100y - 100x}{x}$ $xP = 100y - 100x$ $x(P + 100) = 100y$	$\frac{100y}{P+100}$ oe	4	M1 M1 M1 A1	$P = 100y/x - 100x/x$ $P + 100 = 100y/x$ $x(P+100) = 100y$
						Total 4 marks

19.		$\frac{\sin A}{5} = \frac{\sin 40}{6}$ oe $\sin A = \frac{5 \sin 40}{6}$ or 0.535... $A = 32.3$ to $32.4$ $(B=) 180 - 40 - "32.4"$ (= 107.6 to 107.7)  $0.5 \times 5 \times 6 \times \sin "107.6"$ (2 sides & a trapped angle)	14.3	6	M1 M1 A1 M1 ft M1ft A1	dep on M2. or Height = $5 \sin 40$ (=3.21) and base = $6 \cos "32.4" + 5 \cos 40$ (= 8.9) $0.5 \times 3.21 \times "8.9"$ (must be a correct calculation for height and base)  awrt 14.3
						Total 6 marks



Question		Working	Answer	Mark		Notes
20.	a	$2^4$ or $-4$ seen	$2^{-4}$	2	M1 A1	
	b	$2^3$ or $1/3$ seen	$8^{1/3}$	2	M1 A1	accept $8^{0.3\text{rec}}$
	c	$\frac{(a + \sqrt{a})}{\sqrt{a}} \times \frac{\sqrt{a}}{\sqrt{a}}$	$\sqrt{a} + 1$	2	M1 A1	multiply numerator & denominator by $\sqrt{a}$ or $(a/\sqrt{a} + a)/a$
						Total 6 marks

21.	a	$y = 2x + 1$ $x = \frac{y-1}{2}$	$f^{-1}(x) = \frac{(x-1)}{2}$ oe	2	M1 A1	$x = 2y + 1$ $y = \frac{x-1}{2}$ answer only = M1A1
	b	$(2 + x)^2 = x^2$ $4 + 4x + x^2 = x^2$	$x = -1$	3	M1 M1 A1	M1 for $(2 + x)^2$ or $2 + x = -x$ (from rooting both sides) Answer only = M0A0A0
						Total 5 marks

TOTAL FOR PAPER : 100 MARKS					
-----------------------------	--	--	--	--	--





Further copies of this publication are available from  
International Regional Offices at [www.edexcel.com/international](http://www.edexcel.com/international)

For more information on Edexcel qualifications, please visit [www.edexcel.com](http://www.edexcel.com)  
Alternatively, you can contact Customer Services at [www.edexcel.com/ask](http://www.edexcel.com/ask) or on + 44 1204 770 696

Edexcel Limited. Registered in England and Wales no.4496750  
Registered Office: One90 High Holborn, London, WC1V 7BH