



Pearson

Mark Scheme (Results)

January 2018

Pearson Edexcel International Advanced
Level In Biology Pearson Edexcel (WBI06)
Paper 01 Practical Biology and Investigative
Skills

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2018

Publications Code WBI06_01_1801_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional guidance	Mark
1(a)	<p>1. method of touching worm qualified ;</p> <p>2. description of how to obtain quantitative results ;</p> <p>3. need for earthworms to { recover / acclimatise } ;</p> <p>4. standardised method to adjust light intensity ;</p> <p>5. use { several / other / more } earthworms at each light intensity ;</p> <p>6. repeat and calculate mean values ;</p>	<p>1. e.g. use a glass rod, use a cotton bud, touch with the same force IGNORE touch with finger unqualified</p> <p>2. e.g. record time taken for the worm to extend, number of stimuli / time before there is no response</p> <p>4. e.g. closing the blinds, use different wattage lightbulbs, alter the distance from light source</p> <p>5. e.g. minimum of 3 worms</p> <p>6. ACCEPT average</p>	(5)

Question Number	Answer	Additional guidance	Mark
1(b)(i)	1. { age / size / species / mass / length / eq } of earthworm ; 2. temperature ; 3. humidity / eq ;	3. ACCEPT moisture	(2)

Question Number	Answer	Additional guidance	Mark
1(b)(ii)	1. method of control of variable ; 2. effect if variable not controlled ;	1. ACCEPT methods of control variables not given credit in 1(b)(i) e.g. noise	(2)

Question Number	Answer	Additional guidance	Mark
1(c)	<p>1. each response uses { energy / ATP } ;</p> <p>2. (this) energy could be used for a named purpose ;</p> <p>3. idea that response to a repeated stimulus does not increase chance of survival ;</p> <p>4. the earthworm is showing a form of { learning / habituation } ;</p>	<p>1. ACCEPT wastes energy OR energy is not wasted / saved or is conserved (if worm is habituated)</p> <p>2. e.g. growth / reproduction / movement / digestion / feeding / avoiding predators IGNORE respiration / metabolism unqualified</p> <p>3. ACCEPT not responding to a repeated stimulus increases chance of survival</p> <p>'There will be more energy for feeding' gains MP1 and 2</p>	(3)

Question Number	Answer	Additional guidance	Mark
2(a)	<ol style="list-style-type: none"> there is no significant difference ; between the variety of wheat and the number of infected shoots / eq ; 	ACCEPT for MP1 and MP2 'the difference between the number of infected shoots of each variety is not significant'	(2)

Question Number	Answer	Additional guidance	Mark																																										
2(b)	<ol style="list-style-type: none"> two means correctly calculated to the same number of decimal places ; table drawn with headings ; all raw data and means entered in table ; 	<p>1. Giza 11, 11.3 or 11.25 and Sakha 9, 8.8, 8.75</p> <p>Example table:</p> <table border="1"> <thead> <tr> <th>Wheat Variety</th> <th colspan="12">Number of shoots with larvae</th> <th>Mean</th> </tr> </thead> <tbody> <tr> <td>Giza</td> <td>10</td> <td>12</td> <td>15</td> <td>17</td> <td>12</td> <td>6</td> <td>13</td> <td>10</td> <td>12</td> <td>13</td> <td>7</td> <td>8</td> <td>11.3</td> </tr> <tr> <td>Sakha</td> <td>4</td> <td>6</td> <td>5</td> <td>13</td> <td>7</td> <td>6</td> <td>13</td> <td>9</td> <td>14</td> <td>11</td> <td>10</td> <td>7</td> <td>8.8</td> </tr> </tbody> </table>	Wheat Variety	Number of shoots with larvae												Mean	Giza	10	12	15	17	12	6	13	10	12	13	7	8	11.3	Sakha	4	6	5	13	7	6	13	9	14	11	10	7	8.8	(3)
Wheat Variety	Number of shoots with larvae												Mean																																
Giza	10	12	15	17	12	6	13	10	12	13	7	8	11.3																																
Sakha	4	6	5	13	7	6	13	9	14	11	10	7	8.8																																

Question Number	Answer	Additional guidance	Mark									
<p>2(c)</p>	<p>A axes with linear scales and suitable labels ;</p> <p>P means plotted accurately as bar graph ;</p> <p>B range bars plotted ;</p>	<p>DO NOT ACCEPT a.u.</p> <p>P: ALLOW ECF from means in 2(b)</p> <div data-bbox="927 440 1895 1019" data-label="Figure"> <table border="1"> <caption>Data from Bar Chart</caption> <thead> <tr> <th>Wheat Variety</th> <th>Mean number of shoots with larvae</th> <th>Range (Lower - Upper)</th> </tr> </thead> <tbody> <tr> <td>Giza</td> <td>11</td> <td>6 - 17</td> </tr> <tr> <td>Sakha</td> <td>9</td> <td>4 - 14</td> </tr> </tbody> </table> </div> <p>Giza range 6 - 17 Sakha range 4 - 14</p>	Wheat Variety	Mean number of shoots with larvae	Range (Lower - Upper)	Giza	11	6 - 17	Sakha	9	4 - 14	<p>(3)</p>
Wheat Variety	Mean number of shoots with larvae	Range (Lower - Upper)										
Giza	11	6 - 17										
Sakha	9	4 - 14										

Question Number	Answer	Additional guidance	Mark
2(d)	<ol style="list-style-type: none">1. 37 identified (as critical value at $p=0.05$) ;2. the { calculated value / eq } is greater than the { critical value / eq } ;3. the null hypothesis can be accepted ;4. there is no significant difference between variety of wheat and the number of infected shoots / eq ;5. comment on variability of data ;	2. 44 is greater than 37 = MPs 1 & 2	(4)

Question Number	Answer		Mark
2(e)	<ol style="list-style-type: none"> 1. idea that a named environmental factor may not have been taken into consideration ; 2. small sample size / only 12 samples of each wheat variety / eq ; 3. only one set of data ; 4. wide variability in results / comment on { large / overlapping } range bars ; 5. difficulty of identifying { larvae / infected shoots } / eq ; 	<p>IGNORE genetic differences</p> <ol style="list-style-type: none"> 1. e.g. soil type, mineral content, humidity, temperature, planting density, light intensity, wind speed, pesticides, water 2. IGNORE only 12 plants 3. ACCEPT different times of year / places 5. IGNORE counting errors unqualified 	(3)

Question Number	Answer	Additional guidance	Mark
3(a)	<ol style="list-style-type: none"> 1. allows population to grow rapidly / eq ; 2. idea of exploiting favourable conditions ; 3. idea of less chance of eggs being eaten ; 4. idea that large population increases the { gene pool / genetic variability } ; 	<ol style="list-style-type: none"> 1. IGNORE increase unqualified 2. e.g. food source availability 3. ACCEPT reduced chance of predation of an individual IGNORE damage to eggs 	(2)

Question Number	Answer	Additional guidance	Mark
3(b)(i)	<ol style="list-style-type: none"> 1. practise method to see if it will work / eq ; 2. check { most suitable number / mass / viability / eq } of eggs to use / eq ; 3. select suitable copper ion concentrations / eq ; 4. find the time for the eggs to hatch / find method for counting the larvae / eq ; 5. identify an environmental condition to control { temperature / salinity / pH / oxygen concentration / light intensity } ; 	<ol style="list-style-type: none"> 4. ACCEPT hatched eggs 	(4)

Question Number	Answer	Additional guidance	Mark
3(b)(ii)	<ol style="list-style-type: none"> 1. clear statement of dependent variable ; 2. identification of the independent variable ; 3. identification of one variable, other than copper ions, that could affect egg hatching ; 4. description of how this variable can be { controlled / minimised } ; 5. identification of second variable, other than copper, that could affect egg hatching ; 6. description of how this second variable can be { controlled / minimised } ; 	<p>Max. 8 marks from this section. Two marks are reserved for QWC.</p> <ol style="list-style-type: none"> 1. e.g. number of eggs hatched / time for eggs to hatch / hatching rate 2. e.g. a range of copper concentrations / stated range (minimum 5) / presence and absence of copper ions <p>For MP3 and MP5. e.g. concentration of other ions / light intensity / temperature / pH / salt concentration / oxygen concentration / source of eggs / age of eggs / species of eggs</p> <p>IGNORE a stated temperature unqualified</p>	<p>(8) Expert</p> <p>+ 2 QWC (see below)</p>

	<p>7. suitable time interval(s) for counting egg hatching ;</p> <p>8. clear reference to need to repeat the whole experiment ;</p> <p>9. method of calculating rate of hatching ;</p> <p>10. reference to a control (with no copper) ;</p>	<p>7. e.g. stated intervals in hours or days and a minimum of 2 counts ACCEPT one stated time to count eggs hatched</p> <p>8. DO NOT ACCEPT replicate at each concentration</p> <p>9. ACCEPT calculate percentage hatched or number of eggs hatched per unit time</p>	
Level	Mark	Descriptor	
Level 1	0	The account is very disorganised and is very difficult to follow. Scientific vocabulary is very limited with many spelling and grammatical errors.	
Level 2	1	There is some disorganisation in the account which is not always in the correct sequence. Some relevant scientific vocabulary is used. The account is not always in continuous prose and there are grammatical errors and some important spelling mistakes.	
Level 3	2	The account is well organised with no undue repetition and a correct sequence. There is good use of scientific vocabulary in the context of the investigation described. The account is written in continuous prose which is grammatically sound with no major spelling errors.	

Question Number	Answer	Additional guidance	Mark
3(b)(iii)	<ol style="list-style-type: none"> 1. clear table with headings and appropriate units ; 2. means calculated from repeated data / eq ; 3. graph format appropriate to data, with correctly labelled axes ; 4. statistical test appropriate to data ; 	<ol style="list-style-type: none"> 1. DO NOT ACCEPT a.u. IGNORE temperatures entered in the table 2. ACCEPT a space headed 'mean' if appropriate 3. e.g. scatter / line ACCEPT bar graph for presence / absence only 4. e.g. use of correlation test (Spearman's rank / eq) / suitable test to compare numbers (t- test / Mann-Whitney U test / eq) for presence / absence 	(4)

Question Number	Answer	Additional guidance	Mark
3(b)(iv)	<ol style="list-style-type: none"> 1. difficult to control all other factors affecting brine shrimp hatching / eq ; 2. a named environmental factor may fluctuate / eq ; 3. suitable reference to difficulty of counting / eq ; 4. an example of a possible limitation ; 	<ol style="list-style-type: none"> 2. e.g. temperature, pH, light intensity, oxygen concentration, mineral concentration IGNORE nutrients 4. e.g. viability of eggs / species of brine shrimp / genetic differences / damage to eggs 	(3)

