

CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

| | |
|-------------------------|---|
| 0580 MATHEMATICS | |
| 0580/22 | Paper 2 (Extended), maximum raw mark 70 |

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

| | | | |
|---------------|--|-----------------|--------------|
| Page 2 | Mark Scheme | Syllabus | Paper |
| | Cambridge IGCSE – May/June 2015 | 0580 | 22 |

Abbreviations



| | |
|-----|----------------------------|
| cao | correct answer only |
| dep | dependent |
| FT | follow through after error |
| isw | ignore subsequent working |
| oe | or equivalent |
| SC | Special Case |
| nfw | not from wrong working |
| soi | seen or implied |

| Question | Answer | Mark | Part marks |
|--------------|--|----------|---|
| 1 | 5.34×10^7 | 1 | |
| 2 | 9 [h] 30 [min] cao | 1 | |
| 3 | $\frac{1}{4}$ or 0.25 | 1 | |
| 4 (a) | 7 | 1 | |
| (b) | Any number except 3, 7 or 20 | 1 | |
| 5 | 0.2 oe | 2 | M1 for $1 - (0.15 + 0.3 + 0.35)$ |
| 6 | 8×10^3 or 8000 nfw | 2 | M1 for $w + 4 \times 10^3 = 1.2 \times 10^4$ oe or $5w + 20 \times 10^3 = 6 \times 10^4$ oe |
| 7 | Parallel | 1 | |
| | Same length | 1 | |
| 8 | $2n^2 + 3$ oe final answer | 2 | M1 for a quadratic expression as final answer or $2n^2 + 3$ oe in working |
| 9 | $\frac{23}{90}$ oe, must be fraction | 2 | M1 for $25.5 - 2.5$ oe e.g. $2.55^r - 0.25^r$ or B1 for $\frac{k}{90}$ |
| 10 | 7 | 2 | B1 for 120.5 or 113.5 seen |
| 11 | $\frac{1}{5} \begin{pmatrix} -2 & -1 \\ 11 & 3 \end{pmatrix}$ oe | 2 | M1 for $k \begin{pmatrix} -2 & -1 \\ 11 & 3 \end{pmatrix}$ soi or $\frac{1}{5} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ or $\det = 5$ soi |

| Page 3 | Mark Scheme | Syllabus | Paper |
|--------|---------------------------------|----------|-------|
| | Cambridge IGCSE – May/June 2015 | 0580 | 22 |

| | | | |
|----|--|-------------------------------------|---|
| 12 | $\frac{8}{3}$ $\frac{4}{5} \times \text{their } \frac{3}{8}$ oe $\frac{3}{10}$ cao | B1 M1 A1 | or $\frac{40}{15}$ accept $\frac{3}{8}$ or $\frac{15}{40}$ or $\frac{12}{15} \div \text{their } \frac{40}{15}$ or equivalent division with fractions with common denominators |
| 13 | (a) 11 (b) 8 | 1 2FT | FT $30 - 2 \times \text{their (a)}$ or M1 for $4 \times 7 = 2(x - 1) + FG$ oe or $4(x - 4) = 2(x - 1) + FG$ oe or $2 \times 7 + 2(x - 4) = 2(x - 1) + FG$ oe Allow x to be <i>their (a)</i> in each |
| 14 | 684 | 3 | M2 for $0.95 \times 4 \times 3 \times 60$ or M1 for $0.95 \times 4 [\times 3]$ or $4 \times 3 \times 60$ or $0.95 \times 3 \times 60$ or $0.95 \times 4 \times 60$ |
| 15 | $\frac{2x - 23}{(x + 2)(2x - 5)}$ final answer | 3 | B1 for a common denominator of $(x + 2)(2x - 5)$ B1 for $3(2x - 5) - 4(x + 2)$ or better or SC2 for final answer $\frac{2x - 7}{(x + 2)(2x - 5)}$ or SC1 for numerator of $2x - 7$ in final answer |
| 16 | (a) (i) 0.5 or -0.5 or $\frac{1}{2}$ or $-\frac{1}{2}$ (ii) 4 (b) 1.37 or 1.37[4...] | 1 1 1 | |
| 17 | (a) $[y =] 2x + 3$ cao (b) $-\frac{1}{2}$ oe | 3 1FT | M2 for correct unsimplified equation or B1 for gradient = $(11 - 3) \div (4 - 0)$ or better and B1 for $c = 3$ $-1 \div \text{their } m$ |

| Page 4 | Mark Scheme | Syllabus | Paper |
|--------|---------------------------------|----------|-------|
| | Cambridge IGCSE – May/June 2015 | 0580 | 22 |

| | | | | |
|-----------|----------------|---|------------|---|
| 18 | (a) | 78 | 3 | M2 for $5 \times 12 + \frac{1}{2} \times 12 \times (8 - 5)$ or $\frac{1}{2} \times 6 \times (5 + 8) \times 2$ oe or M1 for $5 \times 12, \frac{1}{2} \times 12 \times (8 - 5),$ $\frac{1}{2} \times 6 \times (5 + 8)$ or $12 \times 8 - (\dots)$ |
| | (b) | 1170 | 1FT | $15 \times \text{their (a)}$ |
| 19 | (a) |  | 1 | Correct circle, radius 4 cm centre C |
| | (b) | | 2 | B2 for correct bisector with 2 pairs of correct arcs or B1 for correct bisector with no/wrong arcs |
| | (c) | | 1 | Correct complete boundary and correct shading. Dep on at least B1 in (b) |
| 20 | (a) (i) | 4 | 1 | |
| | (ii) | {3, 9} | 1 | |
| | (iii) | fewer than 6 numbers from {1, 3, 5, 7, 9, 11} or \emptyset | 1 | |
| | (b) |  | 1 | |
| 21 | (a) | $m = 2$ $n = -10$ | 2 | B1 for $m = 2$ B1 for $n = -10$ If 0 scored SC1 for $(x + 2)^2$ in working or $x^2 + 2mx + m^2 + n$ and equating coefficients $2m[x] = 4[x]$ or $m^2 + n = -6$ |
| | (b) | 1.16 or 1.16[2...] from completing square | 2FT | FT dep on negative n B1 for $(x + \text{their } m)^2 = -\text{their } n$ or SC1 for correct answer from using formula or for both answers 1.16 and -5.16 whatever method used |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|---------------------------------|----------|-------|
| | Cambridge IGCSE – May/June 2015 | 0580 | 22 |

| | | | | |
|----|-----|--------------------------|-----|---|
| 22 | (a) | 44 | 2 | M1 for 48 soi |
| | (b) | 24 | 2 | M1 for 40 or 16 or both lines drawn from 15 and 45 across and down to the horizontal axis |
| | (c) | 5 | 2 | M1 for answer 55 or line or mark on graph indicating 55 |
| 23 | (a) | 0.4 or $\frac{2}{5}$ | 1 | |
| | (b) | 1430 | 3 | M2 for correct, complete, area statement e.g. $120 \times 10 + \frac{1}{2} \times 20 \times 8 + \frac{1}{2} \times 30 \times 10$ oe or M1 for one area calculation e.g. 10×120 or $\frac{1}{2} \times 20 \times 8$ or $\frac{1}{2} \times 30 \times 10$ |
| | (c) | 11.9 or 11.91 to 11.92 | 1FT | their (b) $\div 120$ |
| 24 | (a) | $9x^2$ | 1 | |
| | (b) | $\frac{x-5}{3}$ | 2 | M1 for correct first algebraic step e.g. $y-5=3x$ or $\frac{y}{3}=x+\frac{5}{3}$ or better or for interchanging x and y , e.g. $x=3y+5$, this does not need to be the first step |
| | (c) | $9x+20$ cao final answer | 2 | M1 for $3(3x+5)+5$ |