www.dynamicpapers.com

Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

MATHEMATICS **0580/42**

Paper 4 (Extended) **May/June 2017**

MARK SCHEME

Maximum Mark: 130

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE®, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.

© UCLES 2017

www.dynamicpapers.com

Question	Answer	Marks	Part marks
1(a)(i)	600 ÷ (11+ 9) × 11 [=330] with no errors seen	**M1**	Could be in separate steps
1(a)(ii)	270	**1**	
1(b)(i)	372 cao nfww	**3**	**B2** for answer 371.7… or **M1** for $330 \times \left(1+\frac{1.5}{100}\right)^8$ oe not spoiled After zero scored, **SC1** for answer 42 or 41.7…
1(b)(ii)	12.6 or 12.7 or 12.63 to 12.73	**2**	**M1** for $\frac{\textit{their}\,\textbf{(b)(i)}-330}{330}$ or $\frac{\textit{their}\,\textbf{(b)(i)}}{330}\times 100$ soi by 112.7 or 113 After zero scored, **SC1** for answer 12%
1(c)(i)	$\frac{99}{280}$ cao final answer	**1**	
1(c)(ii)	27.5[0]	**3**	**M2** for $24.75 \div \frac{100-10}{100}$ oe or **M1** for recognising 24.75 as 90[%] oe
1(d)(i)	32 cao	**2**	**M1** for $\left(1-\frac{20}{100}\right)\left(1-\frac{15}{100}\right)$ [x]oe or for 0.15 × 0.8 [x] oe
1(d)(ii)	13 cao	**2**	**M1** for $\left(1-\frac{20}{100}\right)\left(1-\frac{15}{100}\right) \times x = 40.84 - 32$ oe seen or for *their* **(d)(i)** + $\left(1-\left(\frac{\textit{their}\,\textbf{(d)(i)}}{100}\right)\right)x = 40.84$ oe
2(a)(i)	Image at (8, 1), (10, 5), (8, 5)	**2**	**B1** for translation $\begin{pmatrix}6\\k\end{pmatrix}$ or $\begin{pmatrix}k\\-5\end{pmatrix}$ or 3 correct points not joined
2(a)(ii)	Image at (4, 10), (4, 8), (8, 8)	**2**	**B1** for rotation 90˚ anticlockwise but different centre or for rotation 90˚ clockwise about (4, 10) or 3 correct points not joined
2(a)(iii)	Image at (6, 3), (6, 5), (7, 5)	**2**	**B1** for enlargement factor $\frac{1}{2}$ but incorrect centre or 3 correct points not joined
2(b)	Reflection	**1**	
	$y=-x$ oe	**1**	If zero scored, **M1** for correct use of matrix product

www.dynamicpapers.com

Question	Answer	Marks	Part marks
2(c)(i)(a)	$\begin{pmatrix}13\\16\end{pmatrix}$	**2**	**B1** for each in a 2 by 1 matrix or **SC1** for (13 [,] 16)
2(c)(i)(b)	$\begin{pmatrix}2 & 10\\3 & 15\end{pmatrix}$	**2**	**B1** for answer any 2 by 2 matrix
2(c)(i)(c)	$\frac{1}{2}\begin{pmatrix}4 & -3\\-2 & 2\end{pmatrix}$ oe isw	**2**	**B1** for $k\begin{pmatrix}4 & -3\\-2 & 2\end{pmatrix}$ oe soi $(k \neq 0)$ or for determinant = 2 oe soi
2(c)(ii)	**NM** or **MP** or $\mathbf{N}^2$ oe or $\mathbf{P}^2$ oe	**1**	
3(a)(i)	175.5 nfww	**4**	**M1** for at least four of 50, 125, 175, 225, 325 soi **M1** for Σfx with x inside or on boundary of each interval **M1** (dep on second **M1**) for $\frac{their\ \Sigma fx}{200}$
3(a)(ii)	Fully correct histogram	**4**	**B1** for each correct bar If zero scored, **B1** for 0.2, 1.32, 0.7, 0.16 seen
3(b)(i)	Fully correct cumulative frequency diagram	**3**	**B1** for correct horizontal plots **B1** for correct vertical plots **B1FT** dep on at least **B1** earned for points joined with smooth increasing curve or polygon If zero scored, **SC1** for 4 correct plotted points
3(b)(ii)(a)	170 to 175	**1**	
3(b)(ii)(b)	152 to 158	**2**	**M1** for 42 to 48 written
4(a)	–1.75 to –1.7	**1**	
	1.7 to 1.75	**1**	
4(b)(i)	Correct ruled solid tangent at (–1.5, 3.5)	**1**	
4(b)(ii)	–7 to –5	**2 dep**	**dep** on close attempt at ruled solid tangent at $x = –1.5$ in part **(b)(i)** **M1** for rise/run dep on close attempt at ruled solid tangent at $x = –1.5$
4(c)(i)	1	**1**	
4(c)(ii)	Correct curve	**3**	**B2** for 4 or 5 correct points or **B1** for 2 or 3 correct points

© UCLES 2017

www.dynamicpapers.com

Question	Answer	Marks	Part marks
4(d)(i)	–0.95 to –0.8	**1**	
	1.1 to 1.45	**1**	
4(d)(ii)	*their* (–0.95 to –0.8)< x < *their*(1.1 to 1.45) oe	**1FT**	correct or **FT** their **(d)(i)**
4(e)(i)	0.125 oe and 0.03125 oe and 0.000976 to 0.000977 oe	**1**	
4(e)(ii)	0	**1**	accept zero, nought, etc
5(a)(i)	94.2 or 94.3 or 94.24 to 94.26	**2**	**M1** for $\pi \times 3 \times 10$
5(a)(ii)	9.54 or 9.539…	**3**	**M2** for $\sqrt{10^2 - 3^2}$ or **M1** for $h^2 + 3^2 = 10^2$ oe
5(a)(iii)	89.9 or 89.90 to 89.92…	**2**	**M1** for $\frac{1}{3} \times \pi \times 3^2 \times$ *their* **(a)(ii)**
5(b)	108 or 107.9 to 108.1 nfww	**4**	**M3** for $\frac{\pi \times 3 \times 10}{\pi \times 10^2} \times 360$ oe or $\frac{\textit{their}\ \textbf{(a)(i)}}{\pi \times 10^2} \times 360$ oe or $\frac{2 \times \pi \times 3}{2 \times \pi \times 10} \times 360$ oe or **M2** for $\frac{x}{360} \times \pi \times 10^2 = \textit{their}$ **(a)(i)** oe or $\frac{x}{360} \times 2 \times \pi \times 10 = 2 \times 3 \times \pi$ oe or **M1** for $\frac{x}{360} \times \pi \times 10^2$ seen or $\frac{x}{360} \times 2 \times \pi \times 10$ seen
5(c)	46.6 to 46.8	**4**	**M3** for $\frac{\textit{their}\ \textbf{(b)}}{360} \times \pi \times 10^2 - \frac{1}{2} \times 10 \times 10 \times \sin(\textit{their}\ \textbf{(b)})$ oe or **M1** for $\frac{\textit{their}\ \textbf{(b)}}{360} \times \pi \times 10^2$ or *their* **(a)(i)** soi and **M1** for $\frac{1}{2} \times 10 \times 10 \times \sin(\textit{their}\ \textbf{(b)})$ soi
6(a)	$\frac{1}{3}, \frac{6}{7}$ correctly placed	**1**	
	$\frac{4}{7}, \frac{3}{7}$ correctly placed	**1**	

www.dynamicpapers.com

Question	Answer	Marks	Part marks
6(b)	$\frac{2}{21}$ oe	**2**	**M1** for $\frac{2}{3}\times\frac{1}{7}$
6(c)(i)	$\frac{15}{21}$ oe	**3**	**M2** for $\frac{2}{3}\times\frac{6}{7}+\frac{1}{3}\times\frac{3}{7}$ oe or **M1** for $\frac{2}{3}\times\frac{6}{7}$ oe or $\frac{1}{3}\times\frac{3}{7}$ oe seen
6(c)(ii)	50	**2FT**	**FT** (70 × *their* **(c)(i)**) rounded up or down to integer **M1** for 70 × *their* **(c)(i)**
6(d)	$\frac{10}{243}$ oe	**2**	**M1** for $\frac{2}{3}\times\frac{1}{3}\times\frac{1}{3}\times\frac{1}{3}\times\frac{1}{3}[\times k]$ oe nfww where k is positive integer less than 5
7(a)(i)	4.5 or $4\frac{1}{2}$ or $\frac{9}{2}$ final answer	**3**	**M2** for [2](4x + 7) = [2](6x – 2) oe or **M1** for 2(2x + 6) + 2(2x + 1) oe or 4(3x – 1) oe or **M1** for correctly reaching $ax = b$ from *their* linear equation
7(a)(ii)	$(2x+6)(2x+1)=(3x-1)^2$	**M1**	May be seen in different stages
	$5x^2-20x-5\ [=0]$ oe	**B3**	**B1** for 4x² + 2x + 12x + 6 or better **B1** for 9x² – 3x – 3x + 1 or better
	$\frac{-(-20)\pm\sqrt{(-20)^2-4(5)(-5)}}{2(5)}$ oe	**M2**	**FT** their 3 term quadratic provided formula used or complete the square **M1** for $\sqrt{(-20)^2-4(5)(-5)}$ oe or if in form $\frac{-(-20)+\sqrt{q}}{2(5)}$ or $\frac{-(-20)-\sqrt{q}}{2(5)}$ **FT**± *their* quadratic or for completing the square **M2** for $2\pm\sqrt{1+2^2}$ or **M1** for $(x-2)^2$
	4.24 or 4.236… cao	**B1**	
7(b)(i)	$(x+5)(x-1)$ final answer	**2**	**B1** for $x(x-1)+5(x-1)$ or $x(x+5)-[1](x+5))$ or for $(x+a)(x+b)$ where $ab=-5$ or $a+b=4$

www.dynamicpapers.com

Question	Answer	Marks	Part marks
7(b)(ii)	$5(x+1)-8x=x(x+1)$ or $5x+5-8x=x^2+x$	**M2**	Could be seen in different stages **M1** for $5(x+1)-8x$ seen or for common denominator of $x(x+1)$ for LHS or both sides soi
	–5 and 1 cao	**A2**	**A1** for $x^2+4x-5\,[=0]$ oe
8(a)	66[.0] or 66.03 to 66.04	**2**	**M1** for tan = $\frac{9}{4}$ oe
8(b)	$\sqrt{3^2+4^2}$ or $\frac{1}{2}\sqrt{6^2+8^2}$	**M1**	Any alternative method must be full and complete and result in exactly 5
8(c)	60.9 or 60.94 to 60.95	**2**	**M1** for tan = $\frac{9}{5}$ oe
8(d)	5.83 or 5.84 or 5.827 to 5.840	**6**	**M1** for [*PB* or *PC* =] $\sqrt{9^2+5^2}$ or [*XC* =] $\sqrt{9^2+5^2}-7.5$ **M1** for angle *BPX* = 2 × invsin $\frac{3}{\textit{their } PB}$ oe **B1** for [*PB* or *PC* =] $\sqrt{106}=10.29$ to 10.30 or *XC* = 2.79 to 2.8[0] or angle *BPX* = 33.9 or 33.86 to 33.90… **M2** for $\sqrt{(\textit{their } PB)^2+7.5^2-2\times\textit{their } PB\times 7.5\times\cos(\textit{their } BPX)}$ oe or **M1** for correct implicit equation
9(a)(i)	100	**1**	
9(a)(ii)	92.3 or 92.29… to 92.31	**3**	**M2** for $200\div(2+\frac{10}{60})$ oe or **M1** for 200 ÷ *their* time interval or **M1** for $\frac{10}{60}$ soi oe
9(b)(i)	240 nfww	**3**	**M2** for $\frac{V}{2}\left(\frac{30}{60}+\frac{20}{60}\right)=100$ oe or **M1** for any correct relevant area seen in terms of *V*
9(b)(ii)	$\frac{2}{9}$ oe	**2FT**	**FT** for *their* **(b)(i)** ÷ 1080 to 3 sf or better **M1** for *their* **(b)(i)** × $\frac{1000}{3600}$ soi

www.dynamicpapers.com

Question	Answer	Marks	Part marks
10(a)	–11	**1**	
10(b)	7	**2**	**M1** for $3x - 2 = 19$ or better
10(c)	25	**2**	**M1** for $3 \times 3^x - 2$ oe
10(d)	$9x^2 - 8x + 2$ final answer	**3**	**M1** for $(3x-2)^2 + 3x - 2 + x$ oe **B1** for $\left[(3x-2)^2 =\right] 9x^2 - 6x - 6x + 4$ oe
10(e)	$\frac{x+2}{3}$ oe final answer	**2**	**M1** for $x = 3y - 2$ or $y + 2 = 3x$ or $\frac{y}{3} = x - \frac{2}{3}$ or better