

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**0580/21**

**0580 MATHEMATICS**

Paper 21 (Extended), maximum raw mark 70


This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.


- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	21

Qu	Answers	Mark	Part Marks
1	(a) 6	1	
	(b) 0	1	
2	47, 53	2	<b>B1, B1</b> independent
3	$-0.577$ or $\frac{-\sqrt{3}}{3}$ or $\frac{-1}{\sqrt{3}}$	2	<b>B1</b> numerator 0.5 or <b>B1</b> denominator $-0.866\dots$ or $\frac{-\sqrt{3}}{2}$
4	$1.25x^4$ (or $1\frac{1}{4}x^4$ )	2	<b>B1</b> 1.25 <b>B1</b> $x^4$
5	161	2	<b>M1</b> $1.322 \times 10^9 / 8.2 \times 10^8$ ( $\times 100$ )
6	5	2	<b>M1</b> $ A  = 0 \times -4 - 1 \times -8$ or better or $ B  = 7 \times -5 - 0 \times 1$ or better det symbol can be implied by the working
7		2	<b>B1, B1</b>
8	5 www	2	<b>M1</b> $(-4 - -1)^2 + (8 - 4)^2$ or better
9	$x = 0.5$ $y = 3$ www	3	<b>M1</b> consistent $\times$ and $-$ for $y$ or consistent $\times$ and $+$ for $x$ <b>A1</b> one correct provided <b>M1</b> scored
10	245	3	<b>M1</b> $d = kv^2$ <b>A1</b> $k = 1/20$ or <b>M1</b> $v^2 = kd$ <b>A1</b> $k = 20$
11	258 cao	3	<b>M1</b> 18.5 or 24.5 seen <b>M1</b> $6 \times$ sum of their two upper bounds
12	$-36x^2 + 48x$ or $12x(4 - 3x)$ oe or other partly factorised versions	3	<b>M1</b> squaring to " $9x^2 - 12x + 4$ " algebraic <b>M1</b> multiplying by $-4$ terms <b>M1</b> adding 16 only
13	$x \geq 0.8$ or $x \geq \frac{4}{5}$ cao	3	<b>B1</b> $12 - 18x$ <b>B1</b> $-4 + 8x$ these terms may be reversed if moved to the other side of the inequality allow $\geq$
14	\$11.50	3	<b>M1</b> $198 \times r^3$ $r$ can be anything <b>dep M1</b> $r = 1.019$ and subtracting 198 <b>SC2</b> 209. <u>50</u> on answer line

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0580	21

15	(a) (i) OQ	1	Allow $\frac{1}{2}$ RP
	(ii) RM or MP	1	
	(b)	2	
			<b>B1, B1</b> correct position wrt each direction of the vector $\pm 1$ mm
16	(a) (0)810 or 8:10 etc.	1	<b>M1</b> $(3 + 3)/(1 + 0.5)$
	(b) 4	2	
	(c) 265	1	
17	(a) 261.48 cao	2	<b>M1</b> 4000 / 15.2978
	(b) $(\pm)3.86(48\dots)$ or 3.865	2	<b>M1</b> $(15.9128 - 15.2978)/15.9128 (\times 100)$ or $(“261.48 - 4000/15.9128”) / “261.48”$
18	$m = 2 \quad c = -8$	4	<b>B1</b> $B(4, 0)$ or $A(-2, 0)$ seen or used <b>B1</b> $m = 2$ <b>M1</b> substituting $(4, 0)$ into $y = 2x + c$ or $\frac{0 - c}{4 - 0} = 2$
19	(a) 44	2	<b>M1</b> $OCB = 68$
	(b) 158	2	
20	(a) 38	1	<b>SC1</b> 70 on answer line
	(b) 45 to 46	1	
	(c) 15 to 16	1	
	(d) 10 or 11	2	
21	(a) 0.8 or $4/5$ cao	2	<b>M1</b> speed/time
	(b) 960 www	3	<b>M1</b> $30 \times (12 + 36)/2$ <b>M1</b> $10 \times (12 + 36)/2$   <b>M1</b> $12 \times 40$ <b>M1</b> $\frac{1}{2} \times 40 \times 24$

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0580</b>	<b>21</b>

<b>22</b>	<b>(a)</b> 2	2	<b>M1</b> $f(0) = 1$
	<b>(b)</b> $4x^3 + 5$	2	<b>M1</b> $4(x^3 + 1) + 1$
	<b>(c)</b> $\frac{(3x-1)}{2}$	2	<b>M1</b> rearranging $y = (2x + 1)/3$ to make $x$ the subject and interchanging $x$ and $y$ . Allow any <b>one</b> error in the working
		70	