

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

MATHEMATICS 0580/22 October/November 2017 Paper 2 (Extended) MARK SCHEME Maximum Mark: 70

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.



2017

Cambridge IGCSE – Mark Scheme **PUBLISHED**

Abbreviations

correct answer only cao

dependent dep

follow through after error FT ignore subsequent working isw

or equivalent oe Special Case SC

nfww not from wrong working

soi seen or implied

Question	Answer	Marks	Partial marks
1	-3	1	
2	[0].00517	1	
3	BC AB oe	1	
4(a)	2, 3, 4, 6	1	
4(b)	27, 36 cao	1	
5	[x =] 60 [y =] 40	2	B1 for each or for two numbers that add to 100
6	2.5	2	B1 for 2200 or 0.055 seen or SC1 for answer figs 25
7	32	2	M1 for $\frac{1}{2} \times 33 \times h = 528$ oe
8	16.5	2	M1 for $\frac{55}{60}$ or speed × time (numerical)
9	1.32×10^{41}	2	M1 for 0.12×10^{41} or 12×10^{40} or SC1 for figs 132
10	20.75 final answer cao	2	B1 for one of 5.15, 6.25 or 9.35 seen or M1 for $(5.2 - 0.05) + (6.3 - 0.05) + (9.4 - 0.05)$
11	$48.\dot{4}\dot{8} - 0.\dot{4}\dot{8}$ oe	M1	SC1 for $\frac{48}{99}$ or $\frac{16}{33}$ or equivalent fraction with no/insufficient working
	$\frac{48}{99}$ or $\frac{16}{33}$ or equivalent fraction	A1	
12	$15 + 2n - n^2$ final answer	2	M1 for three terms of $15 + 5n - 3n - n^2$ correct

© UCLES 2017 Page 2 of 5

Question	Answer	Marks	Partial marks
13(a)	$3\frac{2}{3}$ cao	1	
13(b)	$\frac{3}{12} \left[\text{and } \frac{5}{12} \right] \text{ oe }$	M1	For correct method to find common denominator e.g. $\frac{12}{48}$ and $\frac{20}{48}$
	$\frac{2}{3}$ cao	A1	
14	-1, 0, 1, 2, 3	3	B2 for $-2 < n \le 3$ or list with one error or omission
			or M1 for $-5 + 1 < 2n$ or $2n \le 5 + 1$ or a list with 3 correct and no more than 1 incorrect
			or if zero scored, SC1 for 5, 3, 1, -1, -3
15	$\frac{y+x}{xy}$ final answer	3	B1 for $y(x+1) - x(y-1)$ B1 for common denominator xy
	Xy		or SC2 for $\frac{y-x}{xy}$ final answer
16(a)	-1	1	
16(b)	-6n + 29 oe	2	M1 for $-6n + k$ (any k) or $-kn + 29$ ($k \ne 0$)
17	60	3	B2 for $x = 6$
			or M1 for $29x + x = 180$ oe and M1 for $360 \div 6$ or $360 \div their x$ or $180(n-2) = their x \times 29n$
18	Correctly eliminating one variable	M1	
	$[x =] \frac{2}{3}$ or 0.667 or 0.6666	A1	
	$[y=]\frac{1}{3}$ or 0.333 or 0.333	A1	If zero scored, SC1 for 2 values satisfying one of the original equations or if no working shown but 2 correct answers given
19	$[\pm] \sqrt{y^2 - 1}$ final answer	3	M1 for correct squaring M1 for correct rearranging for x or x² term M1 for correct square root
20	132	3	M2 for $\frac{1}{2}(7+15) \times 12$
			or M1 for any correct area

Question	Answer	Marks	Partial marks
21	$\frac{1}{3}$ a + $\frac{2}{3}$ b oe simplified	3	B2 for correct unsimplified vector for \overrightarrow{OK} in terms of \mathbf{a} and \mathbf{b} or $\mathbf{M1}$ for a correct route for \overrightarrow{OK} or $\overrightarrow{AB} = -\mathbf{a} + \mathbf{b}$ or $\overrightarrow{BA} = -\mathbf{b} + \mathbf{a}$ or recognition of \overrightarrow{OK} as a position vector
22	[w =] 54 [x =] 126 [y =] 60	3	B1 for [w =] 54 B1 for [x =] 126 If B0 B0 for first two B marks then B1 for their w + their x = 180 B1 for [y =] 60 or for their w + their x + their y = 240
23	[k =] 3 [c =] 9	3	M1 for $\frac{30}{360} \times \pi \times 6^2$ M1 for $\frac{1}{2} \times 6 \times 6 \times \sin 30$
24(a)	$\frac{5}{14}$ or 0.357 or 0.357	2	M1 for $7 - 2 = 11n + 3n$ oe or better
24(b)	18	2	M1 for $p - 3 = 3 \times 5$ or $\frac{p}{5} = 3 + \frac{3}{5}$
25(a)	(x-12)(x+11) final answer	2	B1 for $(x+a)(x+b)$ where $ab = -132$ or $a+b=-1$
25(b)	x(x+2)(x-2) final answer	2	B1 for $x(x^2 - 4)$ or $(x+2)(x^2 - 2x)$ or $(x-2)(x^2 + 2x)$
26	21.8 or 21.80	4	M3 for $\tan = \frac{2}{\sqrt{3^2 + 4^2}}$ oe or M1 for $\sqrt{3^2 + 4^2}$ or $\sqrt{3^2 + 4^2 + 2^2}$ and M1 for recognising angle QAC

© UCLES 2017 Page 4 of 5

Question	Answer	Marks	Partial marks
27(a)	27	1	
27(b)	x^2 final answer	1	
27(c)	$\frac{y^2}{2}$ or $0.5y^2$ final answer	2	M1 for $\left(\frac{y^6}{8}\right)^{\frac{1}{3}}$ or $\left(\frac{2}{y^2}\right)^{-1}$ or better or SC1 for answer $\frac{y^2}{c}$ or $\frac{y^k}{2}$ or $\frac{2}{y^2}$

Page 5 of 5

© UCLES 2017