



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/63

Paper 6 Alternative to Practical

October/November 2013

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.




1 Fig. 1.1 shows two fruits, an apple and a plum, cut in half.

The apple is referred to as a false fruit because the edible part is not developed from the ovary.

The plum is a true fruit because the edible part is developed from the ovary.





Pidiii

Fig. 1.1

3

(a) (i) Make a large, labelled drawing of the apple. Include details of the ovary in your drawing.

For Examiner's Use

For Examiner's Use

4

(ii)	You are going to calculate the magnification of your drawing.  Measure the width of the apple on Fig. 1.1, between X and X.	
	width of apple in Fig.1.1mmm	
	Draw a line on your drawing, corresponding to the line between X and X. Measure this width of the apple in your drawing.	
	width of apple in your drawingmm	
	Calculate the magnification of your drawing.	
	Show your working.	
	magnification ~	Γ <b>Δ</b> 1

The apple and the	plum have a similar shape.		For Examiner's				
(b) (i) Describe							
	Table 1.1 to describe <b>three</b> visible two fruits.  Table 1.1	[1] le <b>differences</b> , shown in Fig. 1.1,					
difference	apple	plum					
1							
2							
3							
	pen they become sweeter and softer.  you could safely test the apple for the	[3] e presence of reducing sugars.					
		[4]					

2 Trypsin is an enzyme that breaks down the white protein in milk to gradually produce a soluble product and a clear, colourless solution.

For Examiner's Use

A group of students investigated the effect of pH on the activity of trypsin at two different temperatures.

Five different values of pH were tested and each pH was controlled using a buffer solution.

Temperature was controlled using two water baths; at 40 °C and 50 °C.

20 cm<sup>3</sup> of milk and 5 cm<sup>3</sup> of trypsin was used in each test. Before being mixed together, test-tubes of milk and trypsin were both placed together in the water bath for 6 minutes.

The students then observed the test-tubes and recorded the time taken for the milk to become clear.

Table 2.1 shows their results at 40 °C.

Table 2.2 shows their results at 50 °C.

40°C

Table 2.1

рН	time for milk to clear /s
5.5	600
6.0	360
7.0	50
7.5	35
8.0	45


50°C

Table 2.2

рН	time for milk to clear/s
5.5	850
6.0	500
7.0	70
7.5	65
8.0	100

(a) Plot a graph using the data in Tables 2.1 and 2.2 to compare the effect of pH on trypsin at 40 °C and 50 °C. Use the same axes for both temperatures.

For Examiner's Use



[5]

For Examiner's Use

(b)	(i)	Describe <b>and</b> explain the effect of pH on the activity of trypsin.
		[4]
	(ii)	Describe the effect of raising the temperature by 10 °C on the activity of trypsin.
		[2]
(c)	(i)	Before being mixed together, the test-tubes of milk and trypsin were both placed in the water bath for six minutes.
		Suggest a reason for this procedure.
		[1]
	(ii)	The students found it difficult to determine when the milk had gone completely clear.
		Suggest how they could improve the method.
		[1]

(d)		other group of students wanted to investigate the effect of temperature on the ivity of trypsin.	Exa
	For	this investigation suggest:	
	(i)	a suitable range of temperatures;	
		[1]	
	(ii)	two variables to keep constant;	
		1	
		2[2]	
	(iii)	a variable to measure;	
		[4]	
		[1]	
	(iv)	a suitable control.	
		[1]	
		[Total: 18]	

For Examiner's Use 3 Inhaled air differs in composition from exhaled air.

Table 3.1 shows some of these differences.

For Examiner's Use

Table 3.1

	inhaled air	exhaled air
temperature	varies	body temperature
oxygen	higher	lower
carbon dioxide		
water vapour		

(a)		mplete Table 3.1, to show the difference in composition of inhaled and exhaled carbon dioxide <b>and</b> water vapour.	air
	Wri	te your answers in Table 3.1.	[2]
(b)	Des	scribe how you could test for the presence of:	
	(i)	carbon dioxide;	
		test	
		result	[2]
	(ii)	water vapour.	
		test	
		result	[2]

[Total: 6]

11

## **BLANK PAGE**

12

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.