



Cambridge IGCSE™

CHEMISTRY

0620/12

Paper 1 Multiple Choice (Core)

February/March 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.



- 1 The arrangements of particles in solids, liquids and gases are different.

Which statement about the molecules in ice, water or steam is correct?

- A The H_2O molecules are on average closest together in steam.
- B The H_2O molecules are on average furthest apart in water.
- C The H_2O molecules in steam have the second highest average velocity.
- D The H_2O molecules in ice are able to vibrate.

- 2 The melting points and boiling points of three elements, at 1 atm pressure, are shown.

	melting point / $^{\circ}\text{C}$	boiling point / $^{\circ}\text{C}$
argon	-189	-186
nitrogen	-210	-196
oxygen	-218	-183

Separate samples of argon, nitrogen and oxygen are stored at -200°C and at 1 atm pressure.

How many samples are liquids?

- A 0 B 1 C 2 D 3

- 3 Which statement describes a compound?

- A It contains two or more elements chemically combined.
- B It contains two or more elements physically combined.
- C It contains two or more elements forming an alloy.
- D It contains two or more elements that can easily be separated.

- 4 Which statement about elements in the Periodic Table is correct?


- A A potassium ion, K^+ , has the same electronic configuration as a chloride ion, Cl^- .
- B The electronic configuration of a Ca^{2+} ion is 2,8,8,2.
- C The halogens are in Group VI and so their atoms have six electrons in their outer shell.
- D Magnesium is in Period 3 and so a magnesium ion, Mg^{2+} , has three occupied electron shells.

- 5 Which statement about ions and ionic bonds is correct?
- A** Bromine atoms form negatively charged bromide ions.
B Ionic bonds form between elements in Group VII of the Periodic Table.
C Positive ions are formed when atoms lose protons.
D Potassium iodide contains negatively charged potassium ions.
- 6 Which molecule has only two shared pairs of electrons?
- A** CH₄ **B** Cl₂ **C** HCl **D** H₂O
- 7 Which statement about graphite explains why it is used as an electrode?
- A** It contains ions.
B It has a giant covalent structure.
C It is a metal.
D It has mobile electrons.
- 8 Methane, CH₄, burns in air to form carbon dioxide and water.

What is the balanced equation for this reaction?

- A** CH₄(g) + O₂(g) → CO₂(g) + 2H₂O(g)
B CH₄(g) + 2O₂(g) → CO₂(g) + 2H₂O(g)
C CH₄(g) + 2O₂(g) → CO₂(g) + H₂O(g)
D CH₄(g) + 3O₂(g) → CO₂(g) + 2H₂O(g)

- 9 Magnesium reacts with steam.




When 2.43 g of magnesium reacts with an excess of steam, the products are 4.03 g of magnesium oxide and 0.20 g of hydrogen.

What is produced when 7.29 g of magnesium reacts with an excess of steam?

- A** 1.34 g of magnesium oxide and 0.07 g of hydrogen
B 4.03 g of magnesium oxide and 0.20 g of hydrogen
C 8.06 g of magnesium oxide and 0.40 g of hydrogen
D 12.09 g of magnesium oxide and 0.60 g of hydrogen

10 The diagram shows an electrolysis circuit.


At which electrode is hydrogen formed?



11 Which gases are used to generate electricity in a fuel cell?

- A carbon dioxide and oxygen
- B hydrogen and methane
- C hydrogen and oxygen
- D methane and carbon dioxide

12 The reaction pathway diagram for a reaction is shown.



Which statements about the reaction are correct?

- 1 The reaction is endothermic.
- 2 The reaction is exothermic.
- 3 The diagram represents the combustion of methane.
- 4 The diagram represents the thermal decomposition of limestone.

- A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

13 Which row describes a chemical change?

	new substances are made	there is a change of state
A	always	always
B	always	sometimes
C	never	always
D	never	sometimes

14 Magnesium powder reacts with an excess of dilute hydrochloric acid to produce hydrogen gas.

Which statements about this reaction are correct?

- 1 The smaller the particles of magnesium powder, the more slowly the hydrogen is produced.
- 2 The higher the temperature, the faster the magnesium powder disappears.
- 3 The lower the concentration of dilute hydrochloric acid, the faster the rate of reaction.
- 4 The faster the magnesium powder disappears, the faster the rate of reaction.

A 1 and 2 **B** 2 and 3 **C** 2 and 4 **D** 3 and 4

15 Which statement about hydrated cobalt(II) chloride is correct?

- A** It turns blue when it is heated.
B It turns blue when water is added to it.
C It turns pink when water is added to it.
D It turns white when it is heated.

16 An aqueous solution reacts with a solid. The products are an alkaline gas, a salt and water.

What are the aqueous solution and the solid?

	aqueous solution	solid
A	sodium hydroxide	magnesium carbonate
B	hydrochloric acid	magnesium carbonate
C	hydrochloric acid	ammonium chloride
D	sodium hydroxide	ammonium chloride

- Which row classifies calcium oxide, calcium hydroxide and sulfur dioxide?

	calcium oxide	calcium hydroxide	sulfur dioxide
A	acidic	acidic	basic
B	acidic	basic	acidic
C	basic	acidic	acidic
D	basic	basic	acidic

- A** to ensure all the copper(II) carbonate has reacted
- B** to ensure all the sulfuric acid has reacted
- C** to increase the rate of reaction
- D** to increase the amount of copper(II) sulfate produced

- Which element has two electrons in its outer shell and three electron shells?

A simplified periodic table with 18 columns and 4 rows. The first two columns are labeled A and B. The next six columns are empty. The next six columns are labeled C. The last two columns are labeled D. A small square box is located above the first empty column.

- A** Group 0
B Group I
C Group VII
D transition metals

21 The properties of the element titanium, Ti, can be predicted from its position in the Periodic Table.

Which row identifies the properties of titanium?

	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
A	✓	✓	✓	✗
B	✓	✓	✗	✓
C	✓	✗	✓	✓
D	✗	✓	✓	✓

22 Which description of brass is correct?

- A** a compound of copper and zinc
- B** a compound of copper and tin
- C** a mixture of copper and zinc
- D** a mixture of copper and tin

23 What is the symbol of the metal used in the manufacture of aircraft because of its low density?

- A** Al **B** Cu **C** Fe **D** Zn

24 Which property of stainless steel makes it suitable for making cutlery?

- A** It conducts electricity.
- B** It has a high melting point.
- C** It is resistant to rusting.
- D** It is ductile.

25 Which substances react to form hydrogen gas?

- 1 calcium and water
- 2 silver and dilute hydrochloric acid
- 3 magnesium and steam
- 4 zinc and dilute hydrochloric acid

- A** 1, 3 and 4 **B** 1 and 3 only **C** 2 and 4 **D** 4 only

26 Some statements about the reactions of the metals tin, lithium and manganese are listed.

- Tin does not react with steam but does react with dilute hydrochloric acid.
- Lithium reacts with cold water.
- Manganese does not react with cold water but does react with steam.

What is the order of reactivity of the three metals?

	least reactive	→	most reactive
A	lithium	manganese	tin
B	tin	lithium	manganese
C	manganese	tin	lithium
D	tin	manganese	lithium

27 Which substances are required for iron to rust?

- A** oxygen and salt
B oxygen only
C water and oxygen
D water and salt

28 Coke (carbon) and limestone are two raw materials used in the extraction of iron from hematite.

Which type of reaction occurs when each substance is heated during the process?

	coke	limestone
A	redox	redox
B	redox	thermal decomposition
C	thermal decomposition	redox
D	thermal decomposition	thermal decomposition

29 Water is treated at a waterworks to make it safe to drink.

What is present in the water when it leaves the waterworks?

- A** bacteria and insoluble substances
B bacteria only
C soluble substances, including chlorine compounds
D chlorine compounds only

30 The formulae of four compounds, W, X, Y and Z, are given.




compound	formula
W	FeSO_4
X	$(\text{NH}_4)_3\text{PO}_4$
Y	KNO_3
Z	NaCl

Which compounds are mixed to create a fertiliser containing the three elements necessary for improved plant growth?

- A** W and X **B** W and Z **C** X and Y **D** Y and Z

31 Some combustion reactions produce pollutant gases.

Which reactions produce a pollutant gas that is **not** present in clean air?



- A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

32 Which row identifies the homologous series to which the molecular structure belongs?

	molecular structure	homologous series
A	$ \begin{array}{cccccc} & \text{H} & & \text{H} & & \text{H} & & \text{H} & & \text{H} & & \text{H} \\ & & & & & & & & & & & \\ \text{H} & - \text{C} & - & \text{C} & - & \text{C} & - & \text{C} & - & \text{C} & - & \text{C} & - \text{H} \\ & & & & & & & & & & & \\ & \text{H} & & \text{H} & & \text{H} & & \text{H} & & \text{H} & & \text{H} \end{array} $	alkane
B	$ \begin{array}{ccc} & \text{H} & & \text{H} \\ & & & \\ \text{H} & - \text{C} & - & \text{C} & - \text{H} \\ & & & \\ & \text{H} & & \text{H} \end{array} $	alkene
C	$ \begin{array}{ccc} & \text{H} & & \text{H} & & \text{O} \\ & & & & & // \\ \text{H} & - \text{C} & - & \text{C} & - & \text{C} \\ & & & & & \backslash \\ & \text{H} & & \text{H} & & \text{O} - \text{H} \end{array} $	alcohol
D	$ \begin{array}{cccc} & \text{H} & & \text{H} & & \text{H} & & \text{H} \\ & & & & & & & \\ \text{H} & - \text{C} & - & \text{C} & - & \text{C} & - & \text{C} & - \text{O} - \text{H} \\ & & & & & & & \\ & \text{H} & & \text{H} & & \text{H} & & \text{H} \end{array} $	carboxylic acid

33 Petroleum is fractionally distilled at an oil refinery.

The table shows some fractions and uses.

	fraction	use
1	gasoline	fuel for ships
2	refinery gas	lubrication
3	naphtha	making chemicals
4	kerosene	jet fuel

Which rows identify a use for the fraction listed?

- A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

34 What is the word equation for the preparation of ethanol?

- A** glucose → ethanol + carbon dioxide
B glucose + yeast → ethanol + water
C ethane + water → ethanol
D ethene + water → ethanol + carbon dioxide

35 Which row describes properties of aqueous ethanoic acid?

	pH	effect of adding magnesium	effect of adding sodium carbonate
A	1	reacts to form hydrogen	reacts to form carbon dioxide and water only
B	4	reacts to form hydrogen	reacts to form a salt, carbon dioxide and water
C	5	no reaction	reacts to form a salt, carbon dioxide and water
D	8	no reaction	reacts to form carbon dioxide and water only

36 Which row describes the relative sizes of monomer and polymer molecules?


	monomer	polymer
A	large	large
B	large	small
C	small	large
D	small	small

37 2.00 g of powdered calcium carbonate is added to 50.0 cm³ of hydrochloric acid.

Which apparatus is used to measure these quantities of calcium carbonate and hydrochloric acid?

	calcium carbonate	hydrochloric acid
A	balance	burette
B	balance	thermometer
C	pipette	burette
D	pipette	thermometer

- 38 The diagram shows a chromatogram obtained from the colours of three different sweets, X, Y and Z.



How many different **red** dyes are present in the sweets?

- A** 1 **B** 2 **C** 3 **D** 4
- 39 A mixture contains sand and an aqueous solution of sodium chloride.
- Which processes are used to obtain a sample of solid sand **and** a sample of solid sodium chloride from the mixture?
- A** crystallisation followed by filtration
B evaporation followed by filtration
C filtration followed by crystallisation
D simple distillation followed by crystallisation
- 40 A student tests an unknown compound M.

The compound:

- produces a lilac flame using a flame test
- produces a gas which turns limewater cloudy when dilute hydrochloric acid is added.

What is M?

- A** sodium sulfate
B sodium carbonate
C potassium sulfate
D potassium carbonate

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																				
I	II											III	IV	V	VI	VII	VIII			
		<div>1Hhydrogen1</div>																		
		<div>atomic number atomic symbol name relative atomic mass</div>																		
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20			
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40			
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84			
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131			
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids				72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103 actinoids				104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	113Nh nihonium —	114Fl flerovium —	115Mc moscovium —	116Lv livermorium —	117Ts tennessine —	118Og oganeson —

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).