UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the June 2004 question papers

	0620 CHEMISTRY
0620/01	Paper 1 (Multiple Choice), maximum mark 40
0620/02	Paper 2 (Core), maximum mark 80
0620/03	Paper 3 (Extended), maximum mark 80
0620/05	Paper 5 (Practical), maximum mark 40
0620/06	Paper 6 (Alternative to Practical), maximum mark 60


These mark schemes are published as an aid to teachers and students, to indicate the requirements of the examination. They show the basis on which Examiners were initially instructed to award marks. They do not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the Report on the Examination.

• CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2004 question papers for most IGCSE and GCE Advanced Level syllabuses.



Grade thresholds taken for Syllabus 0620 (Chemistry) in the June 2004 examination.

	maximum	mir	nimum mark re	equired for gra	de:
	mark available	А	С	Е	F
Component 1	40	-	26	20	17
Component 2	80	-	52	36	27
Component 3	80	53	31	-	-
Component 5	40	31	24	18	14
Component 6	60	42	32	21	15

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A* does not exist at the level of an individual component.

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 40

SYLLABUS/COMPONENT: 0620/01

CHEMISTRY (Multiple Choice)



Page 1	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	01

Question Number	Key	Question Number	Key
1	Α	21	С
2	D	22	С
3	В	23	В
4	В	24	D
5	С	25	D
6	С	26	Α
7	Α	27	В
8	D	28	В
9	Α	29	С
10	D	30	С
11	Α	31	D
12	В	32	Α
13	В	33	Α
14	D	34	В
15	С	35	Α
16	D	36	D
17	В	37	Α
18	С	38	D
19	Α	39	В
20	Α	40	Α

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/02 CHEMISTRY



Page 1	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

1	(a)		B, C, F (all needed); Only contain one type of atom NOT: contain one kind of molecule	[1] [1]
			NOT: cannot be split using chemical means	
	(b)		С	[1]
	(c)	(i)	В	[1]
		(ii)	any gas with diatomic molecules e.g. chlorine, hydrogen, hydrogen chloride	[1]
	(d)	(i)	F	[1]
		(ii)	pencil 'leads'/in pencils/lubricant/in electrical conductors/for electrodes/ in tennis racquets/in golf clubs/hockey sticks etc	[1]
	(e)	(i)	substance containing 2 or more different atoms combined/bonded/joined (both parts needed for mark) ALLOW: elements (chemically) combined	[1]
		(ii)	methane	[1]
	(f)	(i)	8 electrons round chlorine and bonded pair with dot and cross = 2	[2]
			ALLOW: all dots or all crosses Correct number of electrons but bonded pair not clearly on overlap = 1 NOT: molecules other than hydrogen chloride	
		(ii)	covalent	[1]
		(iii)	blue litmus; (litmus) turns red	[1] [1]
		(iv)	pH2	[1]
		(v)	2	[1]
		(vi)	magnesium chloride	[1]
			NOT: formula	= 17
•	, ,			
2	(a)		insoluble particles/solids/dirt trapped/caught on stones; NOT: filter reacts with insoluble impurities	[1]
			NOT: impurities unqualified Water passes through/filtered OWTTE	[1]
	(b)	(i)	kill bacteria/germs, disinfect water OWTTE	[1]
		(ii)	neutralises acidity/water ALLOW: reacts with acids in water	[1]
		(iii)	calcium hydroxide NOT: formula	[1]
		(iv)	neutralising acid soils/neutralising acidic (industrial) waste/making bleaching powder/removing acidic gases/in Solvay process/in recovery of ammonia/making limewater/in water softening/for making plaster/for making mortar/controlling soil acidity NOT: neutralising acids unqualified NOT: making cement	[1]

ĺ	Page 2	Mark Scheme	Syllabu	S	Paper
ſ		Chemistry - June 2004	0620		02

	(c)	(i)	100; °C (conditional on 100)	[1] [1]		
		(ii)	anhydrous cobalt chloride/anhydrous copper sulphate (or correct colours);	[1]		
			NOT: cobalt chloride/copper sulphate unqualified Turns pink/blue (respectively)	[1]		
		(iii)	any suitable e.g. washing/cleaning/drinking/cooking	[1]		
	(d)		В	[1]		
	(e)		ethanol NOT: alcohol	[1]		
	(f)		potassium hydroxide; hydrogen NOT: symbols	[1]		
			Total =	= 15		
3	(a)		means of measuring gas volume e.g. gas syringe/measuring cylinder (must be graduated);	[1]		
			flask/test tube/vessel with <u>calcium carbonate + acid leading</u> to syringe etc IGNORE: lack of reference to closed system (unless drawing incorrect)	[1]		
		record volume on gas syringe/measuring cylinder/measure how much	record volume on gas syringe/measuring cylinder/measure how much	[1]		
			carbon dioxide given off at various time intervals/at a particular time			
			OR flask/vessel with calcium carbonate and hydrochloric acid in flask (1)			
			measure its mass at beginning of experiment (1) measure mass of flask and contents during reaction (1)			
			at specific time(s) (1)			
	(b)	(i)	fast <u>er</u> /great <u>er</u> /speeds up	[1]		
		(ii)	slow <u>er</u> /less	[1]		
		(iii)	fast <u>er</u> /great <u>er</u> /speeds up	[1]		
	(c)	(i)	add aqueous sodium hydroxide; white precipitate;	[1] [1]		
			insoluble in excess (incorrect reagent = 0)	[1]		
			ALLOW: flame test - brick red			
	(d)	(i)	high in the reactivity series/ <u>very</u> reactive	[1]		
		(ii)	2 electrons in outer shell; inner shells correct as 2.8.8	[1] [1]		

Total = 13

Page 3	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

4	(a)		ethanol - solvent ethene - polymer	
			bitumen - roads	[3]
	(b)		ethanol	[1]
	(c)	(i)	C	[1]
		(ii)	A	[1]
		(iii)	В	[1]
		(iv)	D	[1]
	(d)	(i)	(compound) containing <u>only</u> carbon and hydrogen NOT: it contains carbon and hydrogen	[1]
		(ii)	has only single bonds/ has general formula $C_n H_{2n+2}$ NOT: it is saturated	[1]
			Total	= 10
5	(a)		chlorine, argon, potassium, bromine, iodine ALLOW: symbols	[1]
	(b)		chlorine, potassium, argon, bromine, iodine ALLOW: symbols	[1]
	(c)		2 nd box down ticked	[1]
	(d)		chlorine, bromine, iodine (all 3 needed) ALLOW: symbols	[1]
	(e)	(i)	potassium/K	[1]
		(ii)	argon/Ar	[1]
	(f)		1 st and 4 th boxes ticked (1 mark each)	[2]
	(g)	(i)	high (boiling point)	[1]
		(ii)	conducts/is high	[1]
	(h)		potassium loses <u>an/one</u> electron/loses outer shell chlorine gains <u>an/one</u> electron/outer shell becomes complete ALLOW: (for 1 mark) potassium loses two electrons + chlorine gains two electrons ALLOW: e.g. $2.8.8.1 \rightarrow 2.8.8$ for first mark Any indication of sharing electrons = 0	[1] [1]

Total = 12

Page 4	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

6

(a)		carbon monoxide	[1]
(b)		iron oxide loses oxygen/it loses oxygen/oxidation number of iron decreases ALLOW: iron gains electrons Answer must refer to the iron/iron oxide - therefore: NOT: carbon monoxide gains oxygen NOT: oxygen lost in the reaction NOT: iron loses oxygen	[1]
(c)		3; 2 (one mark each)	[2]
(d)	(i)	oxidise the impurities/oxidise Si or P or C/burn off the impurities NOT: get rid of impurities NOT: slag formation	[1]
	(ii)	exothermic	[1]
	(iii)	is/floats above the molten iron	[1]
	(iv)	calcium oxide	[1]
	(v)	stronger/harder/not brittle/less easily corroded ORA e.g. iron rusts NOT: less corrosive	[1]
(e)		any 3 of: high melting/boiling points; have coloured compounds (NOT: they are coloured); have high densities; form complex ions; elements/compounds are good catalysts;	ro1
		form ions with different charges/variable oxidation states	[3]
(f)		alloys	[1]

Total = 13

Grand Total = 80

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/03

CHEMISTRY Extended



Page 1	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	3

- When the name of a chemical is demanded by the question, a **correct** formula is usually acceptable. When the formula is asked for, the name is not acceptable.
- When a word equation is required a correct symbol equation is usually acceptable. If an equation is requested then a word equation is not usually acceptable.
- An incorrectly written symbol, e.g. NA or CL, should be penalised once in a question.

In the mark scheme if a word **or** phrase is underlined it (**or** an equivalent) is required for the award of the mark.

(.....) is used to denote material that is not specifically required.

OR designates alternative and independent ways of gaining the marks for the question.

or indicates different ways of gaining the same mark.

COND indicates that the award of this mark is conditional upon a previous mark being gained.

- Unusual responses which include correct Chemistry that answers the question should always be rewarded even if they are not mentioned in the mark scheme.
- All the candidate's work must show evidence of being marked by the examiner.

Page	2		Mark Scheme	Syllabus	Paper
Fage	2		Chemistry – June 2004	Syllabus 0620	<u>гарег</u> 3
					-
1.	(a)	(i)	portable		[1]
		(ii)	oxygen or air		[1]
	(b)	(i)	both have four outer or valency electrons need to share four more or need four more to complete energy level NOT four bonds		[1] [1]
		(ii)	hard brittle high melting or boiling point poor conductor of electricity or semi-conductor any TWO NOT insoluble in water, NOT tough NOT appearance		[2]
		(iii)	germanium or carbon NOT graphite		[1]
	(c)	(i)	correctly balanced		[1]
		(ii)	lost oxygen or decrease in oxidation number NOT accepts electrons unless valid explanation		[1]
		(iii)	4 oxygen atoms around 1 silicon atom 2 silicon atoms around 1 oxygen tetrahedral or diagram that looks tetrahedral If some wrong chemistry, such as ionic MAX 2/3		[1] [1] [1]
				TOTA	AL = [12]
2.	(a)	(i)	USA or Texas or Poland or Mexico or Japan or Australia or Sicily accept other sources of sulphur eg petroleum or natural gas or metal sulphides or volcanoes NOT coal, NOT underground	· Ethiopia	[1]
		(ii)	Preserving food or bleaching or sterilising or disinfecting or making paper or bleaching wood or wine or jam or fumigation or making paper NOT making wood pulp	pulp	[1]
		(iii)	burnt/roast in oxygen or air		[1]
		(iv)	vanadium(V) oxide or vanadium oxide or platinuignore oxidation state of vanadium	ım	[1]
		(v)	Increase temperature (increases rate) but reduce catalyst only increases rate or a catalyst does not influence position of equilibrium NOT a definition of a catalyst		[1] [1]
		(vi)	sulphur trioxide + sulphuric acid = oleum correct symbol equation acceptable		[1]
		(vii)	$H_2S_2O_7 + H_2O = 2H_2SO_4$		[1]

			www.d	ynamicpa	pers.co
Pag	je 3		Mark Scheme	Syllabus	Paper
			Chemistry – June 2004	0620	3
	(b)	(i)	potassium		[1]
		(ii)	ammonium sulphate		[1]
		(iii)	$Ca_3(PO_4)_2$		[1]
			$Ca(H_2PO_4)_2$		[1]
		(iv)	only acceptable responses are: accepts a proton accepts H ⁺ [1] only		[2]
				TOTA	L = [14]
3.	(a)	NOT a	ved or solution in water aqueous NOT soluble in water		[1]
		Hiquid	d <u>and</u> g gas		[1]
	(b)	2 elec	etrons in bond between two nitrogen atoms etrons on each nitrogen e any coding of electrons with dots or crosses		[1] [1]
	(c)	(i)	decreases or reaction stops or rate becomes z	ero	[1]
		(ii)	concentration or number of effective collision decreases used up or less chemical or less collisions etc		[1] [1]
		(iii)	greater initial slope same final point as long as new curve touches the original curve the top allocate the mark	e near	[1] [1]
		(iv)	greater surface area		[1]
				тот	AL = [10]
4	(a)	(i)	Named soluble zinc salt corresponding sodium salt If hydroxide or oxide then 0/2		[1] [1]
		(ii)	Correct equation not balanced [1] only		[2]
		(iii)	Correct equation		[2]
	(b)	(i)	$Fe^{3+} + 3OH^{-} = Fe(OH)_{3}$		[1]
		(ii)	Max at 8cm ³ Same shape of graph		[1]
		,			

Just the above shape, the height of the precipitate and the volume of sodium hydroxide are irrelevant

Paper

Syllabus 0620

			Officialistry – Guille 2004	J20	
		(iii)	Maximum then height of precipitate decreases or graph slopes down to x axis or comes to zero		[1]
			hydroxide dissolves in excess or it is amphoteric		[1]
				TOTAL	. = [11]
5.	(a)	Has to	be three different uses.		
		jewelle	se that depends on malleability or ductility- ery, pipes, wires, sheets, roofing, ornaments hat it is malleable or ductile		[1]
			cal wires or cooking utensils or electrodes) conductor		[1]
		makin	g alloys or named alloy		[1]
	(b)	(i)	$Cu^{2+} + 2e = Cu$		[1]
		(ii)	gas is oxygen		[1]
			(copper(II) sulphate) changes to <u>sulphuric acid</u> or copper ions removed from solution		[1]
	(c)	(i)	copper atoms - electrons = copper ions accept correct symbol equation		[1]
		(ii)	concentration of copper ions does not change or amount or number of copper ions does not change		[1]
			copper ions are removed and then replaced or copper is transferred from anode to cathode		[1]
		(iii)	refining copper or plating (core) or extraction of boulder copper		[1]
				TOTAL	. = [10]
6.	(a)	(i)	correct repeat unit		[1]
			COND evidence of polymer chain		[1]
		(ii)	glucose or maltose		[1]
		(iii)	addition (polymerisation) or no other product except polymer		[1]
			condensation (polymerisation) or polymer and water		[1]
	(b)	(i)	sodium hydroxide COND ammonia or alkaline gas or litmus red to blue If aluminium added wc =0	e	[1] [1]

Mark Scheme

Chemistry - June 2004

Page 4

TOTAL = [10]

	CILIT .)	www.dynamicpa Mark Scheme Syllabus	Paper
	Page 5	Chemistry – June 2004 0620	<u>гарег</u> 3
(ii)	<u> </u>	easure pH	[1]
(,		ore than 1 and less than 7 or rrect colour eg orange or yellow NOT red OT green	[1]
		R add magnesium or calcium carbonate eak acid reacts slowly	[1]
(i)	(c)	nyl acrylate ter or alkene	[1] [1]
(ii)		own to colourless (NOT clear) rrect formula for acid NOT ester	[1] [1]
		TOTAI	L = [13]
Avogor for or 6 or as	(a)	[1]	
(i)	(b)	oles of Mg = $3/24 = 0.125$ bles of CH ₃ COOH = $12/60 = 0.200$ agnesium is in excess	
		R 3.0g of magnesium react with 15g of acid ally 12.0 g of acid present agnesium is in excess	[3]
		and compared (i) but NOT to any almost a finite man	
(ii)		ark conseq to (i) but NOT to any simple integer oles of $H_2 = 0.1$	[1]
(ii) (iii)			[1] [2]
	(c)	oles of $H_2 = 0.1$ ark conseq to (ii) but NOT to any simple integer olume of hydrogen = 0.1×24	
(iii)	(c)	oles of $H_2 = 0.1$ ark conseq to (ii) but NOT to any simple integer olume of hydrogen = 0.1×24 = 2.4 dm^3	[2]

TOTAL for PAPER = [11] + [14] + [10] + [11] + [10] + [13] + [11] = [80]

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 40

SYLLABUS/COMPONENT: 0620/05

CHEMISTRY Practical

Page 1	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	5

1 Table of results **Experiment 1** 1 Temperature boxes completed 1 Increasing Comparable to supervisor 1 [3] Experiment 2 1 Temperature boxes completed Decreasing 1 Comparable to supervisor 1 [3] 4 (a) All points plotted correctly (-1 for each incorrect) 2 Smooth line graphs Labelled 1 [7] Value from graph Value from graph ± 0.25 No unit only (1) 1. 1 (b) (i) 2. 1 [2] (ii) 1. Exothermic 1 1 2. Endothermic [2] Fizz/bubbles/effervescence 1 (c) Solid disappears 1 [2] Carbonate (d) 1 Fizz with acid or similar 1 [2] 1 (e) Solid **A** – value from table/room temperature ± 3°C Solid **B** – value from table/room temperature 1 Reaction finished 1 [3] **Sub Total** [24] 2 White 1 [1] (a) (c) White 1 (i) Precipitate 1 [2] 1 Excess - no change [1] (ii) 1 [1] No precipitate/change 1 (iii) Paper goes blue Fizz/bubbles etc 1 Reference to smell 1 [3] (iv) pH greater than 7 1 [1] (v) Milky/cloudy 1 [1] (d) Calcium 1 [1] 1 [1] (e) Ammonia

www.dynamicpapers.com
Syllabus Paper

Page 2	Mark Scheme	Syllabus	Paper	
	Chemistry – June 2004	0620	5	
(f)	Limewater		1	101
	Carbon dioxide		1	[2]
(g)	Nitrate		1	
	Hydroxide		1	[2]
		Sub To	otal	[16]
		To	otal	[40]

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 60

SYLLABUS/COMPONENT: 0620/06

CHEMISTRY
Alternative to Practical

www.dynamicpapers.com
SvIlabus Paper

	Page	<u> 1</u>	1	Mar	k Sci	neme			WW	/w.d		labus		Paper	
	raye	7 I		IGCSE			04					620	,	6	
1	(a)		A Funne B Flask C (Teat)	el Pipette/d	roppe	er								1 1 1	[3]
	(b)		Increase surfa Reference to		ency/	/easily	,							1 1	[2]
	(c)		pH may be dit	H may be different/vary at different places/fair test							1	[1]			
	(d)		Reference to No plants	eference to plants/crops growth o plants								1 0	[1]		
2	(a)		First Second								1	[1]			
	(b)		Water and air. Statement ref			•		_	er an	d air i	n tub	e 1/2		1 1	[2]
3	(a)		Bulb lights up	/silver liqu	uid/m	etal fo	rme	d/bub	bles/	fizz/le	ead x			1	[1]
	(b)	(i)	Suitable mate	rial e.g. c	arbo	n/grap	hite/	steel/	Pt/A	g/An				1	[1]
		(ii)	Indication on	diagram o	of cat	hode								1	[1]
	(c)		Bromine/Br ₂ Anode/positive	e										1 1	[2]
	(d)		Reference to NOT harmful/			nine/le	ead/le	ead b	romi	de				1	[1]
4			Experiment 1 (-1 any incorre	•	tures	corre	ct							2	[2]
			Time/Min Temp/°C	0 0.5 22 24		1.5 28	2 29	2.5 30	3 30	3.5 29	4 28	4.5 27	5 26		
			Experiment 2 (-1 any incorre		tures	corre	ct							2	[2]
			Time/Min Temp/°C	0 0.5 21 19	1 17	1.5 15	2 14	2.5 13	3 13	3.5 14	4 15	4.5 16	5 17		
	(a)		Graph. Points		corre	ctly								3	
			(-1 each incor Smooth lines/ Labelled											2 1	[6]
	(b)	(i)	Temperature	from grap	h	29.5	s°C							1	
			± 0.25°C Temperature	from grap	h	13.5	s°C							1	[2]
		(ii)	 Exothe Endoth 	ermic hermic										1 1	[2]
	(c)		Carbonate Fizz/gas with	acid										1 1	[2]

_				dynamicpa		1
	Page	2	Mark Scheme	Syllabus	Paper	
			IGCSE – June 2004	0620	6	
	(d)	(i)	22°C		1	
	(α)	(')		No units only (
		(ii)	Reference to room temperature/reaction finished	to armo orny (1	[3]
		(,	por analysis and a second seco		-	[-]
5	(a)	(i)	White		1	
	` ,	()	Precipitate		1	[2]
			·			
			No change/white precipitate/insoluble in excess		1	[1]
		(ii)	No/thin precipitate/no reaction		1	[1]
	(b)		Ammonia		1	[1]
						- 4 -
	(c)		Reference to limewater/test for carbon dioxide		1	[1]
	(al\		Nitrata		4	
	(d)		Nitrate Alkali/hydrovido/ovido		1 1	[2]
			Alkali/hydroxide/oxide		•	[2]
6	(a)		Indication of copper oxide		1	[1]
·	(α)		indication of coppor oxido		•	1.1
	(b)		Black		1	
	` ,		to			
			red/pink/brown		1	[2]
			·			
	(c)		To cool/condense		1	
			Steam/water		1	[2]
_					_	
7	(a)		Anhydrous copper sulphate/cobalt chloride		1	
			Goes blue/pink in water, no change for ethanol		1	[2]
	/b\		Add indicator/named indicator or CO 2-/Mg		4	
	(b)		Add indicator/named indicator or CO ₃ ² -/Mg	m sulphata	1 1	[2]
			Turns red/correct colour in acid, no change for sodiu	iii suipiiale	•	[2]
	(c)		Add silver nitrate		1	
	(-)		White precipitate with hydrochloric acid, no change v	vith nitric acid	1	[2]
			,			
8			Add known mass of manganese oxide		1	
			To (measured volume of) hydrogen peroxide		1	
			Bubbles		1	
			Test gas with glowing splint		1	
			Result		1	
			Filter		1	
			Dry solid		1	
			Reweigh and compare		1	rea
			(max 6)			[6]
				Total for Pa	nor	[60]
				i Otal IOI Pa	hei	נססן