

# Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/12

Paper 1 Multiple Choice (Core)

May/June 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

# **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




							2				
1	Fou	ur physica	al change	s of	ethanol are	e listed.					
		1	condens	satio	n						
		2	evapora	tion							
		3	freezing								
		4	boiling								
	In v	which cha	anges do	the p	oarticles mo	ove furth	ner apart?				
	A	1 and 2	E	<b>3</b> 1	I and 3	С	2 and 4	D	3 and 4		
2	Wh	ich state	ment exp	lains	why water	is a co	mpound?				
	A	The hyd	drogen ar	nd ox	xygen atom	ıs in a r	nolecule d	of water ca	in only be s	eparated by	y chemical
	В	The hyd	drogen a	nd o	xygen ator	ns in a	molecule	of water	can be sep	arated usin	g physical
	С	The nur	mber of h	ydro	gen and ox	ygen at	oms in a r	molecule o	f water is va	ıriable.	
	D	Water h	as the sa	me (	chemical pr	opertie	s as both	hydrogen a	and oxygen.		
•	Λ	-4 <b>f</b>	-1 4 >		4-1						
3	An	atom of e	element >	( cor	itains:						
		•	5 proton	IS							
		•	6 neutro	ns							
		•	5 electro	ons.							
	Wh	ich state	ments ab	out e	element X a	re corre	ect?				
		1	X has a	n atc	mic numbe	er of 6.					
		2	X has a	nucl	eon numbe	er of 11.					
		3	X is in G	Group	o II of the P	eriodic	Table.				
		4	X is in th	ne se	econd perio	d of the	Periodic	Table.			
	Α	1 and 3	E	3 1	1 and 4	С	2 and 3	D	2 and 4		

4 Which row describes properties of lithium fluoride?

	electrical conductivity when solid	electrical conductivity when molten	melting point
Α	does not conduct	conducts	high
В	does not conduct	does not conduct	low
С	conducts	conducts	high
D	conducts	does not conduct	low

**5** Ammonia, NH<sub>3</sub>, is a covalent molecule.

Which diagram shows the outer-shell electron arrangement in a molecule of ammonia?




- 6 Which substance has a giant covalent structure?
  - **A** ethanol
  - **B** graphite
  - **C** methane
  - **D** sodium chloride

7 Sodium burns in oxygen to form sodium oxide.

What is the balanced equation for the reaction?

- A 4Na + 2O  $\rightarrow$  2Na<sub>2</sub>O
- $\textbf{B} \quad 4\text{Na} \, + \, \text{O}_2 \, \rightarrow \, 2\text{Na}_2\text{O}$
- $\textbf{C} \quad 2Na_2 \, + \, O_2 \, \rightarrow \, 2Na_2O$
- $\textbf{D} \quad 2Na_2 \, + \, 2O \, \rightarrow \, 2Na_2O$
- 8 What is the relative formula mass of  $Mg(OH)_2$ ?
  - **A** 21
- **B** 30
- **C** 42
- **D** 58
- 9 Dilute sulfuric acid is electrolysed using inert electrodes. The apparatus is set up as shown.



30 cm<sup>3</sup> of a gas is collected at the cathode. A different gas is collected at the anode.

Which row is correct?

	gas at cathode	gas at anode	volume of gas collected at anode / cm³
Α	hydrogen	oxygen	15
В	hydrogen	oxygen	30
С	oxygen	hydrogen	15
D	oxygen	hydrogen	30

i dai staternents about rivarouch fuci cens are no	10	Four statements	about h	vdroaen	fuel	cells	are	liste	be
--	----	-----------------	---------	---------	------	-------	-----	-------	----

- 1 The fuel cell converts chemical energy into electrical energy.
- 2 In the fuel cell, hydrogen combines with oxygen.
- 3 Carbon dioxide and water are produced in the fuel cell.
- 4 The hydrogen fuel is extracted from the air.

Which statements are correct?

**A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

11 5 g of four different fuels are set alight and placed under a beaker containing 50 cm<sup>3</sup> of water.

The temperature of the water is taken at the start and after five minutes.

Which fuel releases the most energy?

	temperature at start /°C	temperature after five minutes /°C
Α	15	23
В	21	31
С	28	47
D	30	48

## **12** Which changes increase the rate of reaction?

- 1 increasing the concentration of the reactants
- 2 increasing the particle size of a solid reactant
- 3 increasing the temperature

**A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

#### 13 Which reaction is reversible?

- **A** an iron nail rusting when left in moist air
- **B** limestone reacting with an acid to form carbon dioxide gas
- **C** magnesium burning in air to produce a white ash
- **D** white anhydrous copper(II) sulfate turning blue when water is added

**14** The equation for the reaction between iron(III) oxide and carbon is shown.

$$2Fe_2O_3 + 3C \rightarrow 4Fe + 3CO_2$$

Which type of reaction does iron(III) oxide undergo?

- A reduction
- **B** precipitation
- **C** oxidation
- **D** combustion
- **15** Copper(II) chloride is made when copper(II) carbonate reacts with dilute hydrochloric acid.

What are the other products in this reaction?

- A water and carbon dioxide
- **B** carbon dioxide only
- **C** water and hydrogen
- **D** hydrogen only
- **16** Rubidium is in Group I and strontium is in Group II of the Periodic Table.

Which row describes the nature of rubidium oxide, Rb<sub>2</sub>O, and strontium oxide, SrO?

	Rb <sub>2</sub> O	SrO
Α	acidic	acidic
В	acidic	basic
С	basic	acidic
D	basic	basic

17 Magnesium sulfate is a soluble solid which is formed when insoluble magnesium oxide reacts with dilute sulfuric acid.

Which method is used to prepare solid magnesium sulfate?

- **A** Excess sulfuric acid is reacted with magnesium oxide. The mixture is evaporated to dryness.
- **B** Excess sulfuric acid is reacted with magnesium oxide. The precipitate is filtered, washed and dried.
- **C** Sulfuric acid is reacted with excess magnesium oxide. The mixture is filtered and the filtrate is evaporated to dryness.
- Sulfuric acid is reacted with excess magnesium oxide. The precipitate is filtered, washed and dried.

**18** Q and R are elements in the same period of the Periodic Table.

Q has 7 electrons in its outer shell and R has 2 electrons in its outer shell.

Which statement about Q and R is correct?

- **A** Q is a metal and R is a non-metal.
- **B** Q and R have different numbers of electron shells.
- **C** R is found to the right of Q in the Periodic Table.
- **D** The proton number of R is less than the proton number of Q.
- 19 Which statement about alkali metals is correct?
  - A Lithium is more dense than sodium.
  - **B** Sodium is more reactive than potassium.
  - **C** Sodium has a higher melting point than potassium.
  - **D** They are in Group II of the Periodic Table.
- **20** Aqueous bromine is added to aqueous sodium iodide.

bromine + sodium iodide 
$$\rightarrow$$
 .....1..... + .....2.....

What are the products of this reaction?

	1	2
Α	iodide	sodium bromide
В	iodide	sodium bromine
С	iodine	sodium bromide
D	iodine	sodium bromine

21 Which row describes the properties of a transition element?

	melting point	density	forms coloured compounds
Α	high	low	no
В	high	high	yes
С	low	low	no
D	low	low	yes

22 Which row describes the properties of argon?

	property 1 property 2		
Α	inert diatomic		
В	inert	monatomic	
С	reactive	e diatomic	
D	reactive	eactive monatomic	

23 Which row identifies the properties of zinc?

	thermal conductivity	reacts with dilute acid
Α	good	yes
В	good	no
С	poor	yes
D	poor	no

24 Uses of metals depend on their properties.

Which property is necessary for the use given?

	use of the metal	property of the metal
Α	car bodies ductile	
В	cutlery conducts heat	
С	food containers resists corrosion	
D	overhead electrical cables	high density

25 Which compounds both contribute to acid rain?

- A carbon monoxide and carbon dioxide
- **B** carbon monoxide and oxides of nitrogen
- C oxides of nitrogen and sulfur dioxide
- **D** sulfur dioxide and carbon dioxide

**26** P, Q, R and S are metals.

P reacts with dilute hydrochloric acid, forming hydrogen.

Q reacts violently with water.

R reacts with water to give hydrogen.

S is formed by heating its oxide with carbon.

Which row identifies the metals?

	Р	Q	R	S
Α	copper	sodium	potassium	iron
В	zinc	magnesium	calcium	iron
С	zinc	sodium	calcium	magnesium
D	iron	potassium	sodium	zinc

27 Which compound is formed when iron rusts?


- A anhydrous iron(II) oxide
- **B** anhydrous iron(III) oxide
- C hydrated iron(III) hydroxide
- **D** hydrated iron(III) oxide

28 Which reaction in the blast furnace releases heat energy?

- $A \quad C + O_2 \rightarrow CO_2$
- **B**  $CaCO_3 \rightarrow CaO + CO_2$
- $\mathbf{C}$   $CO_2 + C \rightarrow 2CO$
- **D**  $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$

**29** A wax candle is made from a mixture of hydrocarbons.

The candle is lit and placed in a gas jar along with a strip of cobalt(II) chloride test paper as shown.



After a short time, the oxygen in the jar is used up and the candle flame goes out.

Which substance does the cobalt(II) chloride paper identify?

- A carbon dioxide
- B carbon monoxide
- C sulfur dioxide
- **D** water
- **30** Urea,  $CO(NH_2)_2$ , is used as a fertiliser.

Which element that plants need for improved plant growth is provided by urea?

- **A** carbon
- **B** hydrogen
- C nitrogen
- **D** oxygen

**31** The percentage composition of gases on Neptune is shown.

gas	percentage composition/%
hydrogen	80
helium	18
methane	1.5
other gases	0.5

Which statement about the atmospheres on Neptune and on the Earth is correct?

- **A** There is more helium on Neptune than oxygen on the Earth.
- **B** There is less methane on Neptune than carbon dioxide on the Earth.
- **C** There is less hydrogen on the Earth than on Neptune.
- **D** There is more helium on the Earth than on Neptune.
- 32 Which row shows the general formula for alkenes and for alcohols?

	alkenes	alcohols
Α	$C_nH_{2n}$	$C_nH_{2n+1}COOH$
В	$C_nH_{2n}$	C <sub>n</sub> H <sub>2n+1</sub> OH
С	$C_nH_{2n+2}$	$C_nH_{2n+1}COOH$
D	$C_nH_{2n+2}$	$C_nH_{2n+1}OH$

**33** A molecule has the formula  $C_2H_5Cl$ .

What is its chemical name?

- A chloroethane
- **B** chloroethanol
- C chloroethene
- **D** chloromethanol
- **34** Which compound rapidly decolourises aqueous bromine?
  - A ethane
  - **B** ethanoic acid
  - **C** ethanol
  - **D** ethene

**35** Compound Z has the molecular formula  $C_2H_6O$ .

Which statement about compound Z is correct?

- A Z is unsaturated.
- **B** Z is a carboxylic acid.
- **C** Z is formed by the reaction of ethane with steam.
- **D** Z is used as a fuel.
- **36** What is the formula of the salt formed when aqueous ethanoic acid reacts with calcium carbonate?
  - A Ca(CH<sub>3</sub>COOH)<sub>2</sub>
  - B Ca(CH<sub>3</sub>COO)<sub>2</sub>
  - C Ca<sub>2</sub>CH<sub>3</sub>COOH
  - D Ca<sub>2</sub>CH<sub>3</sub>COO
- **37** Rock salt is a mixture of salt and sand.


The method used to separate the sand from the salt is listed.

- step 1 Crush the rock salt, add to warm water and stir.
- step 2 Pour the mixture through a filter paper held in a funnel.
- step 3 Evaporate the water to crystallise the salt.

Which statement about the method is correct?

- **A** The filtrate in step 2 is pure water.
- **B** The residue in step 2 is pure crystals of salt.
- C The solute is salt.
- **D** The solvent is a mixture of salt and water.

**38** Chromatography is carried out on mixture Y and dyes E, F, G and H. The chromatogram is shown.



Which dyes are present in mixture Y?

- A E and G
- **B** E and H
- **C** F and G
- **D** F and H

**39** A fractionating column is used to separate the hydrocarbon fractions in petroleum by fractional distillation.

Which row describes the properties of the fractions that condense at the top of the fractionating column?

	size of molecule	boiling point
Α	large	high
В	large	low
С	small	high
D	small	low

**40** When acid is added to salt X, a gas is produced which turns limewater milky.

When sodium hydroxide is added to salt X, a gas is produced which turns litmus paper blue.

What is X?

A CaCO<sub>3</sub>

 $\mathbf{B}$  (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub>

C NH<sub>4</sub>NO<sub>3</sub>

**D** ZnCO<sub>3</sub>

# **BLANK PAGE**

15

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	_		ď	Ε		4	_						E.		<i>^</i>	<b>c</b> .		_			_	nos
	<b>=</b>	2	Ĭ	heliur 4	10	ž	neor 20	18	Ā	argon 40	36	궃	kryptc 84	54	×	xeno 131	86	쪼	rado	118	ŏ	oganes
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -	117	<u>S</u>	tennessine -
	>				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116	^	livemorium -
	>	-			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium -
	2	-			9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	=				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	Z	nihonium –
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ت ت	copemicium
											29	D C	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	格	rhodium 103	77	٦	iridium 192	109	Μ̈́	meitnerium -
		_	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
						loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	14	q	niobium 93	73	<u>Б</u>	tantalum 181	105	Q D	dubnium
					60	ato	rela				22	ı=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium -
								,			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ъ̈́	francium

71 Lu	lutetium 175	103	۲	lawrencium	I
vo Yb	ytterbium 173	102	8	nobelium	I
69 Tm	thulium 169	101	Md	mendelevium	I
88 F	erbium 167	100	Fm	ferminm	I
67 Ho	holmium 165	66	Es	einsteinium	I
66 Dy	dysprosium 163	86	Ç	californium	ı
65 Tb	terbium 159	97	ă	berkelium	ı
64 Gd	gadolinium 157	96	Cm	curium	ı
63 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	ı
61 Pm	promethium —	93	dN	neptunium	I
9 <b>PN</b>	neodymium 144	92	$\supset$	uranium	238
59 <b>Pr</b>	praseodymium 141	91	Ра	protactinium	231
Çe Ce	cerium 140	06	٢	thorium	232
57 <b>La</b>	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).