



Cambridge IGCSE™

CHEMISTRY

0620/12

Paper 1 Multiple Choice (Core)

October/November 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.



- 1 The melting points and boiling points of four elements are shown.

element	melting point/ $^{\circ}\text{C}$	boiling point/ $^{\circ}\text{C}$
W	-7	60
X	-101	-34
Y	114	184
Z	39	688


In which elements do the particles vibrate about fixed positions at 0°C ?

- A** W and X **B** W and Z **C** X and Y **D** Y and Z
- 2 Which statements about clean, dry air are correct?

- 1 It is a mixture of elements only.
- 2 It is a mixture of elements and compounds.
- 3 It contains only non-metals.

- A** 1 and 3 **B** 1 only **C** 2 and 3 **D** 2 only

- 3 A representation of an atom is shown.



What is the nucleon number of this atom?

- A** 6 **B** 7 **C** 12 **D** 13
- 4 Which statement describes isotopes of the same element?
- A** They have different electron arrangements.
- B** They have different nuclear charges.
- C** They have nuclei with masses that are the same.
- D** They have the same number of protons.

- 5 Potassium reacts with iodine to form potassium iodide.

Which statement about potassium iodide is correct?

- A Each potassium atom shares a pair of electrons with an iodine atom.
- B In potassium iodide, the particles of potassium have more protons than electrons.
- C Potassium iodide has a high melting point because it is a covalent compound.
- D Potassium iodide has a low melting point because it is an ionic compound.

- 6 Which row describes the properties of a simple molecular substance?


	boiling point	electrical conductivity when solid
A	low	poor
B	high	poor
C	low	good
D	high	good

- 7 Different forms of an element G are used as lubricants and in cutting tools.

What is the structure of G?

- A giant covalent
- B ionic
- C metallic
- D simple covalent

- 8 The diagram shows the structure of a molecule of ethyl ethanoate.



What is the molecular formula of a molecule of ethyl ethanoate?

- A CHO
- B C₄H₈O₂
- C C₄(H₂)₂(O₂)
- D C₂H₄O

- 9 The formula of a compound containing element X is $\text{Na}_2\text{X}_2\text{O}_3$.


The relative formula mass of the compound is 158.

What is the relative atomic mass of X?

- A** 32 **B** 59.5 **C** 64 **D** 119

- 10 Limestone is used to reduce sulfur dioxide emissions from coal-fired power stations.

The equation for the reaction is shown.



What is the smallest mass of CaCO_3 required to remove 1 tonne of SO_2 ?

- A** 1 tonne
B 2 tonnes
C 64 tonnes
D 100 tonnes

- 11 Which statement about electrolysis is correct?

- A** Bromine and hydrogen are formed during the electrolysis of molten lead(II) bromide.
B Metals are formed at the positive electrode.
C Molten covalent compounds are broken down by electricity.
D Platinum is used as an inert electrode.

- 12 Which statements about hydrogen-oxygen fuel cells are correct?

- 1 The reaction between hydrogen and oxygen is endothermic.
- 2 The waste product in a hydrogen-oxygen fuel cell is water.
- 3 A chemical reaction in the cell produces hydrogen which is used as the fuel.
- 4 A hydrogen-oxygen fuel cell is used to generate electricity.

- A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

- 13** The initial and final temperatures of four different reactions are measured.

Which reaction is the **least** exothermic?

	initial temperature /°C	final temperature /°C
A	19	25
B	21	18
C	22	17
D	22	26

- 14** Solid calcium carbonate reacts with dilute hydrochloric acid.

Which changes to the reaction conditions increase the rate of reaction?

	concentration of hydrochloric acid	surface area of calcium carbonate
A	decrease	decrease
B	decrease	increase
C	increase	decrease
D	increase	increase

- 15** Zinc reacts slowly with dilute sulfuric acid at room temperature.


Bubbles of a gas, L, form on the surface of the zinc.

When a small amount of copper is added, the reaction is faster.

Which row identifies L and explains why the reaction is faster?

	gas formed in reaction	reason the reaction is faster
A	hydrogen	copper acts as a catalyst
B	hydrogen	copper is more reactive than zinc
C	oxygen	copper acts as a catalyst
D	oxygen	copper is more reactive than zinc

- 16 Which reaction shows a colour change from white to blue?
- A adding water to anhydrous copper(II) sulfate
 - B adding water to hydrated copper(II) sulfate
 - C heating anhydrous copper(II) sulfate
 - D heating hydrated copper(II) sulfate
- 17 In a blast furnace, iron(III) oxide is converted to iron and carbon monoxide is converted to carbon dioxide.



What happens to each of these reactants?

- A Both iron(III) oxide and carbon monoxide are oxidised.
 - B Both iron(III) oxide and carbon monoxide are reduced.
 - C Iron(III) oxide is oxidised and carbon monoxide is reduced.
 - D Iron(III) oxide is reduced and carbon monoxide is oxidised.
- 18 Which products are formed when magnesium carbonate reacts with dilute hydrochloric acid?
- A carbon dioxide, hydrogen and magnesium chloride
 - B carbon dioxide and magnesium chloride only
 - C carbon dioxide, water and magnesium chloride
 - D water and magnesium chloride only
- 19 Which element forms an oxide that reacts with an aqueous solution of a base?
- A argon
 - B sulfur
 - C magnesium
 - D copper
- 20 Which salt is insoluble?
- A barium sulfate
 - B lead(II) nitrate
 - C magnesium chloride
 - D sodium carbonate

21 Some properties of element R are shown.

melting point in °C	98
boiling point in °C	883
reaction with cold water	gives off H ₂ gas
reaction when heated with oxygen	burns to give a white solid

In which part of the Periodic Table is R found?

- A Group I
- B Group VII
- C Group VIII
- D transition elements

22 Lithium, sodium and potassium are elements in Group I.


Statements about these elements are listed.

- 1 Lithium is more dense than sodium.
- 2 Sodium is more reactive than potassium.
- 3 They all conduct electricity at room temperature.
- 4 They all react with oxygen at room temperature.

Which statements are correct?

- A 1 and 2 B 1 and 4 C 2 and 3 D 3 and 4

23 An outline of the Periodic Table is shown.



Which name is given to the elements in column Y?

- A** alkali metals
- B** halogens
- C** noble gases
- D** transition elements

24 Which row describes the properties of a metal that can be used in the manufacture of aircraft?

	strength	density	ease of corrosion
A	high	high	corrodes easily
B	high	low	resists corrosion
C	low	high	corrodes easily
D	low	low	resists corrosion

25 Which metallic element is added to iron in the manufacture of stainless steel?

- A** carbon
- B** copper
- C** lead
- D** nickel

26 Which statement about the uses of metals is correct?

- A** Aluminium is used in the manufacture of overhead electrical cables as it has a high density.
- B** Aluminium is used to make food containers as it conducts electricity.
- C** Stainless steel is used in cutlery because it is resistant to rusting.
- D** Stainless steel is used to make chemical reactors because it is a soft alloy.

27 The list gives the order of some metals and hydrogen in the reactivity series.

Metal X is also included.

most reactive K
Mg
Zn
H
X
least reactive Cu

Which row shows the properties of metal X?

	reacts with dilute acids	oxide reduced by carbon
A	no	no
B	no	yes
C	yes	no
D	yes	yes

28 Which gas in the air is needed for iron to rust?

- A** argon
- B** carbon dioxide
- C** nitrogen
- D** oxygen


29 Why is limestone added to the blast furnace?

- A** It neutralises the molten slag produced.
- B** It reacts with impurities to form slag.
- C** It releases carbon dioxide which reduces the iron(III) oxide.
- D** It removes acidic gases such as carbon dioxide.

30 Which process removes carbon dioxide from the atmosphere?

- A** photosynthesis
- B** thermal decomposition of calcium carbonate
- C** combustion of fossil fuels
- D** reaction of sodium carbonate with an acid

- 31 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages J and K?

	J	K
A	distillation	chlorination
B	distillation	filtration
C	filtration	chlorination
D	filtration	distillation


- 32 Which two compounds can be mixed together to form an NPK fertiliser?

- A** ammonium phosphate and calcium hydroxide
- B** calcium phosphate and ammonium nitrate
- C** potassium nitrate and calcium oxide
- D** potassium phosphate and ammonium nitrate


- 33 What are the main substances produced by the fractional distillation of liquid air?

- A** oxygen and carbon dioxide
- B** oxygen and nitrogen
- C** helium and nitrogen
- D** hydrogen and oxygen


- 34 Which diagram shows the displayed formula for the named organic compound?




ethanoic acid



ethene



ethanol



methane

35 Poly(ethene) is formed from petroleum using three separate processes.

In which order are the processes used?

- A** cracking → fractional distillation → polymerisation
- B** cracking → polymerisation → fractional distillation
- C** fractional distillation → cracking → polymerisation
- D** fractional distillation → polymerisation → cracking





36 Gas oil and naphtha are two fractions obtained from petroleum.

What are uses of gas oil and naphtha?

	gas oil	naphtha
A	jet fuel	making chemicals
B	jet fuel	making roads
C	diesel engine fuel	making chemicals
D	diesel engine fuel	making roads

37 Ethene can be polymerised.

Which diagram represents the structure of the product formed?




38 An acid–base titration is described.

- 25.0 cm³ of dilute aqueous alkali is put into a conical flask.
- Indicator is added to the flask.
- Dilute acid is added to the aqueous alkali until the indicator changes colour.
- The volume of acid used is then recorded.

Which use of apparatus is correct?

- A** The 25.0 cm³ of aqueous alkali is measured using a volumetric pipette.
- B** The 25.0 cm³ of aqueous alkali is measured using the lines on the conical flask.
- C** The volume of acid is measured using a measuring cylinder.
- D** The volume of acid is measured using a volumetric pipette.

39 The apparatus shown is used to separate a mixture.



What is the mixture?

- A** anhydrous copper(II) sulfate and hydrated copper(II) sulfate
- B** sodium chloride and sand
- C** ethanol and methanol
- D** iron and steel

40 The results of tests on three gases, X, Y and Z, are shown.

test	X	Y	Z
aqueous potassium manganate(VII)	purple to colourless	no change	no change
damp red litmus paper	no change	turns blue	no change
lighted splint	no change	no change	pops

What are X, Y and Z?

	X	Y	Z
A	chlorine	sulfur dioxide	hydrogen
B	chlorine	sulfur dioxide	oxygen
C	sulfur dioxide	ammonia	oxygen
D	sulfur dioxide	ammonia	hydrogen

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																				
I	II											III	IV	V	VI	VII	VIII			
<div>3 Li lithium 7</div>		<div>1 H hydrogen 1</div>												<div>2 He helium 4</div>						
		<div>Key</div>																		
		<div>atomic number atomic symbol name relative atomic mass</div>																		
<div>4 Be beryllium 9</div>	<div>12 Mg magnesium 24</div>													<div>5 B boron 11</div>	<div>6 C carbon 12</div>	<div>7 N nitrogen 14</div>	<div>8 O oxygen 16</div>	<div>9 F fluorine 19</div>	<div>10 Ne neon 20</div>	
<div>11 Na sodium 23</div>	<div>18 Ar argon 40</div>													<div>13 Al aluminium 27</div>	<div>14 Si silicon 28</div>	<div>15 P phosphorus 31</div>	<div>16 S sulfur 32</div>	<div>17 Cl chlorine 35.5</div>	<div>18 Ar argon 40</div>	
<div>19 K potassium 39</div>	<div>20 Ca calcium 40</div>	<div>21 Sc scandium 45</div>	<div>22 Ti titanium 48</div>	<div>23 V vanadium 51</div>	<div>24 Cr chromium 52</div>	<div>25 Mn manganese 55</div>	<div>26 Fe iron 56</div>	<div>27 Co cobalt 59</div>	<div>28 Ni nickel 59</div>	<div>29 Cu copper 64</div>	<div>30 Zn zinc 65</div>	<div>31 Ga gallium 70</div>	<div>32 Ge germanium 73</div>	<div>33 As arsenic 75</div>	<div>34 Se selenium 79</div>	<div>35 Br bromine 80</div>	<div>36 Kr krypton 84</div>			
<div>37 Rb rubidium 85</div>	<div>38 Sr strontium 88</div>	<div>39 Y yttrium 89</div>	<div>40 Zr zirconium 91</div>	<div>41 Nb niobium 93</div>	<div>42 Mo molybdenum 96</div>	<div>43 Tc technetium —</div>	<div>44 Ru ruthenium 101</div>	<div>45 Rh rhodium 103</div>	<div>46 Pd palladium 106</div>	<div>47 Ag silver 108</div>	<div>48 Cd cadmium 112</div>	<div>49 In indium 115</div>	<div>50 Sn tin 119</div>	<div>51 Sb antimony 122</div>	<div>52 Te tellurium 128</div>	<div>53 I iodine 127</div>	<div>54 Xe xenon 131</div>			
<div>55 Cs caesium 133</div>	<div>56 Ba barium 137</div>	<div>57–71 lanthanoids</div>				<div>72 Hf hafnium 178</div>	<div>73 Ta tantalum 181</div>	<div>74 W tungsten 184</div>	<div>75 Re rhenium 186</div>	<div>76 Os osmium 190</div>	<div>77 Ir iridium 192</div>	<div>78 Pt platinum 195</div>	<div>79 Au gold 197</div>	<div>80 Hg mercury 201</div>	<div>81 Tl thallium 204</div>	<div>82 Pb lead 207</div>	<div>83 Bi bismuth 209</div>	<div>84 Po polonium —</div>	<div>85 At astatine —</div>	<div>86 Rn radon —</div>
<div>87 Fr francium —</div>	<div>88 Ra radium —</div>	<div>89–103 actinoids</div>				<div>104 Rf rutherfordium —</div>	<div>105 Db dubnium —</div>	<div>106 Sg seaborgium —</div>	<div>107 Bh bohrium —</div>	<div>108 Hs hassium —</div>	<div>109 Mt meitnerium —</div>	<div>110 Ds darmstadtium —</div>	<div>111 Rg roentgenium —</div>	<div>112 Cn copernicium —</div>	<div>113 Nh nihonium —</div>	<div>114 Fl flerovium —</div>	<div>115 Mc moscovium —</div>	<div>116 Lv livermorium —</div>	<div>117 Ts tennessine —</div>	<div>118 Og oganesson —</div>

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).