Cambridge IGCSE[™]

CHEMISTRY

Paper 2 Multiple Choice (Extended)

October/November 2023 45 minutes

0620/23

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.


1 A sample of a gas occupies 340 cm^3 at room temperature and pressure.

The temperature and pressure are both increased, but the volume occupied by the gas remains 340 cm³.

Which row describes what happens to the particle speed and the average distance between the particles in the gas when the temperature and pressure are both increased?

	particle speed	average distance between particles
Α	unchanged	unchanged
в	unchanged	increased
С	increased	unchanged
D	increased	increased

- 2 Which statements about the rate of diffusion of the gases ammonia, carbon monoxide, nitrogen and oxygen are correct?
 - 1 Nitrogen and carbon monoxide will diffuse at the same rate.
 - 2 Oxygen will diffuse slowest because it is an element, whereas the others are compounds.
 - 3 Ammonia will diffuse fastest.
 - **A** 1 and 2 **B** 1 and 3 **C** 1 only **D** 2 and 3
- **3** The structure of an atom of element X is shown.



What is element X?

- A boron
- B carbon
- C sodium
- D sulfur

- 4 Which statement explains why isotopes of an element have the same chemical reactions?
 - **A** They have different numbers of neutrons.
 - **B** They have ions with different numbers of electrons.
 - **C** They have the same number of outer shell electrons.
 - **D** They have the same number of protons.
- **5** Magnesium reacts with oxygen to form magnesium oxide.

What happens to magnesium atoms and oxygen atoms during this reaction?

- A Magnesium and oxygen share two electrons.
- **B** Magnesium gains two electrons and oxygen loses two electrons.
- **C** Magnesium loses one electron and oxygen gains one electron.
- **D** Magnesium loses two electrons and oxygen gains two electrons.
- 6 Which row about the properties of both diamond and silicon(IV) oxide is correct?

	conductor of electricity	type of molecule
Α	yes	giant covalent
В	yes	simple covalent
С	no	giant covalent
D	no	simple covalent

7 The equation represents the reaction between solid magnesium oxide and dilute hydrochloric acid to form magnesium chloride and water.

 $MgO + 2HCl \rightarrow MgCl_2 + H_2O$

Which row shows the state symbols for hydrochloric acid, magnesium chloride and water?

	HCl	MgCl ₂	H ₂ O
Α	(aq)	(aq)	(I)
в	(aq)	(I)	(I)
С	(I)	(aq)	(aq)
D	(I)	(I)	(aq)

- 8 Which substance is a mixture?
 - A air
 - **B** graphite
 - **C** oxygen
 - **D** water
- 9 The number of moles of atoms X, Y and Z, in a compound, are shown.

atom	moles
Х	0.6
Y	1.2
Z	0.3

What is the formula of the compound?

- $\textbf{A} \quad XY_2Z_4 \qquad \textbf{B} \quad XY_4Z_2 \qquad \textbf{C} \quad X_2YZ_4 \qquad \textbf{D} \quad X_2Y_4Z$
- **10** 1.0 mol of silver nitrate, AgNO₃, contains 1.2×10^{24} ions.

How many ions are there in 0.25 mol of iron(III) oxide, Fe₂O₃?

A 1.5×10^{23} **B** 3.0×10^{23} **C** 7.5×10^{23} **D** 3.0×10^{24}

Concentrated aqueous magnesium bromide is electrolysed using carbon electrodes.Which equations represent the reactions occurring at each electrode?

	positive electrode	negative electrode
Α	$2Br^{-}(aq) \rightarrow Br_{2}(aq) + 2e^{-}$	$2H^{+}(aq)$ + $2e^{-} \rightarrow H_{2}(g)$
в	$2H^{+}(aq)$ + $2e^{-} \rightarrow H_{2}(g)$	$2O^{2-}(aq) \rightarrow O_2(aq) + 4e^-$
С	$\mathrm{Mg}^{2+}(\mathrm{aq})$ + $2\mathrm{e}^{-} \rightarrow \mathrm{Mg}(\mathrm{s})$	$2Br^{-}(aq) \rightarrow Br_2(aq) + 2e^{-}$
D	$2O^{2-}(aq) \rightarrow O_2(aq) + 4e^-$	$Mg^{2+}(aq) + 2e^{-} \rightarrow Mg(s)$

12 Aqueous copper(II) sulfate is electrolysed using carbon electrodes.


Which statement is correct?

- A Bubbles of hydrogen gas are formed at the anode.
- **B** Bubbles of oxygen gas are formed at the cathode.
- **C** Copper is deposited at the anode.
- **D** The blue colour of the solution fades.

13 When water is added to anhydrous iron(III) chloride, $FeCl_3$, hydrated iron(III) chloride, $FeCl_3 \cdot 6H_2O$, is formed and energy is given out.

 $FeCl_3 + 6H_2O \rightleftharpoons FeCl_3 \cdot 6H_2O$

Which reaction pathway diagram represents the formation of anhydrous iron(III) chloride in the **reverse** reaction?



14 Ethene reacts with hydrogen. The equation is shown.

$$C_2H_4 \ + \ H_2 \ \rightarrow \ C_2H_6$$

The bond energies are shown.

bond	bond energy in kJ/mol			
C–C	+350			
C=C	+610			
C–H	+410			
H–H	+436			

What is the energy change for the reaction?

A -560 kJ/mol B -124 kJ/mol C +486 kJ/mol D +5496 kJ/mol

15 Statements about four different acids are listed.

- A 0.0100 mol/dm³ solution of hydrochloric acid has a pH of 2.
- A 0.0100 mol/dm³ solution of ethanoic acid has a pH of 3.4.
- Hydrobromic acid, HBr, is a strong acid.
- Ethanoic acid is a slightly stronger acid than trimethylethanoic acid.

What are the pH values of 0.0100 mol/dm³ HBr and 0.0100 mol/dm³ trimethylethanoic acid?

	pH of 0.0100 mol/dm ³ HBr	pH of 0.0100 mol/dm ³ trimethylethanoic acid
Α	2	3.3
в	2	3.5
С	3.4	3.3
D	3.4	3.5

16 Anhydrous cobalt(II) chloride is blue and turns pink when water is added.

How is this reaction reversed?

- A adding dilute acid
- **B** filtering
- **C** heating
- **D** cooling

17 The reaction between hydrogen and nitrogen is reversible.

The forward reaction is exothermic.

 $N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$

Which change to the conditions would increase the yield of ammonia?

- **A** add a catalyst
- B increase the pressure
- **C** increase the temperature
- **D** reduce the concentration of nitrogen
- **18** Ethanol can be turned into ethanoic acid by passing it over hot copper(II) oxide.

$$CH_3CH_2OH + 2CuO \rightarrow CH_3COOH + H_2O + 2Cu$$

What is this type of reaction?

- **A** precipitation
- **B** redox
- C thermal decomposition
- D neutralisation
- **19** When heated strongly, silicon(IV) oxide reacts with carbon.

 SiO_2 + 2C \rightarrow Si + 2CO

Which term describes what happens to silicon(IV) oxide?

- A thermal decomposition
- **B** neutralisation
- **C** oxidation
- D reduction
- 20 Which statement about aqueous weak acids is correct?
 - A Weak acids are always dilute aqueous solutions.
 - **B** Weak acids dissociate fully in aqueous solution.
 - **C** When a weak acid is added to blue litmus paper, it stays blue.
 - **D** When a weak acid is added to solid magnesium, effervescence is seen.

21 Which oxides are basic?

- 1 calcium oxide
- 2 sodium oxide
- 3 iron(II) oxide
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 2 and 3 only **D** 3 only
- 22 Zinc oxide is an amphoteric oxide.

Zinc oxide is added to excess dilute hydrochloric acid.

Zinc oxide is added to excess aqueous sodium hydroxide.

Which row describes the observations made in these reactions?

	excess dilute hydrochloric acid	excess aqueous sodium hydroxide
Α	colourless solution forms	colourless solution forms
в	colourless solution forms	no visible change
С	fizzing	colourless solution forms
D	fizzing	no visible change

23 Which row shows properties of an element that is in the same group of the Periodic Table as lithium?

	electrical conductivity	density in g/cm ³
Α	high	0.97
В	high	8.93
С	low	0.07
D	low	3.12

24 The elements in Group VII include chlorine, bromine and iodine.

Which statements are correct?

- 1 Iodine is more dense than chlorine.
- 2 Iodine displaces chlorine from a solution containing chloride ions.
- 3 Bromine is a diatomic non-metal.
- 4 Chlorine gas is darker in colour than bromine vapour.
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

0620/23/O/N/23

25 Cobalt is a transition element.


What is a property of cobalt?

- **A** It can form coloured compounds.
- **B** It is a poor electrical conductor.
- **C** It has a low density.
- **D** It has a low melting point.
- 26 Which metal has variable oxidation numbers?
 - **A** aluminium
 - B calcium
 - **C** copper
 - D sodium
- 27 Which statement about alloys is correct?
 - **A** Alloys are pure metal elements.
 - B At least two or more metals react together to make alloys.
 - **C** Alloys can be harder and stronger than a pure metal.
 - **D** Steel is **not** an alloy because it can contain the non-metal carbon.
- **28** A metal M is between sodium and magnesium in the reactivity series.

Which reactions occur with M and its oxide?

	M reacts with steam	M can be extracted by heating its oxide with carbon
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

29 The diagrams show experiments to investigate rusting of iron nails.



- **30** Which equation represents a reaction that takes place when iron is extracted from its ore in the blast furnace?
 - **A** CaO + SiO₂ \rightarrow CaSiO₃
 - **B** CaO + CO₂ \rightarrow CaCO₃
 - $\textbf{C} \quad 2\text{CO} \rightarrow \text{C} + \text{CO}_2$
 - $\textbf{D} \quad 2\text{Fe} \ \textbf{+} \ 3\text{CO}_2 \ \rightarrow \ \text{Fe}_2\text{CO}_3 \ \textbf{+} \ 3\text{CO}$
- **31** Some uses of water are listed.
 - 1 for drinking
 - 2 in chemical reactions
 - 3 in swimming pools
 - 4 in washing

For which uses is it necessary to chlorinate the water?

Α	1 and 2	В	1 and 3	С	2 and 4	D	3 and 4
---	---------	---	---------	---	---------	---	---------

32 Oxides of nitrogen are formed in car engines and are a source of air pollution.

To decrease this pollution, catalytic converters are fitted to car exhausts.

What happens to the oxides of nitrogen in the catalytic converter?

- A combustion
- B cracking
- **C** oxidation
- **D** reduction
- 33 Which pair of compounds are structural isomers of each other?
 - A CH₃CH₂CH₃ and CH₃CH₂CH₂CH₃
 - **B** CH₂=CHCH₃ and CH₃CH=CH₂
 - **C** $CH_2(OH)CH_2CH_3$ and $CH_3CH_2CH_2OH$
 - **D** CH₃CH₂CH₂COOH and CH₃COOCH₂CH₃
- 34 Methane reacts with chlorine in sunlight.

 $CH_4 + Cl_2 \rightarrow CH_3Cl + HCl$

Which statements about this reaction are correct?

- 1 It is a substitution reaction.
- 2 It is an addition reaction.
- 3 It is a photochemical reaction.
- 4 It is catalysed by nickel.
- **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4
- **35** Propene reacts with bromine to give one product only.

What is the formula of the product?

- **A** $CH_3CH_2CHBr_2$
- **B** CH₂BrCH₂CH₂Br
- C CH₃CHBrCH₂Br
- $\textbf{D} \quad CH_3CH_2CH_2Br$

36 Ethanol can be manufactured by fermentation or by the catalytic addition of steam to ethene.

Which statements describe an advantage of manufacturing ethanol by fermentation?

- 1 The yield of ethanol is low.
- 2 The method uses a batch process.
- 3 The process takes place at a lower temperature.
- 4 The ethanol is made from a renewable source.
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4
- **37** A compound with the formula $CH_3COOC_2H_5$ is formed from ethanol in two separate reactions.


reaction 1 Ethanol reacts to form ethanoic acid.

reaction 2 Ethanoic acid and ethanol react together to form CH₃COOC₂H₅.

Which row describes reaction 1 and reaction 2?

	reaction 1	reaction 2
Α	oxidation	ester formation
в	oxidation	addition
С	reduction	ester formation
D	reduction	addition

38 The flow diagram shows how poly(ethene) may be made from petroleum.



What are stages 1, 2 and 3?

	1	2	3
Α	cracking	polymerisation	fractional distillation
в	cracking	fractional distillation	polymerisation
С	fractional distillation	cracking	polymerisation
D	fractional distillation	polymerisation	cracking

39 $R_{\rm f}$ values are used to identify unknown substances using paper chromatography.

Which statements about $R_{\rm f}$ values are correct?

- 1 $R_{\rm f}$ values are always less than 1.0.
- 2 $R_{\rm f}$ value = distance travelled by solvent ÷ distance travelled by unknown substance.
- 3 The higher the $R_{\rm f}$ value, the further the unknown substance travels.
- 4 $R_{\rm f}$ values are **not** affected by the solubility of the unknown substance.
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 3 and 4
- 40 The results of some tests on an aqueous solution of substance X are listed.
 - 1 A cream precipitate is produced when adding aqueous silver nitrate.
 - 2 Adding aqueous sodium hydroxide produces a green precipitate which dissolves in excess alkali.
 - 3 Adding aqueous ammonia produces a green precipitate which is insoluble in excess ammonia.

What is substance X?

- A chromium(III) bromide
- B chromium(III) chloride
- **C** iron(II) bromide
- **D** iron(II) chloride

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

 $\begin{array}{c} & 2 \\ \text{Hermitian} \\ \text{Hermit$ \parallel $\begin{array}{c|c} & 9 \\ \text{flucture} & \text{flucture} \\ 19 \\ 10 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 35.5 \\ 127$ ₹ $\begin{array}{c|c} & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ &$ \leq A A Introgen Introgen Introgen Introgen Introgen A Integration > $\begin{array}{c} \mbox{$6$} & \mbox{$6$} \\ \mbox{$12$} & \mbox{$12$} \\ \mbox{$12$} & \mbox{$28$} \\ \mbox{$28$} & \mbox{$28$} \\ \mbox{$28$} & \mbox{$28$} \\ \mbox{$28$} & \mbox{$28$} \\ \mbox{$28$} & \mbox{$28$} \\ \mbox{$29$} & \mbox{$28$} \\ \mbox{$20$} & \mbox{$29$} \\ \mbox{$20$} & \mbox{$20$} \\ \mbox{$20$} & \mbox{$20$$ \geq $\begin{array}{c} 5 \\ \text{boron} \\ \text{boron} \\ 111 \\ 111 \\ 115 \\ 115 \\ 115 \\ 115 \\ 115 \\ 115 \\ 115 \\ 115 \\ 115 \\ 113$ \equiv Group 26 iron iron 56 56 56 76 76 76 101 101 108 190 190 190 - T ¹ 25 An Mn 55 55 75 75 75 75 75 107 107 107 107 atomic symbol name relative atomic mass atomic number Key 21 SC 45 45 39 39 yttrium 89 57–71 39–103 actinoids A Beryllium beryllium beryllium beryllium beryllium beryllium beryllium agnesium agnesium agnesium beryllium berylli = $\begin{array}{c} \text{If the time transform} & \text{If the time transform} \\ \text{If the time transform} & \text{If transfor$

0620/23/O/N/23

Lu utetium 175 103 **Lr** wrencium Herbium 173 102 NO Obelium thulium 169 101 3ndelevium arbium 167 167 167 arbium arb holmium 165 99 99 insteinium VSprosium 163 98 98 163 -Tb terbium 159 97 97 BK Darkelium adolinium 157 96 CM -Eu auropium 152 95 Am mericium Sm 150 94 Pu Pu -omethium 93 93 93 eodymium 144 0 238 238 Pr aseodymiurr 141 91 91 91 231 231 Centum 140 90 90 90 232 232 La anthanum 139 89 89 actinium anthanoids actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

© UCLES 2023

The Periodic Table of Elements

16