
	Candidate Number Name	www.dynamicpapers.com
	CAMBRIDGE INTERNATION	VAL EXAMINATIONS
Inte	ernational General Certificate	•
PHYSICS		0625/06
Paper 6 Alte	ernative to Practical	May/June 2003
		-
	swer on the Question Paper. Iaterials are required.	1 hour
Write in dark blue or bla You may use a soft per Do not use staples, pap Answer all questions. At the end of the exami	OCTIONS FIRST per, candidate number and name of ack pen in the spaces provided on noil for any diagrams, graphs or rou per clips, highlighters, glue or corre nation, fasten all your work secure s given in brackets [] at the end of	the Question Paper. ugh working. oction fluid. ly together.
		For Examiner's Use
		For Examiner's Use
f you have been given a	a label, look at the	
details. If any details are	e incorrect or	1
details. If any details are missing, please fill in yo	e incorrect or our correct details	1 2
If you have been given a details. If any details are missing, please fill in yo in the space given at the Stick your personal labe	e incorrect or our correct details e top of this page.	1 2 3
details. If any details are missing, please fill in yo in the space given at the	e incorrect or our correct details e top of this page.	1 2 3 4
details. If any details are missing, please fill in yo in the space given at the Stick your personal labe provided.	e incorrect or our correct details e top of this page.	1 2 3 4 5 Total

1 A student carried out an experiment to find the spring constant of a steel spring. The apparatus is shown in Fig. 1.1.





The student recorded the unstretched length l_0 of the spring. Then she added loads *W* to the spring, recording the new length *l* each time. The readings are shown in the table below.


W/N	l/mm	e/mm	l ₀ = 30 mm
0	30		
1	32		
2	33		
3	36		
4	39		
5	40		
6	42		

(a) Calculate the extension e of the spring produced by each load, using the equation

$$e = (l - l_0).$$

Record the values of *e* in the table.

[2]



2 An IGCSE student was investigating the passage of red light through a prism. Fig. 2.1 shows the outline of the prism and an incident ray.




Fig. 2.1

(a) Measure the angle of incidence *i* shown in Fig. 2.1.

i =[1]

- (b) The angle of refraction as the ray entered side **AB** of the prism was 22°.
 - (i) On Fig. 2.1, draw in the refracted ray from point **D** as accurately as possible.
 - (ii) Mark the point E, where the ray meets side AC. Draw the normal at point E.

[4]

- (c) At point E the ray came out of the prism with an angle of refraction of 75°. On Fig. 2.1, draw as accurately as possible the ray coming out of the prism. [1]
- (d) Another student used four optics pins to trace the passage of a ray through a prism. Fig. 2.2 shows the prism, the position of the student's eye and the directions of the ray.




Fig. 2.2

On Fig. 2.2, show positions of the four optics pins, placed to obtain as accurate a result as possible. Mark each position clearly with a cross (X). [2]

For Examiner's

In an electrical experiment, a student set up a circuit to measure current and potential difference. Part of the circuit is shown in Fig. 3.1.

5

3




Fig. 3.1

- (a) (i) Complete the circuit diagram by drawing in a voltmeter connected across the lamp.
- (b) The first reading on the voltmeter was 2.2 V. On the voltmeter face shown in Fig. 3.2, show the position of the pointer giving the reading 2.2 V.




Fig. 3.2

[1]

(c) The readings of V and I obtained by the student are given in the table below.

V/	Ι/	R/
2.2	0.36	
4.1	0.62	
6.0	0.86	
7.9	0.98	
9.8	1.20	

(i) Calculate the resistance *R* of the lamp filament for each set of *V* and *I* readings and write the values in the table. Use the equation

$$R = \frac{V}{I}$$
.

(ii) Complete the column headings in the table.

[6]

4 An IGCSE class watched a demonstration experiment to show that a metal rod expands when heated. The apparatus is shown in Fig. 4.1.




Fig. 4.1

When the rod expands, it rolls the pin which moves the pointer. So a very small expansion moves the pointer far enough to be seen clearly.

(a) One student wanted to find out how much longer the rod became when heated above room temperature with a Bunsen burner. The rod was 0.750 m long at room temperature.

To find the circumference of the pin, the student wrapped a piece of string 10 times round the pin, marked the string at the beginning and end of the 10 turns, and then measured the length of the string between the marks. Fig. 4.2 shows the string actual size.






(i) Use your rule to measure the distance *x* between the marks on the string on Fig. 4.2.

x =


(ii) Calculate the circumference *c* of the pin.

c =[3]

6




- For Examiner's Use
- **5** A student was asked to carry out an experiment to compare the insulating properties of cotton wool, cardboard and polystyrene. The apparatus provided was hot water, a thermometer, a stopclock and a copper can with a lid, as shown in Fig. 5.1.





The student wrapped one of the insulators around the can, poured hot water into the can, and then took temperature and time readings as the water cooled. This was then repeated for each insulator. The graph in Fig. 5.2 shows how the student displayed his readings.





(a) (i) Using the information on the graph, which material appears to be the best insulator?

.....

(ii) Justify your answer by referring to the information on the graph.

[2]

www.dynamicpapers.com

For

Use

[3]

Examiner's (b) In this experiment, it is important to control the variables. Suggest three variables that the student should keep constant for this experiment. 1. 2. 3.

BLANK PAGE

BLANK PAGE

BLANK PAGE