Location Entry Codes



As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

Question Paper

Introduction First variant Question Paper Second variant Question Paper

Mark Scheme

| Introduction |
|----------------------------|
| First variant Mark Scheme |
| Second variant Mark Scheme |

Principal Examiner's Report

| Introduction |
|---|
| First variant Principal Examiner's Report |
| Second variant Principal Examiner's Report |

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2009 question paper for the guidance of teachers

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – May/June 2009 | 0625 | 31 |

Notes about Mark Scheme Symbols and Other Matters

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

| | Page 3 Mark Scheme: Teachers' version Syllabus | | | | | | | | | | |
|---|--|--|----------------------|------|--|--|--|--|--|--|--|
| | Page 3 | | Paper | , | | | | | | | |
| | | IGCSE – May/June 2009 0625 | 31 | | | | | | | | |
| 1 | start sto | ero on stopwatch OR repeat OR other sensible precaution opwatch at some recognisable point in the cycle opwatch after at least 10 cycles OR count no. of cycles in at least 10 sme by number of cycles | B1 B1 B1 B1 | [4] | | | | | | | |
| 2 | (a) wat | er AND liquids expand more than solids | B1 | | | | | | | | |
| | • | el eel) expands at same rate / has same expansion (as concrete) erent expansion AND cracks / breaks / damages / destroys concrete | M1 A1 A1 | [4] | | | | | | | |
| 3 | (a) (i) (ii) | straight line OR constant gradient / slope OR change in speed with time constant OR speed proportional to time increase in velocity / time OR $a = v/t$, symbols, words or numbers 0.75 m/s ² | B1 C1 A1 | | | | | | | | |
| | (b) (i) (ii) | decreases OR acceleration slows (down) NOT 'it slows down' equal to forward / downward force / force down slope OR constant / maximum OR (giving) no resultant force equal to component of weight (down slope) | C1 C1 A1 | | | | | | | | |
| | (iii) | graph starting at origin curved from start AND decreasing gradient AND horizontal final part label A on any correct curved region label B on horizontal region | B1 B1 B1 B1 | [10] | | | | | | | |
| 4 | (a) (i) | (note: diagram may be drawn in any orientation) sides correct length, by eye forces drawn at 45°, by eye parallelogram completed correct diagonal drawn / correct resultant if intersecting arcs shown | B1 B1 B1 B1 | | | | | | | | |
| | (ii) | magnitude: between 5500 N and 5700 direction: between 28° and 32° | B1 B1 | | | | | | | | |
| | (b) (i) | it has direction (as well as magnitude) | B1 | | | | | | | | |
| | (ii) | any example which is clearly a vector | B1 | [8] | | | | | | | |

| | Page 4 | 1 | Mark Scheme: Teachers' version | Syllabus | Pape | r |
|---|---------------|--------|---|--------------|----------|------|
| | | | IGCSE – May/June 2009 | 0625 | 31 | |
| 5 | (a) (i) | ½m | | | C1 | |
| | | | 7500 × 12 × 12 000 J OR 540 kJ | | C1 A1 | |
| | | 340 | 0003 OK 340 k3 | | AI | |
| | (ii) | W= | E/t in any form | | B1 | |
| | | | o × his (a) | | C1 | |
| | | 54 0 | 000 W OR 54 kW e.c.f. | | A1 | |
| | | | | | | |
| | (b) (i) | 3750 | 0 kg | | B1 | |
| | (ii) | []f o | of from (i) and no other arrars maximum mark is 21 | | | |
| | (11) | mas | of from (i) and no other errors, maximum mark is 2] is: $\frac{1}{2}$ OR correct sub in $\frac{1}{2}mv^2$ | | C1 | |
| | | | ed: ½ OR 6750 (J) | | C1 | |
| | | fract | tion = ½ / 0.125 / 1:8 ? 12.5 % (c.a.o.) | | A1 | [10] |
| | | | | | | |
| 6 | (a) (i) | P = | F/A in any form, letters, words or numbers | | C1 | |
| Ū | (α) (ι) | | × 10 ⁶ Pa accept N/m ² | | A1 | |
| | | | • | | | |
| | (ii) | 84 N | N OR 84.0 N | | B1 | |
| | (iii) | sam | <u>le force</u> over (much) smaller area | | В1 | |
| | ` , | | ch) bigger pressure | | B1 | |
| | | | | | | |
| | (b) (i) | P = | hdg in any form, letters, words or numbers | | C1 | |
| | (D) (I) | | 10 ⁴ Pa OR 30 000 Pa OR 30 kPa accept N/m ² | | A1 | |
| | | | | | | |
| | (ii) | his (| (i) | | B1 | [8] |
| | | | | | | |
| 7 | (a) To | al pei | nalty for use of 'particles' rather than 'molecules' is 1 | mark. | | |
| | , | | | | | |
| | (i) | | of some molecules gaining more KE | | B1 | |
| | | mois | s overcome attractive forces OR mols break free of | surrace | B1 | |
| | (ii) | area | ater area | | B1 | |
| | (, | | e mols escape (in given time) | | B1 | |
| | | | | | | |
| | (iii) | | ease temperature / supply more heat / make hotter |) | D4 - D4 | |
| | | | v air across surface, or equiv. uce humidity |) any 2 | B1 + B1 | |
| | | | rease pressure |) | | |
| | | | | , | | |
| | /I- \ | 4 | an and a form shall be a CD for the | 4: - | | |
| | | | raporates from cloth / water OR faster / more energ | letic / | | |
| | | | es evaporate rgetic mols left behind |) | | |
| | | | o evaporate taken from milk |)) any 3 | B1 × 3 | |
| | eva | aporat | tion produces cooling |) , | _ | |
| | ide | a of c | loth always being damp by soaking up water |) | | [9] |
| | | | | | | |

| Page 5 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – May/June 2009 | 0625 | 31 |

| 8 | (a) | | dium A because angle in air is bigger OR angle in A is smaller OR | | |
|---|-----|-----------|--|----|-----|
| | | | acts / bends away from normal / angle of refraction greater than angle ncidence / total internal reflection only occurs in denser medium | B1 | |
| | (b) | air: | light travels faster in less dense medium OR air: air is less dense / rarer | B1 | |
| | (c) | 42° | –43° | B1 | |
| | (d) | tota | Il internal reflection | B1 | |
| | (e) | | sin i / sin r OR n = sin r / sin i OR 1.49 = sin i / sin 35 ow 1.49 or refractive index instead of <i>n</i> in any of above) | C1 | |
| | | | 719° to at least 2 s.f. Allow 58.71° | A1 | |
| | (f) | n = OR | speed in air / speed in medium in any arrangement 1.49 = 3.0 × 10 ⁸ / speed in medium A | C1 | |
| | | 2.0 | 1343 × 10 ⁸ m/s to at least 2 s.f. | A1 | [8] |
| 9 | (a) | | -wave rectification clearly indicated (any wave shape, repeated): east 2 humps with all spaces more than half width of hump, by eye. | B1 | |
| | (b) | (i) | A (c.a.o.) | M1 | |
| | | (ii) | For answers A and B only in (i), not C or D : | | |
| | | | Route to resistor: correct arrow on one downwards diode and nothing wrong on this route | B1 | |
| | | | Route from resistor: correct arrow on one downwards diode and nothing wrong on this route | B1 | [4] |

| | Pa | ge 6 | i | | Ma | rk Sc | heme: | Tea | acher | s' vei | rsion | ** | | Syllab | ncpa ous | | Pape | |
|----|-----|------------|---|------------------|-----------------|----------------|---------------------------------|------------------|-------------------------|---|------------------------------------|--------|--------------------------------------|-------------------|-------------|----|----------------------|------|
| | | J | | | | | SE - N | | | | | | | 062 | | | 31 | |
| 10 | (a) | (i) | 0 (A) | / zero | . Un | it pen | alty if v | wror | ng uni | t | | | | | | | В1 | |
| | | (ii) | 12 V | | | | | | | | | | | | | | В1 | |
| | (b) | (i) | V / R 0.5 A | | V = 1 | rR in a | any fori | m, le | etters, | , word | ls or n | umbe | ers | | | | C1 A1 | |
| | | (ii) | 8 × ca 4 V C | | | | R 8/24 | 1 × ′ | 12 | | | | | | | | C1 A1 | |
| | (c) | 5.3 12 | R ₁ + 1/ <i>F</i> (Ω) O / candi 5 A c.a | OR 5½ idate's | (Ω) ε | | | | (R ₁ +) | R_{2}) in | any fo | orm | | | | | B1 C1 C1 A1 | |
| | | Alte | ernative | | 12/16 Curre | | 75) Al dded | | | | 5) | | | | | | C1 C1 C1 A1 | [10] |
| 11 | (a) | igno β | (use v | and 4th √ + × | h colu = 0 1 | umns for ex | ainst α ticked tras) i.e | 1 1 2 2 | corre corre corre | ect, no ect, 1 v ect, 1 v ect, 2 d | othing wrong wrong or 3 w | | 2 ma 1 ma 1 ma 1 ma 0 ma | ırk ırk ırk | | B1 | + B1 B1 | |
| | (b) | top dov | a of in to bott vn the ore dov | ttom o page | f the | page | OR o | ppo | site d | lirection | on of c | deflec | tion o | | | | C1 A1 | [5] |

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2009 question paper for the guidance of teachers

0625 PHYSICS

0625/32

Paper 32 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – May/June 2009 | 0625 | 32 |

Notes about Mark Scheme Symbols and Other Matters

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

www.dynamicpapers.com
Syllabus Paper

| | Page 3 Mark Scheme: Teachers' version Syllabus | | | | | | | |
|---|--|--|---|--------------------|----------------|-----|--|--|
| | rd | ye ə | IGCSE – May/June 2009 | 0625 | Paper 32 | | | |
| 1 | (a) | (vernier) NOT ver | 0023 | B1 | | | | |
| | (b) | measure close ins not too ti for micro check / s | maximum 3 e thickness of several pieces together AND divide by strument on to plastic ight ometer / callipers read both scales set /allow for zero reading error an / average of several readings | / number of pieces | В3 | [4] | | |
| 2 | (a) | water AN | ND liquids expand more than solids | | B1 | | | |
| | (b) | | xpands at same rate / has same expansion (as condexpansion AND cracks / breaks / damages / destro | | M1 A1 A1 | [4] | | |
| 3 | (a) | 10 m/s ² | OR 9.8 m/s ² OR 9.81 m/s ² OR 9.80 m/s ² | | B1 | | | |
| | (b) | gradient | / slope decreased OR graph becomes less steep | / flatter | B1 | | | |
| | (c) | | tance / drag was increasing d was increasing | | M1 A1 | | | |
| | (d) | (i) cons | stant | | B1 | | | |
| | | ` ' | esultant force / force up = force down / weight = air es (up and down) balance / opposite forces equal | resistance / | B1 | | | |
| | (e) | В | | | B1 | | | |
| | (f) | (upward | r resistance / air resistance bigger than weight force not acceptable) rea (due to open parachute) | | B1 B1 | [9] | | |

| | Page 4 | 4 | | Mark | Scheme | : Teach | ers' versi | on | Sylla | bus | Pape | r |
|---|---------|--------------------------------|--|---|--|----------------------|---------------------|------------|-----------|-----|----------------|------|
| | | | | | GCSE - | May/Jur | ne 2009 | | 062 | 25 | 32 | |
| 4 | (a) (i) | side force para corre | es correctes drawr allelogranect diago | ct leng n at 45 nm com jonal d | th, by ey 5°, by ey npleted rawn / co | e e orrect res | | · | arcs show | n | B1 B1 B1 | |
| | (ii) | dire | ction: | betwe | een 28° a | | | | | | B1 B1 | |
| | (b) (i) | it ha | ıs directi | ion (as | s well as | magnitud | de) | | | | B1 | |
| | (ii) | any | example | e whic | h is clea | rly a vect | tor | | | | B1 | [8] |
| 5 | (a) (i) | ½ × | v ² 7500 × 000 J C | | | | | | | | C1 C1 A1 | |
| | (ii) | 10% | <i>Elt</i> in ar ‰ × his (a 000 W O | a) | m kW e.c.f | : | | | | | B1 C1 A1 | |
| | (b) (i) | 3750 | 0 kg | | | | | | | | B1 | |
| | (ii) | mas spe | ss: ½ OF ed: ½ O | R corr | rect sub 50 (J) | | | mark is 2] | | | C1 C1 A1 | [10] |
| 6 | (a) (i) | <i>P</i> = 1.4 : | <i>F/A</i> in a × 10 ⁶ Pa | any for a acce | m, letter ept N/m² | s, words | or numbe | ers | | | C1 A1 | |
| | (ii) | 84 N | N OR 84 | 4.0 N | | | | | | | В1 | |
| | (iii) | | ne force ch) bigge | | | naller are | ea | | | | B1 B1 | |
| | (b) (i) | | | | | | or numbe kPa acc | | | | C1 A1 | |
| | (ii) | cand | didate's | (i) | | | | | | | B1 | [8] |

A1 [8]

| Page 5 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – May/June 2009 | 0625 | 32 |

| | | | IGCSE – Iviay/Julie 2009 | 0025 | 32 | | |
|---|-----|--|---|--------------------------------|----------|-----|--|
| 7 | (a) | Total penalty for use of 'particles' rather than 'molecules' is 1 mark. | | | | | |
| | | (i) | idea of some molecules gaining more KE mols overcome attractive forces OR mols break free of | surface | B1 B1 | | |
| | | (ii) | greater area more mols escape (in given time) | | B1 B1 | | |
| | | (iii) | increase temperature / supply more heat / make hotter blow air across surface, or equiv. reduce humidity decrease pressure |)) any 2) | B1 + B1 | | |
| | (b) | mol less ene eva | er evaporates from cloth / water OR faster / more energ ecules evaporate s energetic mols left behind ergy to evaporate taken from milk poration produces cooling a of cloth always being damp by soaking up water | etic))) any 3) | B1 × 3 | [9] | |
| 8 | (a) | medium A because angle in air is bigger OR angle in A is smaller OR refracts / bends away from normal / angle of refraction greater than angle of incidence / total internal reflection only occurs in denser medium | | B1 | | | |
| | (b) | air: | light travels faster in less dense medium OR air: air is le | ess dense / rarer | B1 | | |
| | (c) | 42° | –43° | | B1 | | |
| | (d) | tota | Il internal reflection | | B1 | | |
| | (e) | (allo | sin i / sin r OR $n = sin r / sin i$ OR $1.49 = sin i / sin 35$ ow 1.49 or refractive index instead of n in any of above) 719° to at least 2 s.f. Allow 58.71° | | C1 A1 | | |
| | (f) | OR | speed in air / speed in medium in any arrangement 1.49 = 3.0 × 10 ⁸ / speed in medium A 1343 × 10 ⁸ m/s to at least 2 s.f. | | C1 A1 | [8] | |

| Page 6 | Mark Scheme: Teachers' version | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | IGCSE – May/June 2009 | 0625 | 32 |

| 9 | (a) | half-wave rectification clearly indicated (any wave shape, repeated): at least 2 humps with all spaces more than half width of hump, by eye. | | | |
|----|-----|--|---|----------------|------|
| | (b) | (i) | A (c.a.o.) | M1 | |
| | | (ii) | For answers A and B only in (i), not C or D : Route to resistor: correct arrow on one downwards diode and nothing wrong on this route Route from resistor: correct arrow on one downwards diode and nothing wrong on this route | B1 B1 | [4] |
| 10 | (a) | (i) | 1 12 V 2 0 V | B1 B1 | |
| | | (ii) | both lamps off | B1 | |
| | (b) | (i) | 6 V | B1 | |
| | | (ii) | both lamps full / normal brightness, NOT dim | B1 | |
| | | (iii) | V = IR in any form 6/18 OR 12/36 e.c.f. from (b)(i) 0.33 A OR ⅓ A OR 0.3 A with indication of recurring | C1 C1 A1 | |
| | (c) | Ign 0.9 Iam too | propriate equation: $1/R = 1/R_1 + 1/R_2$ OR $(R_1 \times R_2) / (R_1 + R_2)$ OR 9Ω ore words product / sum Ω ups would blow) much voltage) any 1 much current) | C1 A1 B1 | [11] |
| 11 | (a) | igno β | ore any extra ticks against α 3rd and 4th columns ticked (use \checkmark + × = 0 for extras) i.e. 2 correct 2 marks 1 correct, nothing else 1 mark 1 correct, 1 wrong 1 mark 2 correct, 1 wrong 1 mark 2 correct, 2 or 3 wrong 0 marks 1st column ticked (use \checkmark + × = 0 for extras) | B1 + B1 B1 | |
| | (b) | top dov | a of in plane of page OR perpendicular to magnetic field to bottom of the page OR opposite direction of deflection of α OR on the page ore downwards. Ignore references to + or – plates, for both C1 and A1 | C1 A1 | [5] |