UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper

for the guidance of teachers

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0625	31

Notes about Mark Scheme Symbols and Other Matters

- B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o. means "correct answer only".
- e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o. means "each error or omission".
- brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

	Pa	ge 3	WW Mark Scheme: Teachers' version	w.dynamicpaj Syllabus	Paper	
	1 a	ye J	IGCSE – May/June 2010	0625	31	
1	(a)	constant	es / braking / decelerating) t / steady / nothing) all 3 es / accelerate)		B1	
	(b)	OR any	time in any form, symbols, numbers or words area under graph used or stated OR 24 (s) seen or used in correct context		C1 C1 A1	
	(c)	rate of cl	hange of speed OR gradient of graph OR 18/12		C1	
		18 (m/s) 1.5 m/s²	OR 12 (s) seen or used in correct context		C1 A1	
	(d)		adient / slope OR equal speed changes in equal tir aph symmetrical	mes OR	B1	[8]
2	(a)	½mv² O 405 000	$R \frac{1}{2} \times 900 \times 30^2$ J		C1 A1	
	(b)		listance OR 2000 x 30 J OR 60 kJ		C1 A1	
	(c)	60 000 V	N OR 60 000 J/s OR 60kW OR 60 kJ/s ecf from	ı (b)	B1	
	(d)	chemica	l		B1	
	(e)		energy loss / heat / sound / inefficiency / energy used ty of increase in P.E. Ignore work done against aga		B1	[7]
3	(a)		ment re-written to include force in first gap and <u>inver</u> onal to mass in second gap. NOT indirectly proportion		B1	
	(b)	F = ma	OR in words in any correct arrangement		B1	
	(c)	• •	ning OR continues as before OR same / constant ne / constant speed & direction OR no acceleration	velocity OR	B1	
		• •	a of retardation. Ignore stop. Ignore brakes. Ignore geosite direction	oes in	B1	
		• •	ves in (arc of a) circle or curve OR deflected OR tunges direction	urns OR	B1	[5]

					w.dynamicpap	ers.con	<u>۱</u>
	Pa	Page 4				Pape	r
				IGCSE – May/June 2010	0625	31	
4	(a)	mat	t blao	ck		B1	
	(b)	(i)	L do	own and R up, equal amounts (by eye)		B1	
		(ii)		plack side or on left (more) energy / heat absorbed(p rise OR_heats up quicker	OR greater	B1	
			on b	black side or on left greater expansion of air / greate	r pressure of air	B1	[4]
5	(a)	<u>energy</u> / <u>heat</u> required to change state / phase / any example of change of state / phase				M1	
		OR	ener	change in temperature / at a specified temperature gy to break bonds between molecules /atoms change in K.E.		A1 M1 A1	
	(b)	any	time	or range of time between 1.6 (min) and 14.0 (min)	inclusive [no UP]	B1	
	(c)	turns substance to gas / vapour OR causes evaporation OR escape from liquid		C1			
		energy to break bonds/separate molecules/overcome intermolecular forces Ignore move faster / PE increases		A1			
	(d)	(i)		2 × 4 / 2000 × 4 / 2 × 240 / 2000 × 240 / 8 / 8000 / 4 000 J_OR_480 kJ	80 / 480000	C1 A1	
		(ii)	Q =) 43 (°C) seen anywhere mcθ OR 480000 = m x 1760 × 43 in any form ecf kg or 6.3 kg ecf.	. from (i)	C1 C1 A1	[10]
6	(a)	(i)	sam	e / unchanged / nothing		B1	
		(ii)	redu	uced / slows down		B1	
		(iii)	redu	iced		B1	
	(b)	OR 0.12 1.5	f =1 2 = f = Hz /	any form or in words [not numbers] 1/T in any form or in words [not numbers] × 0.08 OR T = 0.08 / 0.12 cycles per sec / c.p.s. / per s narks if B1 mark above not scored]		B1 C1 A1	
		[OII]	y Z 11	and in bit many above hot sourcej			

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0625	31
	and a second		
	les move is way deep shallow water water		
waves A and	e length of waves) s bending in correct direction (be generous) B correct by eye, straight and parallel D parallel to A and B by eye		M1 A1 A1
(a) idea c	of light travelling (much) faster than sound		B1
(b) (i) 4	.0 (min)		B1
• •	lways a (measurable) time difference / never zero tin gnore time would be less	ne difference	B1
	istance/time in any form, symbols, words, numbers 33.3 m/s to 2 or more sig figs	OR 1200/3.6	C1 A1
C	lea of light travelling instantaneously OR no wind R idea of lightning at ground level OR no obstruction prore echoes	on to sound	B1

(C)

	light waves	sound waves
longitudinal		\checkmark
transverse	\checkmark	
electromagnetic	\checkmark	
mechanical		\checkmark

-1 e.e.o.o. i.e. 1 mark subtracted from <u>3</u> for each error or omission B3 [9]

Daga 6	Mark Scheme: Teachers' version		micpapers.con	
Page 6	IGCSE – May/June 2010	Syllal 062		ľ
		002	U U	
	N ₂ = V ₁ /V ₂ in any form, symbols, words or numb (turns) [possible unit penalty]	bers	C1 A1	
(ii) me	ntion of magnetic / electromagnetic field)		
	ange of flux linkage / magnetism field lines being cut))) any 3	B1 x 3	
Ind	uced current / emf / voltage))	BTX0	
	wer coils in secondary so smaller emf / voltage larger current)		
edc ma	at in either coil / wires dy currents in core / heat in core gnetic leakage from core und from core/coil)) any 1))	B1	
(b) (i) 12	V <u>d.c</u> . OR low <u>d.c</u> .voltage		B1	
(ii) dio	de OR rectifier [Ignore extras unless wrong]		B1	
	V_2I_2 in any form, or words or numbers wer in = power out or equivalent		C1	
8 A			A1	[10
	jer – field / magnetism / flux)	54	
second	finger – current / charge flow (NOT electron flow	v)) both	B1	
	sh OR contact OR <u>sliding</u> connector it ring OR commutator NOT slip ring		B1 B1	
	ckwise OR right side down OR left side up Ol figure NOT turn to the right	R correct arro	ws B1	
mo stro clos	re current / more voltage / "stronger battery" / more turns on coil / more coils onger magnet Ignore bigger magnets ser magnet / magnetic poles re magnets	ore power))))	any 2 B1, B1	
	n core)	[6]	

		www.dynamicpapers.c				
	Pa	ge 7	Mark Scheme: Teachers' version	Syllabus	Paper	
			IGCSE – May/June 2010	0625	31	
10	(a)		umber OR atomic number OR (number of) protor ition in periodic table OR chemical properties	ns / electrons	B1	
	(b)		umber) OR nucleon number OR (number of) neut mber of) protons <u>plus</u> (number of) neutrons	trons / nucleons	B1	
	(c)		s (number) OR nucleon number OR (number of) (number of) protons <u>plus</u> (number of) neutrons	nucleons	B1	
		OR OR	on number OR atomic number OR (number of) n (number of) protons / neutrons / electrons position in periodic table OR chemical properties a neutron changes into a proton		B1	[4]
11	(a)	(i) 4 Ω			B1	
			OR I ² Rt OR V ² t/R in any form or words or	numbers		
			done t = 9 if substituted possible ecf from (i)		C1	
		540 437.			C1 A1	
		437.	.4 J possible ecf if 4 Ω from (i) used		AI	
	(b)	$R = \rho L/A$	A OR R ∞ L/A OR R ∞ L and R ∞ 1/A or 1/d ² or	r 1/r ²	C1	
		$A_2 = \frac{1}{4}A_2$	$_{1}$ OR $A_{2} = 0.25A_{1}$		C1	
			45/0.3) × R ₁ OR (3/2) x R ₁		C1	
		⅔ OR 0 OR	0.375 OR 37.5 %		A1	
		_	A OR R \propto L/A OR R \propto L and R \propto 1/A or 1/d ² or	r 1/r ²	C1	
		Resistan	nce of thinner wire with same length as thicker wire	= 4 × 4 = 16 Ω	C1	
		Actual re	esistance of thinner wire = 1.8 /0.3 = 6.0 Ω		C1	
		Ratio: L	of thinner wire / L of thicker wire = 6.0 / 16 = 3/8 = 0).375 = 37.5 %	A1	[8]