CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2012 series

0625 PHYSICS

0625/31

Paper 3 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	31

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

M marks

are method marks upon which further marks depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent marks can be scored.

B marks

are independent marks, which do not depend on other marks. For a B mark to scored, the point to which it refers must be seen specifically in the candidate's answers.

A marks

In general A marks are awarded for final answers to numerical questions. If a final numerical answer, eligible for A marks, is correct, with the correct unit and an acceptable number of significant figures, all the marks for that question are normally awarded. It is very occasionally possible to arrive at a correct answer by an entirely wrong approach. In these rare circumstances, do not award the A marks, but award C marks on their merits. However, correct numerical answers with no working shown gain all the marks available.

C marks

are compensatory marks in general applicable to numerical questions. These can be scored even if the point to which they refer are not written down by the candidate, **provided subsequent working gives evidence that they must have known it.** For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct substitution or working which shows he knew the equation, then the C mark is scored. A C mark is not awarded if a candidate makes two points which contradict each other. Points which are wrong but irrelevant are ignored.

brackets ()

around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.

e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining

indicates that this must be seen in the answer offered, or something very similar.

OR / or

indicates alternative answers, any one of which is satisfactory for scoring the marks.

e.e.o.o.

means "each error or omission".

o.w.t.t.e.

means "or words to that effect".

c.a.o.

correct answer only

Spelling

Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit. However, beware of and do not allow ambiguities, accidental or deliberate: e.g. spelling which suggests confusion between reflection / refraction / diffraction / thermistor / transformer.

Not/NOT

Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

Ignore

Indicates that something which is not correct or irrelevant is to be disregarded and does not cause a right plus wrong penalty.

ecf

meaning "error carried forward" is mainly applicable to numerical questions, but may in particular circumstances be applied in non-numerical questions.

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	31

This indicates that if a candidate has made an earlier mistake and has carried an incorrect value forward to subsequent stages of working, marks indicated by ecf may be awarded, provided the subsequent working is correct, bearing in mind the earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but only applies to marks annotated ecf.

Sig. figs.

Answers are normally acceptable to any number of significant figures ≥ 2. Any exceptions to this general rule will be specified in the mark scheme. In general, accept numerical answers, which, if reduced to two significant figures, would be right.

Units

Deduct one mark for each incorrect or missing unit from an answer that would otherwise gain all the marks available for that answer: maximum 1 per question. No deduction is incurred if the unit is missing from the final answer but is shown correctly in the working.

Arithmetic errors

Deduct one mark if the only error in arriving at a final answer is clearly an arithmetic one.

errors

Transcription Deduct one mark if the only error in arriving at a final answer is because given or previously calculated data has clearly been misread but used correctly.

Fractions e.g. $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{10}$ etc are only acceptable where specified.

Crossed out work

Work which has been crossed out and not replaced but can easily be read, should be marked as if it had not been crossed out.

Use of NR

(# key on the keyboard) Use this if the answer space for a question is completely blank or contains no readable words, figures or symbols.

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	31

1	(a)	•	s = area under graph, stated or clearly used = $(\frac{1}{2} \times 18 \times 10) + (120 \times 18) + (\frac{1}{2} \times 18 \times 20)$ Award if at least one term correct = $90 + 2160 + 180$ = $2430 \text{m} / 2.43 \text{km}$ at least 2 significant figures. *Unit penalty applies v = u + at in any form OR (a=) gradient OR 18/10 = 1.8m/s^2 *Unit penalty applies	C1 C1 C1 A1	
	(b)	(F=) ma OR 1.1 × 10 ⁵ × 1.8 ecf from (a)(ii) = 1.98 × 10 ⁵ N at least 2 significant figures. *Unit penalty applies	C1 A1	
	(c)	driv	ing force = friction/air resistance/drag	В1	[9]
		*Ap	ply unit penalty once only		
2	(a)	Siz	e / magnitude (NOT distance) <u>and</u> direction	B1	
	(b)	Cor Res Res Ang	ctors towards East and North with arrows correct by eye implete triangle or rectangle for candidate's vectors sultant with correct arrow sultant 94 to 96 m/s by scale OR 95 m/s by calculation *Unit penalty applies gle measured 13.5° – 15.5° OR 15° by calculation *Unit penalty applies ply unit penalty once only	B1 B1 B1 B1	[6]
3	(a)	OR No	resultant/net force OR no resultant force in any direction no resultant force in any two perpendicular directions resultant/net moment/turning effect/couple/torque	B1	
			(total) clockwise moment = (total) anticlockwise moment er order	B1	
	(b)	(i)	$F \times 120 / F \times 0.12$ = 20 × 500 OR 20 × 0.5 $F = 83.3 \text{N}$ at least 2 significant figures. Allow $83^{1}/_{3}$ *Unit penalty applies	C1 C1 A1	
		(ii)	F/A or in words OR 83.3/0.0036 ecf from (b)(i) = 23100 Pa / N/m ² OR 2.31 N/cm ² OR 23.1 kPa *Unit penalty applies	C1 A1	[7]
			*Apply unit penalty once only		
4	(a)	(Th (ow	e point in the body) where (all) the mass / weight / gravity acts / appears to act tte)	B1	

(b) h is the height through which the centre of mass/rises OR centre of mass/rises (much) less than 2.0 m

	Page 5							Ma	rk S	che	me					Sylla		Jape		per	
						GCS	E –	Oct	obe	r/No	ven	nber	2012			062				1	
		OR	centr	re of	ma	ss/gr	avity	/ pas	sses	und	er b	_	nd lev	/el					I	B1	
	(c)	Pole Rise Fall:	-up: ben e: pot kine	kine nt: ha tenti etic e	tic e as st al er enerç	nergy rain / nergy gy ga	y ga ' ela ' gai iined	ined stic ned	Í ener		train	ı / ela	stic e	nergy					 	B1 B1 B1 B1 B1	[8]
5	(a)		•				,						urfac collisi	e / soli on	id (aı	nd reb	ound)		B1	
		` ,	more	e (of bigg	ten) er fo	orce /	· / pus		s col	lide v	with	/ pus	sh aga	ainst w	valls					B1 B1 B1	
	(b)	$V_2 =$	× 10 ⁵ 40 0	⁵ × 5 000 մ	000 cm ³	= 1 >	< 10	⁵ × \	/2	= 35	5 00	00 cm ²	3						(C1 C1 C1 A1	[8]
6	(a)	char	nge d	of te	npe	ratur	e)					g / 1 (g / uni	it mass	s of s	solid (\	with n	0	I	B1	
			w spe Γliqu				e e.	g. ice	e to v	wate	er										

Paper

Syllabus

		IGCSE – October/November 2012	0625	31		
	(b) (i)	d = m/V in any form OR (m =) V × d OR (m =) 0.25 × 0.012 × 920		C1	-	
		= 2.76 kg at least 2 significant figures. *Unit penalty app	lies	A1		
	(ii)	60% of 250 = 150 (W/m ²) OR 250 × 0.25 = 62.5 (J) Heat absorbed in 1 s = 150 × 0.25 = 37.5 (J)		C1		
		OR 60 % of 62.5 = 37.5 J OR J/s OR W *Unit penalty applies				
		Allow J/s or W because in one second.				
	(iii)	Q = mL OR m = Q/L OR m = $37.5 / 3.3 \times 10^5$ ecf from (m = 0.0001136 (kg) (in 1 s) Time taken = $2.76/0.000114 = 24300$ s at least 2 significant	,,,	C1 C1		
		penalty applies OR	cant ligures. Offit	A1		
		P = Q/t OR t = Q/P OR t = mL/P $t = 2.76 \times 3.3 \times 10^5 / 37.5$		(C1) (C1)		
		= 24300 s *Unit penalty applies		(A1)	[8]	
		*Apply unit penalty once only				
7		ster / more energetic molecules escape / evaporate (from plecules left (in liquid) have lower average speed / energy	•	B1		
	low OR	ver	so temperature is	B1		
	•	atent) heat needed to evaporate / leave the surface mes from remaining liquid		(B1) (B1)		
	(b) (i)	Dull surface is <u>better</u> radiator / radiates <u>faster</u> OR Shiny surface is <u>poorer</u> radiator / radiates <u>slower</u>		В1		
	(ii)	C hotter (than A) OR A cooler (than C) (so evaporates a	at a <u>faster</u> rate in 0	C) B1		
	(iii)	Less liquid in D OR more liquid in A		B1		
	(iv)	E has <u>greater</u> (surface) area / more open to air / is <u>shall</u> <u>greater</u> rate of loss of heat by evaporation / convection /		B1		
		conduction / radiation		B1	[7]	
8	(a) (i)	Diagram to show – boundary, normal <u>and</u> ray bending to Angle of incidence labelled i or 51°	owards normal	B1 B1		
		Angle of incidence labelled r or 29°		B1		
	(ii)	n = sin i / sin r OR n = sin 51 / sin 29 n = 1.603 at least 2 s.f. *Unit penalty applies		C1 A1		
	11 - 1.000 at least 2 s.i. Offit perialty applies					

Mark Scheme

Page 6

www.dynamicpapers.com
Svllabus Paper

	Pa	ge 7	Mark Sch	Mark Scheme Syllabus				
	<u>. u</u>	<u>gc 1</u>	IGCSE – October/N		0625	Paper 31		
	(b)	Ang OR	is totally internally reflected / une e of incidence is more than / equ		(of the glass)	B1 B1		
			travels along the boundary e of incidence = critical angle (o	f the glass)		(B1) (B1)		
			cal angle calculated as 38.6° ecf e of incidence greater than critic			(B1) (B1)	[7]	
9	(a)	(i)	In the opposite direction OR dov Faster / fast	vnwards		B1 B1		
		(ii)	No voltage/current induced			B1		
			Currents/voltages (induced) in e directions/oppose each other	ach half of XY are equa	al and in opposite	B1		
	(b)	(i)	Y-plates			B1		
		(ii)	Up and down (repeatedly) owtte			B1		
	((iii)	Off / zero			B1	[7]	
10	(a)	(i)	current					
		(ii)	p.d. OR potential difference OR	voltage		B1		
			Both required					
	(b)	I =	R ₁ + R ₂ OR 1.2 + 3.6 OR 4.8 (k 0.0 / 4.8 = 1.875 (mA) OR 9.0/48 meter reading = 6.75 V *Unit pen	$00 = 1.875 \times 10^{-3} (A)$		C1 C1 A1		
		Vol = [3	meter reading = $[R_1 / (R_1 + R_2)] \setminus 6 / (1.2 + 3.6)] \times 9.0$ 75 V *Unit penalty applies	<i>!</i>		(C1) (C1) (A1)		
	(c)	c) (In fire) temperature of thermistor rises and its resistance falls Current (through thermistor and relay coil) rises / flows OR voltage / p.d. across / of relay coil rises				B1 B1		
			netic field of relay closes switch			B1	[7]	
		*Ap	oly unit penalty once only					

Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0625	31

11 (a) (i) alpha or α

(ii) beta or β

(iii) gamma or γ

B2

Symbols must be clear

3 correct B2

2 correct B1

(b) (i) repulsion B1 α particle and (gold) nucleus / protons of (gold) nucleus have positive charges B1

(ii) Any two of:

Nucleus is very small (compared to size of atom) OR Most of atom is empty space

Nucleus is positive / contains protons OR Nucleus has (all) the positive charge of the atom

Nucleus is heavy OR Nucleus has most / all of the mass of the atom B2 [6]

Ignore neutrons