



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

COMBINED SCIENCE

0653/33

Paper 3 Extended Theory

May/June 2016

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.


Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0653	33

- 1 (a) (i) contains two (or more) different atoms/substances/elements/compounds ;
NOT chemically joined together / NOT chemically combined ; [2]
- (ii) **A C D** ;
spots from **Y** match spots in **A, C** and **D**/owtte ; [2]
- (b) O-H bond / –OH shown ;
rest of molecule correct ; [2]
- (c) (i) ethene + water/steam → ethanol ; [1]
- (ii) double bond shown ;
rest of molecule correct ; [2]
- (iii) bromine (solution) ;
(ethane) no reaction /owtte ;
(ethene) decolourises bromine ; [3]
- 2 (a) 10 (V) ; [1]
- (b) (i) $(R =) V/I$;
 $= 2/0.4 = 5$;
 Ω ; [3]
- (ii) $(P =) VI$;
 $= 12 \times 0.4 = 4.8$ (W) ; [2]
- (iii) resistance of **Y** is greater than resistance of **X** /
pd across **Y** is greater than pd across **X** ; [1]
- (c) all lights get full mains voltage / shone at max brightness ;
each light can be switched on / off independently ;
if one light fails, the others will still work ; [max 2]
- 3 (a) as the light intensity increases the rate of photosynthesis increases ;
further detail using numbers extracted from the graph e.g. increase in rate
declines at 0.06 ; [2]
- (b) (i) similar shaped line drawn below the existing one ; [1]
- (ii) fewer bubbles per minute / amount of photosynthesis has decreased ;
less chlorophyll / fewer chloroplasts present / fewer leaves / fewer stomata
present to release oxygen ; [2]
- (c) (i) tadpole, goldfish, heron ; [1]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0653	33

- (ii) goldfish does not eat/digest/absorb all of the tadpole ;
energy lost due to respiration/other life process/heat energy lost ; [2]

- (d) food web correctly drawn with *Elodea* and goldfish only written once ;
arrows in correct direction ;
e.g.



[2]

- 4 (a) 2, 8, 1

[1]

- (b) (i) $2\text{Na(s)} + 2\text{H}_2\text{O(l)} \rightarrow 2\text{NaOH(aq)} + \text{H}_2\text{(g)}$;

[2]

- (ii) rubidium melts ;
flame ;
gas given off ;
temperature increase ;

[max 2]

- (iii) chemical (potential energy) \rightarrow thermal or heat/light/kinetic (energy)

[1]

- (c) reference to filled outer shell in Group VIII elements ;
Group I has 1 electron in outer shell that can be lost ;

[max 2]

- (d) (i) CO_2 absorbs heat radiated from Earth's surface/prevents heat escaping into space ;

[1]

- (ii) extremes of weather/flooding caused by excessive rain or rising sea levels/drought/fires/increasing storm damage to humans or habitats ;

[1]

- 5 (a) (gravitational) potential ;

[1]

- (b) (speed =) distance/time ;
 $= 2 \times 990/6 = 330 \text{ (m/s)}$;

[2]

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0653	33

- (c) (i) vibrations in different directions ;
longitudinal vibrations move in same direction as wave/energy moves ;
transverse vibrations move at right angles to direction that wave/energy moves ;
longitudinal waves need a medium to travel through ; [max 1]
- (ii) 20 Hz (allow 10 Hz) and 20 000 Hz (allow 25 000 Hz) ; [1]
- (d) (i) temperature at which a solid changes state and becomes a liquid ; [1]
- (ii) particles are randomly arranged ;
most particles are touching ; [2]
- (e) 3×10^{-8} m/s (no mark)
all electromagnetic waves travel at the same speed (in vacuo) ; [1]
- 6 (a) (artery)
thick wall ;
prevents bursting ;
OR
contains elastic tissues ;
for recoil/smoothing flow of blood ;
AND
(vein)
contain valves to prevent backflow of blood ; [3]
- (b) towards ;
deoxygenated ;
oxygenated ;
pulmonary vein ;
away from ; [5]
- 7 (a) chlorine (gas) ; [1]
- (b) (i) at least two different sizes of atom ;
one of the atoms in the majority and generally in a regular arrangement ; [2]
- (ii) the layers of metal atoms cannot easily slide over each other/owtte ; [1]
- 8 (a) (i) acceleration = change in speed/time or $(-)/8/40$;
= $(-)/0.2$ (m/s²) ; [2]
- (b) (calculate the) area under the graph ;
further detail such as how to calculate area of rectangle and triangle/add separate areas together ;
 $(8 \times 60) + (\frac{1}{2} \times 8 \times 40)$;; [max 2]

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0653	33

- (c) R and Q ; [1]
- (d) (i) first reflection at correct angle (by inspection) ;
ray passes down fibres and emerges at the other end ; [2]
- (e) (i) endoscope/key hole surgery ; [1]
(ii) surgery not needed or minimal trauma/other correct ; [1]
- 9 (a) $C_6H_{12}O_6$ and $6H_2O$; [1]
- (b) (i) (mucus)
traps pathogens/dust/other valid named substance ;
(cilia)
beat upward to remove mucus from airway ; [2]
- (ii) cilia become paralysed/move more slowly ;
by tar/heat ;
so mucus/pathogens/dust not removed from the trachea ; [max 2]
- (c) collects/picks up oxygen from mother's blood (in uterus) ;
by diffusion ; [2]
- (d) (i) amniotic (fluid) ; [1]
(ii) fetus could be physically damaged/infection/other correct ; [1]