Cambridge IGCSE[™]

COMBINED SCIENCE

Paper 2 Multiple Choice (Extended)

0653/21 May/June 2023 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.

- **1** Which characteristic of living organisms involves chemical reactions in cells that break down nutrient molecules and release energy?
 - **A** excretion
 - **B** nutrition
 - **C** respiration
 - D sensitivity
- 2 Which structures are present in an animal cell?

| | cell membrane | cell wall | cytoplasm | nucleus | |
|---|------------------|--------------|-----------|--------------|------------------------|
| Α | 1 | x | 1 | \checkmark | key |
| в | \checkmark | \checkmark | x | \checkmark | ✓ = present |
| С | \checkmark | x | x | \checkmark | X = not present |
| D | x | 1 | 1 | X | |

3 Which row describes the movement of water by osmosis?


| | from a region of | to a region of | through |
|---|----------------------|----------------------|--------------------------------|
| Α | low water potential | high water potential | a partially permeable membrane |
| в | low water potential | high water potential | a totally permeable membrane |
| С | high water potential | low water potential | a totally permeable membrane |
| D | high water potential | low water potential | a partially permeable membrane |

4 Which combination of pH and temperature does **not** denature a protease enzyme from the stomach?

| | рН | temperature /°C |
|---|----|--------------------|
| Α | 3 | 37 |
| В | 3 | 60 |
| С | 10 | 37 |
| D | 10 | 60 |

5 Four test-tubes are set up as shown.

In which test-tube is there an increase in oxygen concentration after 4 hours?




- 6 What is the purpose of chemical digestion?
 - A to absorb minerals including calcium and iron
 - B to pass food out as faeces
 - **C** to break down large nutrient molecules into smaller molecules
 - D to secrete enzymes
- 7 Which row matches the adaptation of a root hair cell to its function?

| | adaptation | function |
|---|--------------------|-----------------------------|
| Α | large surface area | uptake of water and glucose |
| в | large surface area | uptake of water and ions |
| С | small surface area | uptake of water and glucose |
| D | small surface area | uptake of water and ions |

8 The diagram shows a section through the heart.

Which vessel is the pulmonary vein?




9 Which molecule contains the energy that is released in aerobic respiration?

| Α | $C_6H_{12}O_6$ | В | CO ₂ | С | H ₂ O | D | O ₂ |
|---|----------------|---|-----------------|---|------------------|---|----------------|
|---|----------------|---|-----------------|---|------------------|---|----------------|


| | fusion of nuclei | nature of offspring |
|---|---------------------|-----------------------|
| Α | no | genetically different |
| в | yes | genetically identical |
| С | no | genetically identical |
| D | yes | genetically different |

10 What are features of sexual reproduction?

11 The diagrams show four different flowers.



14 Which diagram represents particles in a gaseous element?



15 What is the relative mass of a proton and the relative charge on a proton?

| | relative mass | relative charge |
|---|---------------|-----------------|
| Α | 0.0005 | +1 |
| В | 0.0005 | -1 |
| С | 1 | -1 |
| D | 1 | +1 |

16 Sodium reacts with chlorine to form sodium chloride.

Which statement describes a change that occurs during this reaction?

- A Each chlorine atom loses one proton.
- B Each sodium atom loses one electron.
- **C** The mass number of each chlorine atom increases.
- **D** The atomic number of sodium decreases.
- **17** Sodium burns in oxygen forming sodium oxide.

An equation for this reaction is shown.

$$xNa + yO_2 \rightarrow zNa_2O$$

What are *x*, *y* and *z*?

| | X | У | Z |
|---|---|---|---|
| Α | 2 | 1 | 2 |
| в | 2 | 2 | 1 |
| С | 4 | 1 | 2 |
| D | 4 | 2 | 2 |

- 18 Which statement about the electrolysis of molten lead(II) bromide is correct?
 - **A** Lead anions move to the anode where they gain electrons.
 - **B** Lead anions move to the cathode where they lose electrons.
 - **C** Lead cations move to the anode where they lose electrons.
 - **D** Lead cations move to the cathode where they gain electrons.
- **19** Which process is endothermic?
 - A the reaction of petrol with air in a car engine
 - **B** $Cl-Cl \rightarrow Cl + Cl$
 - C the reaction of potassium with water
 - $\mathbf{D} \quad \mathbf{C} + \mathbf{O}_2 \rightarrow \mathbf{CO}_2$
- 20 The equation for the reaction of zinc oxide with carbon monoxide is shown.

$$ZnO~+~CO~\rightarrow~Zn~+~CO_2$$

Which statement explains the role of carbon monoxide in this reaction?

- **A** It is the oxidising agent and it is oxidised.
- **B** It is the oxidising agent and it is reduced.
- **C** It is the reducing agent and it is oxidised.
- **D** It is the reducing agent and it is reduced.
- 21 Dilute hydrochloric acid is tested with universal indicator and with calcium carbonate.

Which row shows the pH and describes the reaction with calcium carbonate?

| | рН | reaction with calcium carbonate |
|---|----|---------------------------------|
| Α | 2 | a colourless gas is given off |
| в | 2 | no reaction |
| С | 10 | a colourless gas is given off |
| D | 10 | no reaction |

22 The results of two tests on a solution of substance R are shown.

| test | result | | |
|---|--|--|--|
| aqueous sodium hydroxide added | red-brown precipitate formed, insoluble in excess | | |
| dilute nitric acid added followed by aqueous silver nitrate added | white precipitate formed | | |

What is R?

- **A** iron(II) carbonate
- **B** iron(III) carbonate
- **C** iron(II) chloride
- **D** iron(III) chloride
- **23** The character of the elements changes from metallic to non-metallic across a period of the Periodic Table.

Which statement explains this change?

- A Metal atoms need to gain electrons to form metal ions.
- **B** It becomes more difficult for elements to lose electrons across a period.
- **C** Non-metal atoms lose electrons more easily than metal atoms.
- **D** Atoms get bigger across a period.
- **24** Copper oxide and excess carbon are mixed together.

The mass before heating is 12.2 g.


The mixture is heated strongly and allowed to cool.

The mass after heating is 10.4 g.

Why does the mass change?

- A Carbon forms carbon dioxide which then combines with the copper oxide.
- **B** Carbon reduces the copper oxide and leaves the test-tube as carbon dioxide.
- **C** Copper oxide loses oxygen, turns into copper and the carbon remains unchanged.
- **D** Carbon oxidises the copper oxide and leaves the test-tube as carbon dioxide.

- 25 Which statement about both carbon dioxide and methane is correct?
 - A Increased concentrations of carbon dioxide and methane in the air cause an enhanced greenhouse effect.
 - **B** Methane and carbon dioxide are hydrocarbons.
 - **C** Respiration increases the concentration of carbon dioxide and methane in the air.
 - **D** The combustion of fossil fuels increases the concentration of carbon dioxide and methane in the air.
- 26 Why are alkanes members of the same homologous series?
 - A They are all hydrocarbons.
 - **B** They have similar physical properties.
 - **C** They have the same general formula.
 - **D** They all undergo combustion to give carbon dioxide and water.
- 27 What are the products of cracking large alkane molecules?
 - A smaller alkanes only
 - B smaller alkenes only
 - **C** smaller alkanes, alkenes and hydrogen
 - **D** smaller alkanes and hydrogen only
- **28** The graph shows the motion of a cyclist over a period of 30 s.




Which distance does the cyclist travel?

| Α | 90 m | В | 105 m | С | 115 m | D | 120 m |
|---|-------|---|--------|---|--------|---|-------|
| ~ | 30111 | | 105111 | 0 | 113111 | | 120 |

29 A solid cuboid block of metal has density ρ .

The diagram shows its dimensions.



Which expression is used to calculate the mass of the block?



30 A spring that obeys Hooke's law is fixed at one end.

When the spring is pulled by a force of 30 N, it has a stretched length of 14 cm.

When the spring is pulled by a force of 48 N, it has a stretched length of 20 cm.

What is the spring constant of the spring?

- **A** 2.1 N/cm **B** 2.4 N/cm **C** 3.0 N/cm **D** 8.0 N/cm
- **31** A 3.0 kW electric kettle is switched on for 30 seconds.

Which row gives the equation that defines power and gives the energy transferred in the kettle?

| | equation | energy/J |
|---|--------------------------|----------|
| Α | $P = \frac{\Delta E}{t}$ | 90 |
| в | $P = \frac{\Delta E}{t}$ | 90 000 |
| С | $P = \Delta Et$ | 0.10 |
| D | $P = \Delta Et$ | 100 |

32 Solar cells mounted on a boat produce electrical energy to power the motor.




Which resource does this energy come from?

- A hydroelectric energy
- **B** light energy
- **C** tidal energy
- **D** wind energy
- **33** The molecules in a liquid are close together.

What are other features of the molecules in a liquid?

- **A** They are arranged in a regular pattern but change positions with each other.
- **B** They are arranged in a regular pattern and vibrate about fixed positions.
- **C** They are arranged randomly and change positions with each other.
- **D** They are arranged randomly and vibrate about fixed positions.
- **34** What is a method of thermal conduction in a metal?
 - A electrons moving through the metal, hitting distant molecules
 - B electrons vibrating and passing on energy to other electrons
 - **C** molecules moving through the metal, hitting other molecules
 - **D** protons moving through the metal, hitting distant molecules

35 The diagram represents a wave in air. Molecules are closer together in region P than they are in region Q.



What are the names of regions P and Q, and which type of wave is represented?


| | region P | region Q | type of wave |
|---|-------------|-------------|--------------|
| Α | compression | rarefaction | longitudinal |
| в | compression | rarefaction | transverse |
| С | rarefaction | compression | longitudinal |
| D | rarefaction | compression | transverse |

36 The diagram shows an object placed at position O near a thin converging lens.

 F_1 and F_2 are the principal focuses of the lens.

A student draws four rays that leave the top of the object and pass through the lens.

Which labelled ray is **not** correct?





37 The unit of electric charge is the coulomb (C).


Which combination of other units is equivalent to the coulomb?


A A/S B AS C V/A D VA

38 Which circuit is used to determine the resistance of resistor R?












39 Which arrangement of resistors has the smallest combined resistance?





В








D

0

40 The diagram shows two resistors connected in parallel to a battery.

Currents I_1 and I_2 are labelled.

Current I_1 is greater than current I_2 .



Which calculation gives the current in the battery?

A $I_1 + I_2$ **B** $I_1 - I_2$ **C** $I_1 \times I_2$ **D** $\frac{(I_1 + I_2)}{2}$

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| | | | | | | | | Gro | Group | | | | | | | | |
|-----------------|-----------------|------------------|--------------------|------------------------------|------------------|-----------------|------------------|-----------------|-------------------|------------------|-------------------|------------------|-----------------|------------------|------------------|------------------|--------------------|
| _ | = | | | | | | | | | | | ≡ | ≥ | > | > | II> | <pre>NII</pre> |
| | | | | | | | - T | | | | | | | | | | ² He |
| | | | | Key | | | hydrogen 1 | | | | | | | | | | helium 4 |
| 3 | 4 | | | atomic number | | L | | | | | | 5 | 9 | 7 | 80 | 6 | 10 |
| | Be | | ato | atomic symbol | loc | | | | | | | В | ပ | z | 0 | L | Ne |
| - | beryllium 9 | | rela | name relative atomic mass | S | | | | | | | boron 11 | carbon 12 | nitrogen 14 | oxygen 16 | fluorine 19 | neon 20 |
| | 12 | _ | | | | | | | | | | 13 | 14 | 15 | 16 | 17 | 18 |
| | Mg | | | | | | | | | | | Αl | Si Si | ٩ | ი | Cl | Ar |
| sodium 23 | magnesium 24 | | | | | | | | | | | aluminium 27 | silicon 28 | phosphorus 31 | sulfur 32 | chlorine 35.5 | argon 40 |
| | 20 | | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| × | Ca | လိ | F | > | ۲ | Mn | Fе | ပိ | Ī | Cu | Zn | Ga | Ge | As | Se | Ŗ | Кr |
| potassium 39 | calcium 40 | scandium 45 | titanium 48 | vanadium 51 | chromium 52 | manganese 55 | iron 56 | cobalt 59 | nickel 59 | copper 64 | zinc 65 | gallium 70 | germanium 73 | arsenic 75 | selenium 79 | bromine 80 | krypton 84 |
| 37 | 38 | 39 | 40 | | 42 | | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 |
| Rb | S | ≻ | Zr | | Мо | | Ru | Rh | Pd | Ag | Cq | In | Sn | Sb | Те | Ι | Xe |
| rubidium 85 | strontium 88 | yttrium 89 | zirconium 91 | niobium 93 | molybdenum 96 | technetium - | ruthenium 101 | rhodium 103 | palladium 106 | silver 108 | cadmium 112 | indium 115 | tin 119 | antimony 122 | tellurium 128 | iodine 127 | xenon 131 |
| 55 | 56 | 57-71 | 72 | | 74 | | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 |
| Cs | Ba | lanthanoids | Ŧ | Та | ≥ | Re | SO | Ir | ₽ | Au | Hg | 11 | Pb | Ē | Ро | At | Rn |
| caesium 133 | barium 137 | | hafnium 178 | tantalum 181 | tungsten 184 | rhenium 186 | osmium 190 | iridium 192 | platinum 195 | gold 197 | mercury 201 | thallium 204 | lead 207 | bismuth 209 | polonium – | astatine - | radon - |
| 87 | 88 | 89-103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 |
| ч | Ra | actinoids | Ŗ | Db | Sg | Bh | Hs | Mt | Ds | Rg | C | ЧN | 11 | Mc | 2 | Ч | Og |
| francium - | radium - | | rutherfordium - | dubnium – | seaborgium - | bohrium – | hassium - | meitnerium - | darmstadtium - | roentgenium - | copemicium - | nihonium – | flerovium - | moscovium - | livermorium – | tennessine - | oganesson - |
| | | | | | | | | | | | | | | | | | |
| | | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | |
| lanthanoids | ds | La | | Pr | Nd | Pm | Sm | Еu | Ъд | Tb | D | Ч | ц | Tm | Υb | Lu | |
| | | lanthanum 139 | cerium 140 | praseodymium 141 | neodymium 144 | promethium - | samarium 150 | europium 152 | gadolinium 157 | | dysprosium 163 | holmium 165 | erbium 167 | thulium 169 | ytterbium 173 | Iutetium 175 | |
| | | 68 | 06 | 91 | 92 | 93 | 94 | 95 | 96 | | 98 | 66 | 100 | 101 | 102 | 103 | |
| actinoids | | Ac | Th | Ра | ⊃ | Np | Pu | Am | CB | | Ç | Es | Е'n | РМ | No | Ļ | |
| | | actinium - | thorium 232 | protactinium 231 | uranium 238 | neptunium - | plutonium – | americium - | curium – | berkelium – | californium - | einsteinium - | fermium - | mendelevium - | nobelium - | lawrencium - | |

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

www.dynamicpapers.com