CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2014 series

0653 COMBINED SCIENCE

0653/51

Paper 5 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2 Mark Scheme Syllabus Cambridge IGCSE – October/November 2014 0653 1 (a) both temperatures recorded to nearest °C and within range for each water-bath ; (b) at least 4 pairs of results recorded ; (do not allow h = 0) all pairs of results recorded in mm and not greater than 200 ; height generally higher in B than A ; (c) linear vertical axis labelled with height and units ; at least 5 correct plots to ± ½ small square for B (for A if B not plotted) ; points plotted for A and B and both labelled ; best fit curve or straight lines for A and B ; (d) carbon dioxide ;	[3]
 (a) both temperatures recorded to nearest °C and within range for each water-bath ; (b) at least 4 pairs of results recorded ; (do not allow h = 0) all pairs of results recorded in mm and not greater than 200 ; height generally higher in B than A ; (c) linear vertical axis labelled with height and units ; at least 5 correct plots to ± ½ small square for B (for A if B not plotted) ; points plotted for A and B and both labelled ; best fit curve or straight lines for A and B ; 	[1]
 (b) at least 4 pairs of results recorded; (<i>do not allow h = 0</i>) all pairs of results recorded in mm and not greater than 200; height generally higher in B than A; (c) linear vertical axis labelled with height and units; at least 5 correct plots to ± ½ small square for B (for A if B not plotted); points plotted for A and B and both labelled; best fit curve or straight lines for A and B; 	[3]
 all pairs of results recorded in mm and not greater than 200; height generally higher in B than A; (c) linear vertical axis labelled with height and units; at least 5 correct plots to ± ½ small square for B (for A if B not plotted); points plotted for A and B and both labelled; best fit curve or straight lines for A and B; 	[3] [4]
at least 5 correct plots to ± ½ small square for B (for A if B not plotted) ; points plotted for A and B and both labelled ; best fit curve or straight lines for A <u>and</u> B ;	[4]
(d) carbon dioxide ;	
	[1]
 (e) higher yeast activity with higher temperature/it increases with temperature/it is faster higher temperature; 	ər at
(mark may only be awarded if there are results in the table)	[1]
[Total: 10]
2 (a) filtrate: colourless ; residue: brown/black/grey ; (colours reversed 1 mark max)	[2]
 (b) (i) white ppt. /ppt. disappears to form colourless solution/ppt. soluble in excess (NaOH); 	[1]
 (ii) white ppt. /ppt. disappears to form colourless solution/ppt. soluble in excess (ammonia solution); 	[1]
<pre></pre>	[1]
(iii) Zn ²⁺ /zinc ; (not Zn) (mark is linked to a correct observation in (b)(i) or (b)(ii))	
(iii) Zn ²⁺ /zinc ; (not Zn)	[1]
(iii) Zn ²⁺ /zinc ; (not Zn) (mark is linked to a correct observation in (b)(i) or (b)(ii))	
 (iii) Zn²⁺/zinc; (not Zn) (mark is linked to a correct observation in (b)(i) or (b)(ii)) (c) (i) bubbles/effervescence (ignore colours); (ii) filtrate: green/turquoise/blue; residue: brown/black/grey; 	[1]

/namicpape	rs com
 ynannopapo	10.00111

Pa	ige 3	je 3 Mark Scheme Syllabus			
	ige o	Cambridge IGCSE – October/November 2014	0653	Paper 51	
3	(a) (i)	all three values present with $l = 10 \text{ cm}$ and I less than 1;		[1]	
	(ii)	R value correct for $l = 10 \text{ cm}$ and minimum of two significant figures	;	[1]	
	(iii)	<i>V</i> values increasing (for increasing length) ; <i>R</i> values correct for <i>l</i> = 40 cm onwards ; consistent two to three significant figures for <i>R</i> ;		[3]	
	(iv)	so that the wire does not become hot/because resistance of wire r battery or cell may run down ;	nay increase	e/as [1]	
	<i>(n</i> at	uitable choice of linear scales and use of at least 50% of each axis ; no marks may be awarded in (b) for a non-linear scale) it least three plots correct to $\pm \frac{1}{2}$ small square; bood best fit straight line judgement ;			
	(c) pr	oportional ;		[1]	
				[Total: 10]	