

# Cambridge IGCSE<sup>™</sup>

COMBINED SCIENCE 0653/23

Paper 2 Multiple Choice (Extended)

October/November 2020

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


#### **INSTRUCTIONS**

There are **forty** questions on this paper. Answer **all** questions.


- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

# **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.




1 The diagram shows two red blood cells inside a capillary and two tissue cells near this capillary.



How does the oxygen in the red blood cells reach the tissue cells?

- A by absorption
- B by diffusion
- C by respiration
- **D** by transpiration

2 The diagram shows how the activity of an enzyme changes with temperature.



This enzyme works in the human body.

What is the most likely value of temperature X?

- **A** 10 °C
- **B** 40 °C
- **C** 70 °C
- **D** 100 °C

3 Which row shows the results of mechanical digestion?


	food is broken down into		
	smaller pieces	smaller molecules	soluble molecules
Α	х	✓	✓
В	X	X	✓
С	✓	X	X
D	✓	x	✓

4 Protease breaks down protein.

What is the protein broken down into?

- A amino acids
- B fatty acids
- C glycerol
- **D** starch

5 The graph shows the uptake of water by root hair cells over many hours during a day.



What could have caused the change in the rate of uptake at T?

- A decrease in temperature
- **B** decrease in humidity
- C increase in light intensity
- **D** increase in temperature
- 6 How does mucus benefit the gas exchange system?
  - **A** It absorbs carbon monoxide before it reaches the alveoli.
  - **B** It prevents friction between the air and the trachea.
  - **C** It removes the nicotine in cigarette smoke.
  - **D** It traps pathogens.
- 7 Which shows the balanced chemical equation for aerobic respiration?

**A** 
$$6CO_2 + C_6H_{12}O_6 \rightarrow 6O_2 + 6H_2O$$

**B** 
$$6CO_2 + 6H_2O \rightarrow C_6H_{12}O_6 + 6O_2$$

$$\textbf{C} \quad C_6 H_{12} O_6 \ + \ 6 O_2 \ \rightarrow \ 6 C O_2 \ + \ 6 H_2 O$$


**D** 
$$6O_2 + 6H_2O \rightarrow 6CO_2 + C_6H_{12}O_6$$

**8** A person's body secretes adrenaline in response to a frightening experience.

Which statement is correct?

- A The person's blood glucose concentration decreases.
- **B** The person's breathing rate does not change.
- **C** The person's pulse rate increases.
- **D** The person's pupils become narrower.

**9** The diagram shows a germinating seed.



What does the germinating seed show?


	shoot	root
Α	negative phototropism	negative gravitropism
В	negative phototropism	positive gravitropism
С	positive phototropism	negative gravitropism
D	positive phototropism	positive gravitropism

**10** Which row describes asexual reproduction?

	number of parents	a zygote is produced	offspring identical to the parent
Α	1	no	yes
В	1	yes	no
С	2	no	yes
D	2	yes	no


**11** The diagram shows a section through a buttercup flower.

Which structure produces pollen grains?



**12** The diagram shows a male gamete and a female gamete.

Which label is correct?



- **13** Some stages in the process of eutrophication are listed.
  - 1 reduction in dissolved oxygen
  - 2 increased aerobic respiration by decomposers
  - 3 increased availability of nitrates
  - 4 death of organisms requiring dissolved oxygen
  - 5 increased growth of producers and increased decomposition after death of producers

In which sequence do these stages take place?

**A** 
$$1 \rightarrow 4 \rightarrow 3 \rightarrow 5 \rightarrow 2$$

**B** 
$$3 \rightarrow 1 \rightarrow 5 \rightarrow 2 \rightarrow 4$$

$$\textbf{C} \quad 3 \rightarrow 5 \rightarrow 2 \rightarrow 1 \rightarrow 4$$

**D** 
$$4 \rightarrow 3 \rightarrow 1 \rightarrow 2 \rightarrow 5$$


**14** The temperature and pressure of oxygen in two different containers are shown.

	temperature /°C	pressure kN/m²
container 1	20	200
container 2	50	150

Which statement about the oxygen molecules in container 1 compared to container 2 is correct?

- A In container 1 they are closer together and moving faster.
- **B** In container 1 they are closer together and moving slower.
- **C** In container 1 they are further apart and moving faster.
- **D** In container 1 they are further apart and moving slower.
- **15** A pure sample of a coloured dye is tested using chromatography.

The chromatogram obtained is shown.



How is the  $R_f$  value of the dye calculated?

- $\mathbf{A} = \frac{R}{P}$
- **B**  $\frac{R}{\Omega}$
- $c = \frac{R-S}{Q-S}$
- $\mathbf{D} = \frac{\mathsf{R} \mathsf{S}}{\mathsf{P} \mathsf{S}}$

- **16** Which statement describes a mixture?
  - A It contains molecules made from the same type of atom.
  - **B** It contains only one type of atom.
  - **C** It contains two different types of atom joined by chemical bonds.
  - **D** It contains two different types of atom that can be separated by physical processes.

17 Which equation is **not** correctly balanced?


**A** Ca + 
$$2H_2O \rightarrow Ca(OH)_2 + H_2$$

**B** 
$$CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$$

**C** CaO + 2HC
$$l \rightarrow$$
 CaC $l_2$  + H<sub>2</sub>O

**D** 
$$Ca(OH)_2 + 2HCl \rightarrow CaCl_2 + H_2O$$

- 18 What happens to cations during electrolysis?
  - **A** They gain electrons.
  - **B** They gain oxygen.
  - **C** They lose electrons.
  - **D** They lose oxygen.
- **19** The equation and the energy level diagram for the reaction between hydrogen and chlorine are shown.



Which statement about this reaction is correct?

- **A** The reaction is endothermic.
- **B** The products have less energy than the reactants.
- **C** X is the activation energy.
- **D** More bonds are being broken than are being formed.

© UCLES 2020

**20** Dilute hydrochloric acid reacts with solid calcium carbonate.

Decreasing the temperature and diluting the acid both decrease the rate of reaction.

Which statement explains why these changes cause the rate of reaction to decrease?

- A Both result in the acid particles having less energy.
- **B** Both result in a lower proportion of collisions between reacting particles being successful.
- **C** Both result in fewer acid particles per cm<sup>3</sup> of solution.
- **D** Both result in a lower frequency of collisions between reacting particles.
- 21 The equation for the reaction between zinc oxide and copper is shown.

$$ZnO + Cu \rightarrow Zn + CuO$$

Which statement about this reaction is correct?

- **A** Copper is the oxidising agent.
- **B** Copper oxide is being oxidised.
- **C** Zinc is the reducing agent.
- **D** Zinc oxide is being reduced.
- 22 Which two substances both react with dilute sulfuric acid to make the salt magnesium sulfate?
  - A magnesium carbonate and magnesium chloride
  - **B** magnesium chloride and magnesium nitrate
  - **C** magnesium oxide and magnesium carbonate
  - **D** magnesium oxide and magnesium nitrate

## 23 Acid X reacts with metal Y.

A colourless gas is given off and a pale green solution is produced.

Two tests are carried out on the solution.

test	reagent(s) added	result
1	aqueous silver nitrate and nitric acid	white precipitate
2	aqueous sodium hydroxide	green precipitate

What are acid X and metal Y?

	acid	metal
Α	hydrochloric	iron
В	hydrochloric	zinc
С	sulfuric	iron
D	sulfuric	zinc

## **24** X, Y and Z are elements in Group VII.

X reacts with potassium iodide but not with potassium bromide.

Y reacts with potassium bromide but not with sodium chloride.

Z does not react with potassium bromide or with potassium iodide.

What are X, Y and Z?


	Х	Y	Z
Α	bromine	chlorine	iodine
В	bromine	iodine	chlorine
С	chlorine	bromine	iodine
D	iodine	chlorine	bromine

25 Some physical properties of four elements are shown.

Which element can act as a catalyst?

	melting point /°C	conductivity as a solid	density g/cm³
Α	98	good	0.97
В	113	poor	2.07
С	1455	good	8.9
D	1683	poor	2.32

- 26 Which method is used to extract copper from copper(II) oxide?
  - A dissolving copper(II) oxide in hydrochloric acid and then filtering
  - **B** dissolving copper(II) oxide in water and then filtering
  - C heating the copper(II) oxide
  - **D** heating the copper(II) oxide mixed with carbon
- **27** Which statement describes a hydrocarbon?
  - A a compound that burns to form carbon dioxide and hydrogen
  - **B** a compound that contains carbon and hydrogen only
  - C a compound that only contains ionic bonds
  - **D** a compound that reacts easily with metals
- 28 The diagram shows a speed-time graph for an object.



What is the average speed of the object?


- **A** 2.0 m/s
- **B** 4.0 m/s
- **C** 7.0 m/s
- **D** 10 m/s

**29** A load is hung from a spring. Measurements are taken to determine the spring constant of the spring.

Which calculation is used to obtain the spring constant?

- A extension of spring mass of load
- B extension of spring weight of load
- $\mathbf{C} \quad \frac{\text{mass of load}}{\text{extension of spring}}$
- $\mathbf{D} \quad \frac{\text{weight of load}}{\text{extension of spring}}$
- 30 A container has a square base of side 2.0 m.

The pressure due to the water on the base of the container is 20 000 N/m<sup>2</sup>.



What is the force due to the water on the base of the container?

- **A** 5000 N
- **B** 10000 N
- C 40000 N
- **D** 80000 N

**31** A crane raises a mass of 200 kg through a vertical distance of 12 m.

The gravitational field strength g is  $10 \,\mathrm{N/kg}$ .

How much work is done on the mass?

- **A** 17J
- **B** 170 J
- **C** 2400 J
- **D** 24000 J

32 A car of mass  $1200 \, \text{kg}$  travels at a speed of  $15 \, \text{m/s}$ .

The speed of the car now increases to 25 m/s.

What is the increase in the kinetic energy of the car?

- **A** 60000J
- **B** 135000 J
- **C** 240 000 J
- **D** 375000 J

- **33** For which energy resource is the Sun the only source?
  - **A** geothermal
  - **B** natural gas
  - C nuclear
  - **D** tidal
- **34** The molecules in a substance vibrate about fixed positions.

The substance is now cooled.

Which row gives the state of the substance and the effect of cooling on the distance between its molecules?

	state of substance	effect on distance between molecules
Α	solid	decreases
В	solid	increases
С	liquid	decreases
D	liquid	increases


35 In which states of matter can convection occur?

	in a solid	in a liquid	in a gas
Α	no	no	yes
В	no	yes	yes
С	yes	no	no
D	yes	yes	no

**36** The diagram shows a section of a rope.

Four wave crests pass a point on the rope every second.

Each wave crest travels 80 cm in one second.



What is the speed of the wave?


**A** 4.0 cm/s

**B** 5.0 cm/s

**C** 20 cm/s

**o** 80 cm/s

**37** The diagram represents a wave in air. Molecules are closer together in region P than they are in region Q.



What are the names of regions P and Q, and which type of wave is represented?

	region P	region Q	type of wave
Α	compression	rarefaction	longitudinal
В	compression	rarefaction	transverse
С	rarefaction	compression	longitudinal
D	rarefaction	compression	transverse


**38** A power supply causes a current in a circuit.

The electromotive force (e.m.f.) of the power supply and the resistance of the circuit are both changed.


Which pair of changes **must** result in a smaller current in the circuit?

	e.m.f.	resistance
Α	decreased	decreased
В	decreased	increased
С	increased	decreased
D	increased	increased

**39** A circuit includes a lamp, a switch and an ammeter. The switch is open.



The switch is now closed and the ammeter displays the current reading shown.



The switch remains closed for 20 seconds before it is opened again.

What is the charge that flows while the switch is closed?

**A** 0.25 C

**B** 4.0 C

**C** 90 C

**D** 100 C

- 40 What is the purpose of a fuse in an electrical appliance?
  - A to maintain the correct current in the appliance
  - **B** to maintain the correct voltage across the appliance
  - **C** to prevent the insulation around the cables from becoming too thin
  - **D** to protect the wires from overheating when the current is too large

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	<b>II</b>	ه ح لا ح	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	¥	astatine _			
	5			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod –	116		livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	ï	bismuth 209			
dn	≥		9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	Εl	flerovium -	
	=			2	ш	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copemicium
										29	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium
										28	Z	nickel 59	46	Pd	palladium 106	78	础	platinum 195	110	Ds	darmstadtium -
Group										27	ပိ	cobalt 59	45	格	rhodium 103	77	Ļ	iridium 192	109	₩	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
										25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
		Key	atomic number	atomic symbol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium	
					name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	g G	dubnium –	
					rek				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium —	
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	S S	rubidium 85	55	CS	caesium 133	87	ᇁ	francium

71	Γn	lutetium 175	103	۲	lawrencium	ı
70	Υp	ytterbium 173	102	8	nobelium	ı
69	T	thulium 169	101	Md	mendelevium	I
89	ш	erbium 167	100	Fm	ferminm	I
29	웃	holmium 165	66	Es	einsteinium	I
99	ò	dysprosium 163	86	ర్	californium	I
65	Д	terbium 159	26	益	berkelium	I
64	Р	gadolinium 157	96	Cm	curium	I
63	Ш	europium 152	98	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	d	neptunium	I
09	PZ	neodymium 144	92	$\supset$	uranium	238
59	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	T	thorium	232
25	Гa	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).