

Cambridge International Examinations Cambridge Ordinary Level

MATHEMATICS (SYLLABUS D) Paper 2 4024/22 May/June 2017

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.

Question	Answers	Marks	Part marks
1(a)	9370	3	M1 for (1199×5) or B1 for 5995 or 2398 <u>and</u> 3597 <u>and</u> M1 for 14(55×2 +40×3)oe or B1 for 3220 or 1540 <u>and</u> 1680
1(b)	Bonus [cars] and 67	3	<b>B2</b> for 67 or answer Bonus with 588 and 655 seen as total charged or <b>M1</b> for $42 \times 14$ or $20 \times 14 + 750 \times 0.5[0]$
2(a)	138 404 000 or 1.38404×10 <sup>8</sup> isw	1	
2(b)	Thailand	1	
2(c)	$4.95[12] \times 10^7$ final answer	1	
2(d)	1.639 to 1.64	2	M1 for $\frac{188169[000] - 185133[000]}{185133[000]} [\times 100]$ oe or $\frac{188169[000]}{185133[000]} \times 100$
2(e)	15 400 000 oe final answer nfww	3	M2 for $15677000 \div \frac{100 + 1.68}{100}$ oe or M1 for seeing 15 677 000 as 101.68[%]
3(a)	 6 8 3 6 9 12 4 8 12 16	2	B1 for at least 6 correct
3(b)	$\frac{5}{16}$ or 0.3125 or 31.25%	1	FT <i>their</i> complete table (decimals or percentages correct to at least 3sf)

PUBLISHED				
Question	Answers	Marks	Part marks	
3(c)	$\frac{3}{4}$ cao	2	<b>B1</b> for $\frac{12}{16}$ or $\frac{6}{8}$ or $\frac{their 12}{16}$ oe	
3(d)	No with square 6 and factors 7 seen or square $\frac{6}{16}$ and factors $\frac{7}{16}$ seen or 1 4 4 4 9 16 and 1 2 2 3 3 6 6 seen or $1^2 2^2 2^2 2^2 3^2 4^2$ and 1 2 2 3 3 6 6 seen	2	<b>B1</b> for square $\frac{6}{16}$ or factors $\frac{7}{16}$ or 1 4 4 4 9 16 seen or $1^2 2^2 2^2 2^2 3^2 4^2$ seen or 1 2 2 3 3 6 6 seen or square 6 <b>and</b> factors 7	
4(a)	$\begin{pmatrix} 1 & 0 \\ 8 & 8 \end{pmatrix}$	2	<b>B1</b> for 2 or 3 elements correct	
4(b)	$\begin{pmatrix} -7\\5 \end{pmatrix}$	2	<b>B1</b> for $\left(\frac{-7}{5}\right)$ or $\begin{array}{c} -7\\5 \end{array}$ or $\begin{pmatrix} -7\\k \end{pmatrix}$ or $\begin{pmatrix} k\\5 \end{pmatrix}$ or $(-7_{[,]}5)$	
4(c)	$\begin{pmatrix} 2 & 1 \\ -2 & -\frac{1}{2} \end{pmatrix} \text{ or } \frac{1}{2} \begin{pmatrix} 4 & 2 \\ -4 & -1 \end{pmatrix} \text{ oe isw}$	3	<b>B2</b> for $\frac{1}{2} \begin{pmatrix} -2 & -2 \\ 4 & 3 \end{pmatrix}$ oe or <b>B1</b> for determinant = 2 soi or $k \begin{pmatrix} -2 & -2 \\ 4 & 3 \end{pmatrix}$	
5(a)	$\frac{9}{10x}$ final answer	1		
5(b)	7x - 5y + 3 final answer	2	<b>B1</b> for $7x - 5y + 3$ seen or two of $7x, -5y, 3$ in final answer	
5(c)	-1.14, 1.47 final answers	3	B2 for $\frac{-(-1)\pm\sqrt{(-1)^2-4\times3\times-5}}{2\times3}$ oe or B1 for $\frac{-(-1)\pm\sqrt{p}}{2\times3}$ oe or $\frac{q\pm\sqrt{(-1)^2-4\times3\times-5}}{r}$ oe	

Question	Answers	Marks	Part marks
5(d)(i)	Ruled line through (0,2.5) and (5, 0)	2	<b>B1</b> for 'correct' freehand line or line with a gradient of -0.5 or line through (0, 2.5) with negative gradient or line through (5, 0) with negative gradient
5(d)(ii)	Correct region unambiguously identified	1	FT provided <i>their</i> straight line with negative gradient and the 3 given lines form a quadrilateral below $y = 4$
6(a)	7.387 to 7.392	2	M1 for sin 38 = $\frac{PQ}{12}$ soi or $\frac{PQ}{\sin 38} = \frac{12}{\sin 90}$ soi
6(b)	71(.0) to 71.02, 108.98 to 109(.0) nfww	4	B3 for one correct or M2 for $\sin S = \frac{12\sin 52}{10}$ or $\frac{12\cos 38}{10}$ or M1 for $\frac{\sin S}{12} = \frac{\sin 52}{10}$ oe or $[PR=]12\cos 38$ or $[PR=]12\sin 52$ or $[PR=]\sqrt{12^2 - (their(a))^2}$ and SC1 for two answers that add to 180
7(a)	Correct pattern drawn	1	
7(b)	15 21 10 15	2	B1 for 2 or 3 correct
7(c)	$n^2$ oe final answer	1	e.g. $\left(\frac{1}{2}n^2 + \frac{1}{2}n\right) + \left(\frac{1}{2}n^2 - \frac{1}{2}n\right)$
7(d)	465	1	

Question	Answers	Marks	Part marks
7(e)	$n^2 - \left(\frac{1}{2}n^2 + \frac{1}{2}n\right)$	1	
	$n^{2} - \left(\frac{1}{2}n^{2} + \frac{1}{2}n\right)$ or $\left(\frac{1}{2}(n-1)^{2} + \frac{1}{2}(n-1)\right)$ or $\left(\frac{1}{2}n^{2} + \frac{1}{2}n\right) - n$		
	or $\left(\frac{1}{2}n^2 + \frac{1}{2}n\right) - n$		
	leading to $\left(\frac{1}{2}n^2 - \frac{1}{2}n\right)$ without error <b>AG</b>		
7(f)	<i>m</i> = 9 cao	3	M1 for $\frac{1}{2}m^2 + \frac{1}{2}m = 5m$ A1 for $m^2 - 9m = 0$ or $m^2 = 9m$ or $m - 9 = 0$ or $m + 1 = 10$ or B2 for $[m = 9]$ 5 $m = 45$ and crosses = 45 or B1 for values for 5 m and the number of crosses seen for at least $m = 7$ and 8 After 0, SC1 for answer 11
SECTION E	8		
8(a)	14.96 to 15[.0] nfww	3	M2 for $15.1^2 - 2^2$ (= 224.01) or M1 for $DC^2 + 2^2 = 15.1^2$ or $15.1^2 - their 2^2$ with horizontal line seen or B1 for horizontal line and 2 soi
8(b)	97.46 to 97.55	3	M2 for $\cos [A] = \frac{9^2 + 11^2 - 15.1^2}{2 \times 9 \times 11}$ oe or B1 for $15.1^2 = 9^2 + 11^2 - 2 \times 9 \times 11 \times \cos[A]$ oe

Question	Answers	Marks	Part marks
8(c)	123.8 to 124.1 nfww	4	<b>M3</b> for $\frac{1}{2} \times 9 \times 11 \times \sin(b) + \frac{1}{2} \times (4+6) \times (a)$ oe with (a) $\neq 15.1$ soi
			or M1 for $\frac{1}{2} \times 9 \times 11 \times \sin(\mathbf{b})$ oe soi and M1 for $\frac{1}{2} \times (4+6) \times (a)$ oe with (a) $\neq 15.1$ soi
8(d)	495.5 to 497	2	FT (c) × 4
			<b>B1</b> for (figs $5$ ) <sup>2</sup> soi
9(a)	$(x+2)(10-x) = 10x + 20 - x^{2} - 2x y = 20 + 8x - x^{2} AG$	2	<b>B1</b> for $(x + 2)$ and $(10 - x)$ seen
9(b)	Smooth curve through 11 correct integer points	4	<b>B3</b> for 6 or 7 correct integer points plotted or <b>B2</b> for 4 or 5 correct integer points plotted or <b>B1</b> for 2 or 3 correct integer points plotted
9(c)	9.1 to 9.4 with $y = x$ drawn	2	<b>B1</b> for $y = x$ drawn or 9.1 to 9.4 with no line drawn/wrong line drawn
9(d)	-3, 6	4	<b>B1</b> for $5x + 2$ soi
			M1 for <i>their</i> ( $5x + 2$ ) = 20 + $8x - x^2$ leading to $x^2 - 3x - k$ [=0] or $x^2 - kx - 18$ [= 0] or equivalent 3 term quadratic
			A1 for $(x + 3)(x - 6) [= 0]$ or $\frac{3 \pm \sqrt{3^2 - 4 \times 1 \times -18}}{2 \times 1}$ oe or $\frac{3}{2} \pm \sqrt{\frac{81}{4}}$ oe
			After A0, <b>SC1</b> for answer 6 or $-3$

Question	Answers	Marks	Part marks
Question	AllSwei5	IVIAI NS	Fait mains
10(a)(i)	<i>B</i> and <i>C</i> correctly placed	3	<b>B2</b> for <i>B</i> or <i>C</i> correctly placed
			or <b>B1</b> for a point on a bearing of $062^{\circ}$ or a point on a bearing of $194^{\circ}$
10(a)(ii)	$D  ext{ on } BC  ext{ with } ADB = 90^{\circ}$	1	FT
10(a)(iii)	2.7 to 3.1	1	dep on (a)(ii) and B or C correct
10(a)(iv)	1.2 to 1.4 oe	2	dep on (a)(ii) and B or C correct
			<b>B1</b> for [ <i>CD</i> ] 5.5 to 6 and [ <i>DB</i> ] 7.3 to 7.7 or <b>SC1</b> for answer $0.5 \le n < 1$ if <i>their CD</i> > <i>their DB</i> or answer $1 < n \le 2$ if <i>their CD</i> < <i>their DB</i>
10(a)(v)	0.714w to $0.834w$ oe or $k - w$ where k is 18 to 20.5	1	FT $\frac{w}{their(a)(iv)}$ if their (a)(iv) $\neq 1$ and
			dep on (a)(ii)
10(b)	Correct region shaded	4	<b>B1</b> for arc 6 cm from <i>E</i> <b>B1</b> for angle bisector of <i>EAF</i>
			<b>B1</b> for perpendicular bisector of <i>AF</i>
			After B2, <b>SC1</b> for 'correct' region shaded provided only slight inaccuracy with the other line/curve
11(a)(i)	$55 \leq t \leq 60$	1	
11(a)(ii)	60.8 nfww	3	<b>M2</b> for $\frac{\sum \text{frequency} \times \text{midvalue}}{50}$ oe
			or M1 for $\sum ft$

Question	Answers	Marks	Part marks
11(a)(iii)	$\frac{23}{50}$ or 0.46 or 46%	2	<b>B1</b> for 23 seen or 16 + 7 seen
11(b)(i)	34	1	
11(b)(ii)	4.5	2	<b>B1</b> for 31.5 to 32.5 <u>and</u> 36 to 37 seen
11(b)(iii)	(28, 0) (32, 15) (36, 45) (40, 60) plotted and points joined	3	<b>B2</b> for at least 3 correct points plotted or <b>B1</b> for 2 correct points plotted or (28, 0) (32, 15) (36, 45) and (40, 60) seen
12(a)	32.56 to 32.58 or 32.6	3	M2 for $\frac{72}{360} \times \pi \times 20 + 20$ oe or M1 for $\frac{72}{360} \times \pi \times 20$ A1 for 12.56 to 12.58 or 12.6 After 0 or 1, SC1 for <i>their</i> 'arc length' + 10 + 10 soi
12(b)(i)	62.83 to 62.84 or 62.8	2	<b>M1</b> for $\frac{72}{360} \times \pi \times 10^2$
12(b)(ii)	4(.00) to 4.08 nfww	3	FT from <i>their</i> ( <b>b</b> )( <b>i</b> ) – (58.76 to 58.8) provided answer not negative <b>M2</b> for <i>their</i> ( <b>b</b> )( <b>i</b> ) – $2 \times \frac{1}{2} \times 10 \times 10 \times \sin\left(\frac{72}{2}\right)$ oe or <b>M1</b> for $[2\times] \frac{1}{2} \times 10 \times 10 \times \sin\left(\frac{72}{2}\right)$ oe soi
12(c)	Add totals from (a) and (b) then divide by 2 Any half values are to be rounded down	4	