Cambridge Www.dynamicpapers.com

Cambridge O Level

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
MATHEMATIC	CS (SYLLABUS D)	4024/21
Paper 2		May/June 2023
		2 hours 30 minutes
You must answ	er on the question paper.	
You will need:	Geometrical instruments	

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You may use tracing paper.
- You must show all necessary working clearly.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

This document has 24 pages. Any blank pages are indicated.

• For π , use either your calculator value or 3.142.

INFORMATION

- The total mark for this paper is 100.
- The number of marks for each question or part question is shown in brackets [].



2

A cuboid has dimensions x cm, (5-x) cm and 15 cm.

(a) Show that the equation for the volume of the cuboid, $y \text{ cm}^3$, is $y = 75x - 15x^2$.

(b) Complete the table of values for $y = 75x - 15x^2$.

x	1	1.5	2	2.5	3	3.5	4	
У	60	78.75	90		90	78.75	60	
								´[1

(c) Draw the graph of $y = 75x - 15x^2$ for $1 \le x \le 4$.



[1]



The diagram shows a pyramid with a square base of side length 9 cm. The pyramid has height x cm and volume $y \text{ cm}^3$.

(i) Show that the equation for the volume of the pyramid is y = 27x.

[1]

(ii) By drawing a suitable straight line on the grid on page 2, find the height of the pyramid when the pyramid and the cuboid have the same volume.

..... cm [3]

2 (a) Filomena starts work at 10.45 am on Monday. She finishes work 2 hours 50 minutes later.

Find the time she finishes work on Monday.

......[1]

- (b) Xavier works for 5 days each week. He works for $4\frac{1}{2}$ hours on each of the 5 days.
 - (i) Each week he earns \$261.

Calculate the hourly rate he is paid.

(ii) One day, the length of time Xavier works decreases by 20%.

Calculate the length of time he works that day. Give your answer in hours and minutes.

..... hours minutes [2]

(c) In 2021, Miguel's income was \$32000. In 2022, his income increased to \$33408.

Calculate the percentage increase in his income from 2021 to 2022.

(d) Miguel invests x in an account paying simple interest at a rate of 1.2% per year. At the end of 3 years, he has \$890.96 in the account.

Calculate the value of *x*.

3 (a)



PQ is parallel to *RS*. *ABCD* is a straight line. BE = CE and $A\hat{B}E = 110^{\circ}$.

Calculate $E\hat{C}Q$, giving a reason for each step of your working.

$E\hat{C}Q = \dots$ because	
	[3]



U, *V*, *W*, *X* and *Y* are points on the circumference of a circle, centre *O*. *UY* is a diameter of the circle and *ZX* is a tangent to the circle at *X*. $V\hat{U}X = 35^\circ$, $X\hat{Z}Y = a^\circ$ and $V\hat{W}Y = b^\circ$.

Find an expression for *b* in terms of *a*. Give your answer in its simplest form.

4 The cumulative frequency diagram shows the amount of fuel, *f* litres, bought by 100 customers at a service station one day.



- (a) Use the diagram to estimate
 - (i) the median
 - (ii) the interquartile range.

..... litres [2]

..... litres [1]

(b) That day the price of a litre of fuel at the service station was \$1.75.

Use the diagram to find the fraction of customers who spent more than \$91.00 on fuel.

......[3]

Amount of fuel (<i>f</i> litres)	$10 < f \le 20$	$20 < f \le 30$	$30 < f \le 40$	$40 < f \le 50$	$50 < f \le 60$	$60 < f \le 70$	$70 < f \le 80$
Frequency	14	38	20				

(c) Complete the frequency table for the amount of fuel bought by these 100 customers.

[2]

- 5 (a) $\mathscr{C} = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\}$ $P = \{x : x \text{ is a multiple of } 3\}$ $Q = \{x : x \text{ is an odd number}\}$ $R = \{x : x \text{ is a factor of } 24\}$
 - (i) Complete the Venn diagram.



(ii) Find n(R').

[3]

(iii) List the elements of $(P \cup R) \cap Q$.

(iv) Describe in words, the type of number represented by $P \cap P \cap O'$

(iv) Describe, in words, the type of number represented by $P \cap R \cap Q'$.

......[1]

(v) A number, m, is chosen at random from the elements of R.

Find the probability that *m* is a multiple of 3.

......[2]

(b) $M = 2^{2x} \times 3^4 \times 5 \times 7$ $N = 2^3 \times 3^{x-y} \times 5^2$

The lowest common multiple (LCM) of *M* and *N* is $2^8 \times 3^6 \times 5^2 \times 7$.

(i) Find the value of x and the value of y.

 $x = \dots \qquad [2]$ (ii) Find the largest square number that is a factor of *M*. (iii) Find the highest common factor (HCF) of *M* and *N*. Give your answer as a product of its prime factors.

......[1]

6 (a) Simplify 3u - 6w - 5u + 9w.

......[2]

(b) Emilio buys *m* pencils at 40 cents each and 12 pens at 85 cents each. He pays \$20 and receives \$2.20 change.

Form an equation in *m* and solve it to find the number of pencils Emilio buys. Show your working.

..... pencils [4]

(c) y is directly proportional to the cube of (x - 2). When y = 12, x = 4.

Find *y* when x = 5.

......[3]

(d) Write as a single fraction in its simplest form.

$$\frac{3}{x-1} - \frac{4}{2x+1}$$

© UCLES 2023

- 7 (a) ABC is a triangle with AC = 8.3 cm and $B\hat{A}C = 105^{\circ}$.
 - (i) Construct triangle *ABC*. Line *AB* has been drawn for you.



(ii) By taking suitable measurements from your triangle, calculate the perimeter of triangle ABC.

(b)



The diagram shows quadrilateral *PQRS*. $SQ = 15 \text{ cm}, S\hat{P}Q = 67^{\circ} \text{ and } P\hat{Q}S = 74^{\circ}.$

(i) Calculate *PS*.

..... cm[3]

(ii) $P\hat{S}R = 96^{\circ}$ and the area of triangle QRS is 63 cm^2 .

(a) Show that SR = 10.0 cm, correct to 1 decimal place.

(b) Calculate QR.

[3]

8 (a) Maya leaves the office for a factory visit. The distance-time graph shows her journey from the office to the factory.



(i) Maya stays at the factory for $1\frac{1}{2}$ hours. She then returns to the office at an average speed of 35 km/h.

Complete the distance-time graph to show this information.

(ii) Use your graph to find the time Maya arrives back at the office.

......[1]

[2]

(b) The diagram shows the distance–time graph for the journey of a cyclist. The cyclist travels *d* metres from home to a lake and then returns home.



At 08 36 the cyclist is (d - 7200) metres from home.

The average speed of the cyclist between 0800 and 0836 is $\frac{4}{5}$ of the average speed of the cyclist between 0910 and 0955.

Calculate the value of *d*.

9 The Bukhari family and the Garcia family are going on holiday.

In the Bukhari family there are 2 adults and 3 children. In the Garcia family there are 4 adults and 1 child.

(a) Complete matrix M to represent this information.



(b) The cost of a flight for each adult is x and the cost of a flight for each child is y.

The matrix $\mathbf{N} = \begin{pmatrix} x \\ y \end{pmatrix}$ shows this information.

The matrix $\mathbf{P} = \mathbf{MN} = \begin{pmatrix} 525\\575 \end{pmatrix}$.

(i) Using an algebraic method, find the value of *x* and the value of *y*. Show your working.



(ii) Explain what each element in **P** represents.

......[1]

- **10** Bags of sweets are packed into boxes.
 - (a) A box is opened and the number of sweets in each bag is counted. The results are shown in the table.

Number of sweets	11	12	13	14	15
Frequency	15	26	38	р	9

(i) Explain why the total number of bags in the box cannot be 87.

......[1]

(ii) The mean number of sweets per bag in this box is 12.8.

Find the value of *p*.

(b) Another box is opened and the number of sweets in each bag is counted. The results are shown in the table.

Number of sweets	11	12	13	14	15
Frequency	12	28	39	r	9

A bag of sweets is chosen at random from this box and not replaced. A second bag of sweets is then chosen at random from the same box.

The probability that both bags contain 15 sweets is $\frac{4}{539}$.

(i) Show that $r^2 + 175r - 2046 = 0$.

(ii) Solve $r^2 + 175r - 2046 = 0$ to find the value of r. Show your working.

[3]





The diagram shows an open container on a horizontal surface. The container is a prism with trapezium *ABCD* as its cross-section. AB = 28 cm, DC = 24 cm, AD = 16 cm and BF = 29 cm.Angle *ADC* and angle *DAB* are right angles.

(a) Calculate angle *DCB*.

Angle $DCB = \dots$ [3]

(b) Khalil pours water into the empty container at a rate of $4000 \text{ cm}^3/\text{minute}$ for 2 minutes. He says that the container is now more than two thirds full.

Is he correct? Show your working. (c) Calculate angle *DFH*.

Angle $DFH = \dots$ [3]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.