CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the May/June 2013 series

5054 PHYSICS

5054/31

Paper 3 (Practical Test), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



WW	w.dynamicpa	pers.com
	• • • •	-

Page 2	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – May/June 2013	5054	31

Section A

1	(a)	<i>l</i> , <i>w</i> and <i>T</i> all sensible (73 mm < <i>l</i> < 79 mm, 22 mm < <i>w</i> < 28 mm and	
		9 mm < T < 16 mm) measured to the nearest mm with unit seen somewhere.	B1

Measurements of l, w and T all repeated.

(b) *M* with unit and correct calculation of density with unit. *M* to be in one of the ranges below, depending on the thickness of the stack.

T / mm	Minimum <i>M</i> / g	Maximum <i>M</i> / g
10	43	51
11	49	55
12	52	60
13	57	65
14	60	69
15	64	76

(c) (ii) Number of slides correctly calculated from *M* / *m* and from *T* / *t* with working clear. (Allow non-integer values)

(iii) Possible comments, for example:

Values should be integers so all slides not identical if ratios are not integers / Ratios should give same answer even if slides are not identical (because mass proportional to thickness) / Not integers because of errors in the measurements / Are integers, so slides in the stack are the same as the single slide / Tape does not have the same effect on the mass and the thickness. A1

M1

B1

B1

		WWW	.dynamicpap	ers.com	
	Page 3		Syllabus	Paper	
		GCE O LEVEL – May/June 2013	5054	31	
2	(a)	Normal and angle of incidence of 40° correct by eye.		B1	
	(b) (ii)	Approximately correct position for the reflected ray with or of the line indicating the column "For examiners use only" within 2.0 cm of the front of the mirror (both measured alo	and the other m		
	(c) (ii)	New position of the front of the mirror marked on diagram		B1	
	(iii)	Approximately correct position for the new reflected ray about 10° below the horizontal (allow up to about 20° belo	ow by eye).	B1	
		(Allow error carried forward for $i = 50^{\circ}$, new reflected ray s horizontal (or vertical if L drawn on the left hand side of th		kimately	
	(v)	θ = 36° to 44° from correct diagram.		B1	[5]
3	(a) Cire	cuit diagram showing power supply, resistor and capacitor i	in series.	B1	
	Sw	itch in parallel with the capacitor and voltmeter in parallel w	vith the resistor.	B1	
		in the range 2.2 V to 3.5 V with unit seen somewhere and 0 culated correctly.).5V ₀	B1	
	(c) <i>t</i> in	the range 20 (s) to 45 (s)		M1	
	fror	m repeat measurements with correct average and unit seer	n somewhere.	A1	[5]

Pa	ge 4	Γ	www.dynamicpap Mark Scheme Syllabus	Pap	
			GCE O LEVEL – May/June 2013 5054	31	
			Section B		
Pre	limina	ary F	<u>Results</u>		
(a)	<i>l</i> in th	he ra	ange 1.5 cm to 3.0 cm, measured to the nearest mm with unit.	B	1
(b)	p > y	with	n units seen somewhere in (b) .	B	1
			n at least 2 measurements to the nearest mm. hits penalty once only in (a) and (b))	B	1
(c)	(i) C	Corre	ect x.	M	1
	(ii) C	Corre	ect calculation of <i>F</i> in the range 0.39 N to 0.59 N with unit.	A	1
<u>Tab</u>	ole				
(d)	Table	e wit	h units for <i>M</i> , <i>y</i> , <i>p</i> , <i>L</i> , <i>x</i> and <i>F</i> .	B	1
	y, p, L	L an	d x increase as M increases for all readings with a minimum of 4 read	dings. B	1
	A min	nimu	im of two correct <i>F</i> values.	B	1
	A min	nimu	im of four correct <i>F</i> values.	В	1
	Corre	ect F	values are in the ranges specified below for each <i>M</i> .		

<i>M</i> / g	Minimum <i>F</i> / N	Maximum <i>F</i> / N
100	0.44	0.54
200	0.88	1.08
300	1.32	1.62
400	1.76	2.16
500	2.20	2.70
600	2.64	3.24

Page 5	Mark Scheme	www.dynamicpaj	Paper
	GCE O LEVEL – May/June 2013	5054	31
<u>Graph</u>			
、 <i>/</i>	belled with units and correct orientation. e.c.f. from wrong unit in table but not no units.)		B1
(/ 110 W)			
	e scale, not based on 3, 6, 7 etc. with plotted data	a occupying ≥ half the	
	directions. the graph to start at the origin.)		B1
,			
•	ints plotted correctly – check the two points furthe ark can only be scored if the scale is easy to follo		B1
	must be within $\frac{1}{2}$ small square of the correct pos		ы
Rest fit	fine line and fine points or crosses.		B1
	nickness to be no greater than the thickest lines o	n the grid.)	Di
Calculation	<u>15</u>		
(f) Straigh	t line drawn on graph or tangent drawn to curve.		M0
Use of	a triangle that uses more than half the drawn line		A1
	t calculation, 2/3 s.f. and in range 4.4×10^{-3} to 0^{-3} (N g ⁻¹) (ignore unit).		