

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
GCE Ordinary Level

**MARK SCHEME for the October/November 2009 question paper
for the guidance of teachers**

5054 PHYSICS

5054/02

Paper 2 (Theory), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5054	02

- 1 (a) (i) weight of water (causes extra pressure)(**not** mass) B1
- (ii) density of liquid/(sea-)water **or** gravitational field strength/acceleration of freefall (**not** gravity) B1
- (b) (i) $3.6/3.60 \times 10^5$ Pa B1
- (ii) $P_1 V_1 = P_2 V_2$ **or** $1.05 \times 10^5 \times 6000 = 3.60 \times 10^5 \times V_2$ C1
 1700 **or** 1750 **or** 1800 cm³ A1 [5]
- 2 (a) (WD =)Fx **or** 1680×50 C1
 84 000 J A1
- (b) friction/drag/resistance **of water/air** B1
 work done against friction/resistance/drag **or** energy lost due to friction/resistance/drag **or** energy lost as heat/internal/thermal B1 [4]
- 3 (a) (i) (he) loses –ve charge C1
electrons lost (to surface) (positive electrons 0/2) A1
- (ii) (becomes) negative/gains electrons B1
- (b) (i) (he) discharges/(re)gains electrons/–ve charge (**not** current flow) B1
- (ii) (Q =)It **or** 1.6×0.15 **or** 0.0016×0.00015 C1
 2.4×10^n C1
 2.4×10^{-7} C A1 [7]
- 4 (a) (i) one ray from M correctly reflected – checked by eye C1
 two rays from M correctly reflected – checked by eye – **and** traced back to image A1
- (ii) image point **clearly** marked at intersection/correct place checked by eye B1
- (b) 0.34 m **cao** B1 [4]
- 5 (a) (i) C in correct position i.e. gap 4, 18 **or** 32 { **allow** arrows/ B1
 R in correct position i.e. gap 11 **or** 25 { brackets < $\lambda/2$ B1
OR two correct positions but R and C reversed 1/2
- (ii) $6.2 \rightarrow 6.6$ cm B1
- (iii) (v =)f λ **or** $5.1/5100 \times 6.4/0.064$ (using candidate's 5 (a) (ii)) C1
 $3.16 - 3.37 \times 10^n$ C1
 316 – 337 m/s A1

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5054	02

- (b) (longitudinal wave:) vibration/oscillation direction parallel to/in same direction as wave/energy travel direction (not L & R) B1
transverse wave: directions perpendicular **or** can be polarized (not up & down) B1 [8]

- 6 (a) (i) $(I =)P/V$ **or** $P = VI$ **or** 650/230 C1
2.8 **or** 2.83 A A1
- (ii) 3, 4, 5, 6 **or** 7 A **only** B1
- (b) (i) casing becomes live/at high voltage B1
current through user/user electrocuted/user shocked B1
- (ii) fuse blows/melts/breaks B1
fuse in live wire/(microwave) disconnected/circuit broken/no current B1 [7]
- 7 (a) 1.(0) m B1
- (b) (i) (for an object in) equilibrium/balance B1
 $W_1x = W_2y$ (clear) **or** anticlockwise moment/torque/turning force =
clockwise moment/torque/turning force B1
- (ii) $18\,000 \times 1.0 = T \times 0.5$ C1
36 000 N A1 [5]
- 8 (a) (i) 3 **cao** B1
- (ii) 208 **cao** B1
- (iii) 11 **cao** B1
- (b) (i) 17 **cao** B1
- (ii) 20 **cao** B1 [5]

[Total: 45]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5054	02

Section B

- 9 (a) (i) $100 - 22$ **or** 78 C1
 $(Q =)mc\Delta T$ **or** $35 \times 4200 \times 78$ C1
 $1.1/1.1466/1.15 \times 10^7$ J A1
- (ii) $(t =)E/P$ **or** $P = E/t$ **or** $1.15 \times 10^7/2600$ C1
 $4.4/4.41/4.42 \times 10^3$ s A1
- (iii) heat escapes/lost (to kitchen) **or** heat to heat the boiler/heater
or not all heat ends up in water **or** heat to cause evaporation
or used as latent heat (not heat wasted) B1 [6]
- (b) (i) hot/warm **water** expands (not molecules expand) B1
density (of hot/warm water) decreases B1
hot/warm water rises B1
convection current/circulation **or** cold water sinks B1
mixes water (max 4) B1
- (ii) metal/steel is (good) conductor/poor insulator **or** plastic is poor conductor/
insulator B1
more heat transferred through steel/less through plastic **or** heat transferred more
quickly through steel/less quickly through plastic B1 [6]
- (c) (i) evaporation **OR** condensation B1
- (ii) any **two** points
only occurs at surface boiling needs heat/
occurs at any temperature condensation releases heat B1
produces cooling boiling: liquid to gas/
no bubbles B2 condensation: gas to liquid B1 [3]
- [Total: 15]**
- 10 (a) (i) $(W =)mg$ **or** 0.5×3.7 C1
 $1.8/1.85/1.9$ N A1
- (ii) 3.7 m/s^2 **not** N/kg B1
- (iii) $(KE =) \frac{1}{2}mv^2$ C1
 $\frac{1}{2} \times 0.50 \times 3.2^2$ C1
 2.6 **or** 2.56 J A1 [6]
- (b) (i) A compares/measures (unknown and known) masses/amount of matter B1
B measures/is dependent on weight/force of gravity (and hence mass obtained) B1
Mars weights/forces of gravity are less than/different from (Earth) B1
- (ii) A **or** lever arm balance **or** balance with discs B1 [4]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5054	02

(c) (i) volume B1

(ii) **Either:**

record value of water in measuring cylinder (**not** beaker)
insert rock
record new value
subtract (to obtain volume)
or measure rise
 m/volume **or** $m/\text{subtraction}$
(max 4)

Or:

water/liquid in displacement/eureka can
full to overflowing
immerse rock
(new) overflow in measuring cylinder
(**not** beaker is volume)
 m/volume **or** $m/\text{subtraction}$
(max 4)

B4 [5]

[Total: 15]

11 (a) (i) ($I = V/R$ **or** $V = IR$ (in (i)/(ii)) **or** $9.0/20$ (in (i)) **or** 0.45×16 (in (ii))
0.45 A C1
A1

(ii) 7.2 V (max 3 for (i) and (ii) together) A1 [3]
C1 may be awarded for **either** A mark

(b) (i) $R \rightarrow T$ **and** line of positive slope throughout B1
straight line, positive intercept on R-axis **and** slope/0 on **kelvin** scale B1

(ii) voltmeter reading falls B1
current (supplied by battery) falls **or** X takes greater proportion of p.d. **or** 16Ω
takes smaller proportion of p.d. B1

(iii) 0 **and** to/ \rightarrow / \leftarrow B1
 $8/9/10/\text{whole number not greater than } 20 \text{ V}$ (usual unit penalty) B1 [6]

EITHER:

(c) (i) use small, metal conductor as probe/sensor **or** calibrate V reading B1
(with known T) B1
the voltmeter reading is used to find T

(ii) any **two** from: high temperatures /remote reading/robust/quick acting/direct input
to computer/low heat capacity B2

(iii) equal changes in one/T do **not** produce a equal changes in the other/V **or**
graph with axes labelled **not** straight **or** **not** proportional to B2 [6]
not a straight line **or** not same change **or** change in V is not uniform 1/2

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2009	5054	02

OR:

(c) (i)

In		Out
0	0	1
0	1	1
1	0	1
1	1	0

} all correct

correct

B1

B1

(ii) both inputs = 0
output = 1

B1

B1

(iii) A and B inputs = 1
output = 0

B1

B1 [6]

[Total: 15]