



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



CHEMISTRY

Paper 2 Theory

5070/22

May/June 2011

1 hour 30 minutes

Candidates answer on the Question Paper.

No additional materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

Section B

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
Section A	
B7	
B8	
B9	
B10	
Total	

This document consists of **17** printed pages and **3** blank pages.



Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

For
Examiner's
Use

A1 Choose from the following compounds to answer the questions below.

ammonia

carbon monoxide

copper(II) carbonate

copper(II) chloride

copper(II) sulfate

sodium chloride

sodium hydroxide

sodium sulfate

sulfur dioxide

sulfuric acid

zinc carbonate

zinc nitrate

Each compound can be used once, more than once or not at all.

Which compound

(a) is a white solid with a high melting point that dissolves in water to form an alkaline solution,

.....[1]

(b) is a blue solid which, when dissolved in water, gives a white precipitate with aqueous barium nitrate,

.....[1]

(c) is a colourless gas that turns moist red litmus paper blue,

.....[1]

(d) is a white solid that decomposes on heating to form carbon dioxide?

.....[1]

[Total: 4]

A2 Alkanes are a homologous series of saturated hydrocarbons.

*For
Examiner's
Use*

(a) What is the general formula of alkanes?

.....[1]

(b) Draw the structures of the two isomers of C_4H_{10} .

[2]

(c) One of the isomers of C_4H_{10} , butane, reacts with chlorine in the presence of ultra-violet light. It forms hydrogen chloride gas and a mixture of liquid compounds.

(i) Name this type of reaction.

.....[1]

(ii) Draw the structure of one of the liquid compounds.

[1]

(d) Name the process by which butane is separated from crude oil.

.....[1]

[Total: 6]

A3 Vegetable oils can be used both to make margarine and as fuels such as bio-diesel.

(a) Many vegetable oils are polyunsaturated.

(i) Explain the meaning of the term *polyunsaturated*.

.....
.....
.....[2]

(ii) Describe how you could distinguish between samples of saturated and unsaturated vegetable oils.

.....
.....
.....[2]

(b) Describe how margarine can be manufactured from unsaturated vegetable oils.

.....
.....[1]

(c) Bio-diesel contains the compound $C_{15}H_{30}O_2$.
Suggest the products of the complete combustion of this compound.

.....[2]

(d) Farmers that grow vegetable oil crops often use large quantities of ammonium nitrate fertiliser, NH_4NO_3 .
Calculate the percentage by mass of nitrogen in ammonium nitrate.

percentage = % [2]

(e) Microorganisms in the soil convert ammonium nitrate into gaseous nitrous oxide, N_2O . This gas is a greenhouse gas.

For
Examiner's
Use

(i) Describe **two** possible consequences of an increasing concentration of greenhouse gases in the atmosphere.

.....
.....
.....
.....[2]

(ii) Ammonium nitrate can be thermally decomposed in the laboratory to form nitrous oxide and one other product. Construct the equation for this decomposition.

[1]

[Total: 12]

A4 Fluorine, chlorine, bromine and iodine are elements in Group VII of the Periodic Table. Scientists are trying to synthesise a new element in Group VII with a proton number of 117.

*For
Examiner's
Use*

(a) How many valency electrons will be present in one atom of this new element?

.....[1]

(b) Complete the following table about an isotope of this new element.

nucleon number	280
number of protons	
number of neutrons	

[2]

(c) Predict **two** physical properties of this new element.

1

2[2]

(d) Fluorine reacts with magnesium to form magnesium fluoride.

(i) Write a balanced equation for this reaction.

[1]

(ii) Give both the electronic configuration and the charge on the ions which are present in magnesium fluoride.

[2]

(e) Trifluorochloromethane, CF_3Cl , is a covalent compound.

- (i) Draw a 'dot-and-cross' diagram for a CF_3Cl molecule.
You only need to show the outer electrons for each atom.

For
Examiner's
Use

[2]

- (ii) Trifluorochloromethane does not conduct electricity.
Suggest one **other** physical property of trifluorochloromethane.


.....[1]

- (iii) Suggest one environmental problem associated with the presence of trifluorochloromethane in the atmosphere.

.....[1]

[Total: 12]

A5 Blue diamonds are an impure form of carbon. Part of the structure of a blue diamond is shown below.



Blue diamonds have a high melting point and can conduct electricity.

(a) Explain, in terms of structure and bonding, why blue diamonds have a high melting point.

.....

.....

.....

.....[2]

(b) Normal diamonds are a pure form of carbon. They do not conduct electricity.

(i) Explain, in terms of structure and bonding, why normal diamonds do **not** conduct electricity.

.....

.....[1]

(ii) Suggest why blue diamonds can conduct electricity.

.....

.....[1]

(c) Graphite is another pure form of carbon. Suggest **two** reasons why graphite is often used as an electrode in electrolysis.

1

2[2]

[Total: 6]

A6 Proteins are natural polyamides which can be hydrolysed to form amino acids.

(a) Name a synthetic polyamide.

.....[1]

(b) The hydrolysis of proteins forms a mixture of colourless amino acids.
Describe, with the aid of a labelled diagram, how paper chromatography can be used to identify a mixture of amino acids.

.....
.....
.....
.....
.....
.....
.....[4]

[Total: 5]

Section B

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.

For
Examiner's
Use

- B7** Nitric oxide, NO, is an atmospheric pollutant formed inside car engines by the reaction between nitrogen and oxygen.




This reaction is endothermic.

- (a) Explain the meaning of the term *endothermic*.

.....
[1]

- (b) Complete the energy profile diagram for the reaction between nitrogen and oxygen. On your diagram label the

- product,
- activation energy, E_a ,
- enthalpy change for the reaction, ΔH .



[3]

- (c) Calculate the mass of nitric oxide formed when 100 g of nitrogen reacts completely with oxygen.

mass of nitric oxide = g [3]

(d) Explain how the speed of reaction between nitrogen and oxygen changes when the pressure of the gaseous mixture is increased from 1 atmosphere to 10 atmospheres.

*For
Examiner's
Use*

.....
.....
.....
.....[3]

[Total: 10]

B8 Propanoic acid, $C_2H_5CO_2H$, and hydrochloric acid, HCl , both act as acids when dissolved in water.

For
Examiner's
Use

(a) State the formula of an ion found in both dilute propanoic acid and in dilute hydrochloric acid.

.....[1]

(b) Propanoic acid reacts with magnesium carbonate to form water, a colourless gas and a salt. In this reaction


(i) name the gas,

.....[1]


(ii) give the formula of the salt.

.....[1]

(c) In an experiment magnesium ribbon is added to 25.0 cm^3 of 1.00 mol/dm^3 hydrochloric acid, an excess.



Every 30 seconds the total volume of hydrogen formed is measured at room temperature and pressure. The results are shown on the grid below.



- (i) Use information from the graph to calculate the mass of magnesium ribbon used in the experiment.
[One mole of any gas at room temperature and pressure occupies a volume of 24 000 cm³.]

For
Examiner's
Use

mass of magnesium ribbon = g [3]

- (ii) The experiment was repeated using the same mass of magnesium ribbon but with 25.0 cm³ of 1.00 mol/dm³ propanoic acid, an excess.
Draw on the grid a graph of the results for the reaction between magnesium ribbon and propanoic acid.
- [2]
- (d) Dilute hydrochloric acid reacts with aqueous silver nitrate to form a white precipitate.
Write an ionic equation, with state symbols, for this reaction.

[2]

[Total:10]

B9 Copper is a transition metal. It is used both in its pure form and in alloys.

(a) The physical properties of copper can be explained in terms of metallic bonding.

Describe, with the aid of a labelled diagram, the metallic bonding in copper.

.....
.....
.....
.....[3]

(b) Pure copper is used to make electrical wires because it is a good electrical conductor.

(i) Explain why copper is a good electrical conductor.

.....
.....[1]

(ii) Describe how impure copper can be purified.

.....
.....
.....
.....[2]

(c) Name an alloy that contains copper.

.....[1]

(d) Many millions of tonnes of copper are recycled every year.
Describe some of the advantages and disadvantages of recycling copper.

*For
Examiner's
Use*

.....

.....

.....

.....

.....

.....

.....

.....[3]

[Total: 10]

B10 Glucose, C₆H₁₂O₆, is one of the products of photosynthesis.

(a) State the empirical formula for glucose.

.....[1]


(b) (i) Write an equation to show how glucose is formed in photosynthesis.

[1]

(ii) Give the essential conditions for this process.

.....
.....
.....[2]

(c) Fermentation converts glucose into ethanol, a biofuel.



(i) State **two** essential conditions for fermentation to take place.

1
2[2]

(ii) Calculate the maximum mass of ethanol that can be made from 1 tonne of glucose.
[One tonne is one million grams.]

maximum mass of ethanol = tonne [3]

(iii) Suggest one possible problem in making biofuels by fermentation.

.....[1]

[Total: 10]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

Group		I	II	III	IV	V	VI	VII	0	
		1 H Hydrogen							4 He Helium	
7 Li Lithium	9 Be Beryllium							16 O Oxygen	19 F Fluorine	20 Ne Neon
23 Na Sodium	24 Mg Magnesium				12 C Carbon	14 N Nitrogen	16 O Oxygen	17 Cl Chlorine	18 Ar Argon	
39 K Potassium	40 Ca Calcium				28 Si Silicon	31 P Phosphorus	32 S Sulfur	35.5 Cl Chlorine	40 Ar Argon	
85 Rb Rubidium	88 Sr Strontium	45 Sc Scandium	48 Ti Titanium	55 Mn Manganese	64 Cu Copper	59 Ni Nickel	73 Ge Germanium	75 As Arsenic	79 Se Selenium	
133 Cs Caesium	137 Ba Barium	89 Y Yttrium	91 Zr Zirconium	101 Ru Ruthenium	108 Ag Silver	106 Pd Palladium	119 Sn Tin	122 Sb Antimony	127 I Iodine	
223 Fr Francium	226 Ra Radium	139 La Lanthanum	178 Hf Hafnium	186 Re Rhenium	197 Au Gold	195 Pt Platinum	207 Pb Lead	209 Bi Bismuth	210 At Astatine	
87	88	89	72	75	79	78	82	83	85	
					65 Zn Zinc	58 Ni Nickel	32 Ge Germanium	33 As Arsenic	36 Kr Krypton	
					30	28	31	34	35	
					49 In Indium	46 Pd Palladium	50	51	54	
					80 Hg Mercury	77 Ir Iridium	81	83	86	
					112 Cd Cadmium	103 Rh Rhodium	115	122	127	
					48	45	49	51	54	
					201 Hg Mercury	192 Ir Iridium	204	209	210	
					80	77	81	83	85	
					159 Tb Terbium	150 Sm Samarium	162	167	173	
					65	62	66	68	70	
					157 Gd Gadolinium	147 Pm Promethium	165	167	173	
					64	61	67	68	71	
					247 Bk Berkelium	244 Pu Plutonium	251	257	259	
					97	94	98	100	102	
					152 Eu Europium	144 Nd Neodymium	165	167	173	
					63	60	67	68	71	
					247 Cm Curium	243 Am Americium	252	257	259	
					96	95	99	100	102	
					140 Ce Cerium	141 Pr Praseodymium	165	167	173	
					58	59	67	68	71	
					232 Th Thorium	231 Pa Protactinium	252	257	259	
					90	91	99	100	102	
					175 Lu Lutetium	147 Pm Promethium	165	167	173	
					71	61	67	68	71	
					260 Lr Lawrencium	237 Np Neptunium	252	257	259	
					103	93	99	100	102	

* 58–71 Lanthanoid series
† 90–103 Actinoid series

Key

a	X
b	†

a = relative atomic mass
X = atomic symbol
b = atomic (proton) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).