



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

**CHEMISTRY**

**5070/22**

Paper 2 Theory

**May/June 2013**

**1 hour 30 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

**Section A**

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

**Section B**

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of **19** printed pages and **1** blank page.



## Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

For  
Examiner's  
Use

**A1** Choose from the following elements to answer the questions below.

**barium**

**calcium**

**carbon**

**copper**

**helium**

**hydrogen**

**iron**

**lead**

**lithium**

**sulfur**

**zinc**

Each element can be used once, more than once or not at all.

Name an element which

**(a)** forms two acidic oxides,

..... [1]

**(b)** has an ion which, in aqueous solution, reacts with aqueous sodium hydroxide to give a green precipitate,

..... [1]

**(c)** has an atom with an electronic configuration with only four occupied shells,

..... [1]

**(d)** has two giant molecular structures,

..... [1]

**(e)** has an ion which, in aqueous solution, is used to test for sulfate ions,

..... [1]

**(f)** reacts with water to form an alkaline solution.

..... [1]

[Total: 6]

**A2** Both respiration and combustion add carbon dioxide to the atmosphere.

**(a)** Give one reason why scientists are concerned about the increasing use of fossil fuels.

.....  
 ..... [1]

**(b)** Respiration is a process that occurs in living organisms where glucose,  $C_6H_{12}O_6$ , reacts with oxygen.

Write the overall equation that represents respiration.

..... [1]

**(c)** Respiration is an exothermic reaction.


**(i)** Explain, in terms of the energy changes that occur during bond breaking and bond making, why respiration is an exothermic reaction.

.....  
 .....  
 .....  
 ..... [2]

**(ii)** Complete the energy profile diagram for respiration.

On your diagram label the

- products,
- enthalpy change for the reaction,  $\Delta H$ ,
- activation energy,  $E_a$ .



[3]

[Total: 7]

**A3** Aluminium is a metal and both iodine and bromine are non-metals.

For  
Examiner's  
Use

- (a)** How does the number of valency electrons help to explain why aluminium is a metal and iodine and bromine are non-metals?

.....  
.....  
.....  
..... [2]

- (b)** At room temperature iodine is a solid and bromine is a liquid.

Describe the difference between both the arrangement and the motion of particles in a solid and a liquid.

.....  
.....  
..... [2]

- (c)** Iodine and bromine form the compound iodine bromide, IBr.

Draw the 'dot-and-cross' diagram for IBr.

Only draw the outer shell electrons.

[1]

- (d)** Describe how bromine is used to test for unsaturation in organic compounds.

.....  
..... [1]

(e) Aluminium is used to make alloys for the aircraft industry. One reason for this is that aluminium does not corrode very easily.

*For  
Examiner's  
Use*

(i) State one other reason why aluminium is used in the manufacture of aircraft.

..... [1]


(ii) Explain why aluminium does not corrode very easily.

.....  
.....  
..... [2]


[Total: 9]

**A4** The structures of some of the compounds that can be manufactured from crude oil are shown.


For  
Examiner's  
Use




butane




ethanol



ethene



octane



propene

**(a)** Octane is found in the petrol fraction separated from crude oil.

Name the process by which petrol is separated from crude oil and state the physical property which allows this process to be carried out.

.....  
 .....  
 ..... [2]

**(b)** Hexadecane,  $\text{C}_{16}\text{H}_{34}$ , can be cracked to produce a mixture of alkanes and alkenes.

Construct an equation to show the cracking of hexadecane to produce octane.

..... [2]

**(c)** Propene can be polymerised to make poly(propene).

Draw a section of the structure of poly(propene).

[2]

**(d)** Ethanol is manufactured by a hydration reaction.

State both the reagents and conditions for this reaction.

.....  
 ..... [2]

[Total: 8]

**A5** Analysis of compound **X** shows it has the following composition.

For  
Examiner's  
Use

element	percentage by mass
hydrogen	3.40
nitrogen	12.0
oxygen	41.0
vanadium	43.6

(a) Show that **X** has the formula  $H_4NO_3V$ .

[2]

(b) Suggest one property of aqueous **X** caused by the presence of vanadium.

..... [1]

(c) Aqueous sodium hydroxide is added to solid **X** and the mixture is warmed.

A colourless gas that turns moist red litmus blue is evolved.

Deduce the formula of each of the two ions present in **X**.

..... [2]

(d) An acidified aqueous solution of **X** reacts with aqueous potassium iodide to form iodine.

State and explain what you can deduce about the chemical nature of **X**.

..... [2]

(e) When solid **X** is heated only  $V_2O_5$ , water and gas **Z** are formed.

Name gas **Z**.

..... [1]


[Total: 8]

**BLANK PAGE**



- A6** A 0.250 g sample of iron filings is added to 25.0 cm<sup>3</sup> of 0.100 mol/dm<sup>3</sup> aqueous copper(II) sulfate.

For  
Examiner's  
Use



- (a) Explain, using electron transfer, why iron is oxidised in this reaction.

.....  
..... [1]

- (b) Show, by calculation, which reactant is in excess.

[3]

- (c) What would you observe in this reaction?

.....  
.....  
..... [2]

- (d) Copper powder is added to aqueous silver nitrate.

Predict whether or not a reaction will take place. Explain your answer.

.....  
..... [1]

[Total: 7]

## Section B

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.


For  
Examiner's  
Use

- B7** An antacid tablet contains a mixture of magnesium hydroxide,  $\text{Mg}(\text{OH})_2$ , and calcium carbonate,  $\text{CaCO}_3$ .

Stomach acid contains dilute hydrochloric acid.

A student adds a 0.500 g antacid tablet to  $50.0\text{ cm}^3$  of  $1.00\text{ mol/dm}^3$  hydrochloric acid,  $\text{HCl}$ . The acid is in excess.

The graph shows how the total volume of gas produced at r.t.p. changes with time.



- (a) Describe, with the aid of a labelled diagram, the apparatus needed to collect this data.

For  
Examiner's  
Use

[2]

- (b) (i) Write equations for the reactions of  $\text{HCl}$  with  $\text{Mg}(\text{OH})_2$  and also with  $\text{CaCO}_3$ .



.....



..... [2]

- (ii) Calculate the amount, in moles, of carbon dioxide formed at r.t.p. once the reaction had stopped.

amount in moles = ..... [2]

- (iii) Calculate the mass of  $\text{CaCO}_3$  in the tablet.

mass of  $\text{CaCO}_3$  = ..... g [2]

**Question B7 continues on page 12.**

- (c) The student repeats the experiment. This time she uses a 0.500g antacid tablet and 50.0cm<sup>3</sup> of **2.00 mol/dm<sup>3</sup>** HCl instead of 50.0cm<sup>3</sup> of 1.00 mol/dm<sup>3</sup> HCl.

*For  
Examiner's  
Use*

Describe and explain what will happen to the rate of reaction.

.....  
.....  
.....  
..... [2]

[Total: 10]

**Question B8 starts on page 14.**

**B8** Alcohols are a homologous series of organic compounds.

The table shows information about some alcohols.

For  
Examiner's  
Use

alcohol	molecular formula	melting point /°C	density /g/cm <sup>3</sup>
methanol	CH <sub>4</sub> O	-98	0.79
ethanol	C <sub>2</sub> H <sub>6</sub> O	-114	0.79
	C <sub>3</sub> H <sub>8</sub> O	-126	0.80
butanol	C <sub>4</sub> H <sub>10</sub> O		
decanol		7	0.83

(a) Which group of atoms (functional group) must be present in the homologous series of alcohols?

..... [1]

(b) Name the alcohol with the molecular formula C<sub>3</sub>H<sub>8</sub>O.

..... [1]

(c) (i) Deduce the general formula for an alcohol.

..... [1]

(ii) A molecule of decanol has ten carbon atoms.

What is the molecular formula for decanol?

..... [1]

(d) It is more difficult to estimate the melting point of butanol than to estimate its density. Use the data in the table to explain why.

.....  
..... [1]

- (e) When warmed in the presence of concentrated sulfuric acid, butanol reacts with ethanoic acid to form an ester.

Name and draw the structure, showing all the atoms and all the bonds, of this ester.

name .....

structure

[2]

- (f) Ethanol reacts with oxygen in the air to form ethanoic acid.

Describe another method by which ethanol can be converted into ethanoic acid.

.....  
.....  
..... [2]


- (g) Butanol can burn in a **limited** supply of air.

Name **two** products of this reaction.

..... [1]

[Total: 10]

**B9** Methane reacts with water to produce hydrogen and carbon monoxide.



This reaction is endothermic.

The reaction is normally carried out at a pressure of 30 atmospheres and a temperature of 850 °C.

**(a)** The reaction is carried out at 30 atmospheres pressure and at **600 °C** rather than 850 °C.

Predict and explain the effect of lowering the temperature on

**(i)** the rate of reaction,

.....  
 .....  
 ..... [2]

**(ii)** the position of equilibrium.

.....  
 .....  
 ..... [2]

**(b)** The reaction is carried out at **50 atmospheres** rather than 30 atmospheres, and at 850 °C.

Predict and explain the effect of raising the pressure on the position of equilibrium.

.....  
 .....  
 ..... [2]

**(c)** The reaction uses a catalyst.

**(i)** What effect does a catalyst have on the position of equilibrium?

..... [1]

**(ii)** Explain how a catalyst causes the rate of reaction to increase.

.....  
 ..... [1]



(d) Calculate the energy absorbed by the reaction when 560 g of CO is formed.


*For  
Examiner's  
Use*

energy absorbed = ..... kJ [2]

[Total: 10]

**B10** Solid sodium chloride and magnesium oxide have the same structure and bonding.

This is the structure of sodium chloride.



**Key**



The table shows the melting point of these two compounds.

compound	melting point/°C
magnesium oxide	2852
sodium chloride	801

**(a) (i)** What are the formulae for a magnesium ion and an oxide ion?

..... [1]

**(ii)** Suggest why magnesium oxide has a much higher melting point than sodium chloride.

.....  
..... [1]

**(b) (i)** Explain why pure sodium chloride can be electrolysed at 1000 °C but not at 600 °C.

.....  
.....  
..... [2]

**(ii)** Construct an equation for the anode reaction in the electrolysis of pure sodium chloride at 1000 °C.

..... [1]

- (c) Sodium chloride is dissolved in distilled water.

Excess aqueous silver nitrate is added to this solution and 0.232 g of a white precipitate is formed.

*For  
Examiner's  
Use*

- (i) Construct an ionic equation, including state symbols, for the formation of the white precipitate.

..... [2]

- (ii) Calculate the mass of sodium chloride present in the solution.

mass of sodium chloride = ..... g [3]

[Total: 10]

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

## DATA SHEET The Periodic Table of the Elements

Group																																																																																																						
I	II	III	IV	V	VI	VII	0																																																																																															
		1 <b>H</b> Hydrogen 1					2 <b>He</b> Helium 2																																																																																															
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4							11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10	23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12	27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>Cl</b> Chlorine 17	40 <b>Ar</b> Argon 18	39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36	85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54	133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	222 <b>Rn</b> Radon 86	223 <b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89	232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	243 <b>Np</b> Neptunium 93	244 <b>Pu</b> Plutonium 94	247 <b>Am</b> Americium 95	247 <b>Cm</b> Curium 96	247 <b>Bk</b> Berkelium 97	251 <b>Cf</b> Californium 98	252 <b>Es</b> Einsteinium 99	257 <b>Fm</b> Fermium 100	258 <b>Md</b> Mendelevium 101	259 <b>No</b> Nobelium 102	260 <b>Lr</b> Lawrencium 103	140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	147 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	175 <b>Lu</b> Lutetium 71

\* 58–71 Lanthanoid series  
† 90–103 Actinoid series

a     **X**     a = relative atomic mass  
b     **X**     X = atomic symbol  
 Key     **X**     b = atomic (proton) number

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).