



**Cambridge International Examinations**  
Cambridge Ordinary Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

**5070/32**

Paper 3 Practical Test

**May/June 2015**

**1 hour 30 minutes**

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough work.

Do not use staples, paper clips, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

Electronic calculators may be used.

Qualitative Analysis Notes are printed on page 8.

You should show the essential steps in any calculations and record experimental results in the spaces provided on the Question Paper.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
<b>Total</b>	

This document consists of **6** printed pages and **2** blank pages.

- 1 An oxyacid of phosphorus has the formula  $\text{H}_3\text{PO}_3$ .

You are required to find by experiment the number of moles of sodium hydroxide that react with 1 mole of this acid.

**P** is  $0.0984 \text{ mol/dm}^3$  sodium hydroxide.

**Q** is an aqueous solution of the oxyacid of phosphorus,  $\text{H}_3\text{PO}_3$ , containing  $5.04 \text{ g/dm}^3$ .

- (a) Put **Q** into the burette.

Pipette a  $25.0 \text{ cm}^3$  (or  $20.0 \text{ cm}^3$ ) portion of **P** into a flask and titrate with **Q**, using the indicator provided.

Record your results in the table, repeating the titration as many times as you consider necessary to achieve consistent results.

### Results

#### *Burette readings*

titration number	1	2	
final reading / $\text{cm}^3$			
initial reading / $\text{cm}^3$			
volume of <b>Q</b> used / $\text{cm}^3$			
best titration results (✓)			

### Summary

Tick (✓) the best titration results.

Using these results, the average volume of **Q** required was .....  $\text{cm}^3$ .

Volume of **P** used was .....  $\text{cm}^3$ .

[12]

- (b) **P** is  $0.0984 \text{ mol/dm}^3$  sodium hydroxide.

Calculate the number of moles of sodium hydroxide in the volume of **P** used.

moles of sodium hydroxide in the volume of **P** used .....[1]

- (c) **Q** is an aqueous solution of  $\text{H}_3\text{PO}_3$  containing  $5.04 \text{ g/dm}^3$ .

Calculate the concentration, in  $\text{mol/dm}^3$ , of  $\text{H}_3\text{PO}_3$  in **Q**.  
The relative formula mass of  $\text{H}_3\text{PO}_3$  is 82.

concentration of  $\text{H}_3\text{PO}_3$  in **Q** ..... $\text{mol/dm}^3$  [1]

- (d) Calculate the number of moles of  $\text{H}_3\text{PO}_3$  in the average volume of **Q** used in the titration.

moles of  $\text{H}_3\text{PO}_3$  .....[1]

- (e) Using your answers from (b) and (d), calculate the number of moles of sodium hydroxide which react with 1 mole of  $\text{H}_3\text{PO}_3$ .

moles of sodium hydroxide .....[1]

- (f) Using your answer to (e), write an equation for the reaction of the oxyacid of phosphorus,  $\text{H}_3\text{PO}_3$ , with sodium hydroxide.

.....[2]

[Total: 18]

- 2 You are provided with solutions **R** and **S**.  
Carry out the following tests and record your observations in the table.  
You should test and name any gas evolved.

test no.	test	observations
1	Gently warm 2 cm depth of <b>R</b> in a test-tube.	
2	To 1 cm depth of aqueous zinc sulfate in a test-tube, add <b>R</b> until no further change occurs.	
3	<p><b>(a)</b> To 1 cm depth of aqueous sodium chloride in a test-tube, add a few drops of aqueous silver nitrate.</p> <p><b>(b)</b> To the mixture from <b>(a)</b>, add <b>R</b> until no further change occurs.</p>	
4	<p><b>(a)</b> To 1 cm depth of aqueous hydrogen peroxide in a test-tube, add an equal volume of <b>R</b>.</p> <p><b>(b)</b> To the mixture from <b>(a)</b>, add a small amount of copper(I) oxide powder. Leave to stand.</p>	

test no.	test	observations
5	<p><b>(a)</b> To 1 cm depth of <b>S</b> in a test-tube, add an equal volume of aqueous barium nitrate.</p> <p><b>(b)</b> To the mixture from <b>(a)</b>, add dilute nitric acid.</p>	
6	To 1 cm depth of <b>S</b> in a test-tube, add <b>R</b> until no further change is seen. Allow the final mixture to stand for a few minutes.	
7	<p><b>(a)</b> To 1 cm depth of <b>S</b> in a boiling tube, add an equal volume of dilute sulfuric acid. Add a small amount of manganese(IV) oxide to the boiling tube. Warm the mixture gently for about 20 seconds, then filter the warm mixture and collect the filtrate.</p> <p><b>(b)</b> To 1 cm depth of the filtrate from <b>(a)</b> in a test-tube, add <b>R</b> until no further change occurs.</p>	

[20]

### Conclusions

Identify the compounds in solutions **R** and **S**.

Solution **R** contains .....

Solution **S** contains .....

[2]

[Total: 22]

**BLANK PAGE**

**BLANK PAGE**

## QUALITATIVE ANALYSIS NOTES

## Tests for anions

<i>anion</i>	<i>test</i>	<i>test result</i>
carbonate ( $\text{CO}_3^{2-}$ )	add dilute acid	effervescence, carbon dioxide produced
chloride ( $\text{Cl}^-$ ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide ( $\text{I}^-$ ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate ( $\text{NO}_3^-$ ) [in solution]	add aqueous sodium hydroxide, then add aluminium foil; warm carefully	ammonia produced
sulfate ( $\text{SO}_4^{2-}$ ) [in solution]	acidify with dilute nitric acid, then add aqueous barium nitrate	white ppt.

## Tests for aqueous cations

<i>cation</i>	<i>effect of aqueous sodium hydroxide</i>	<i>effect of aqueous ammonia</i>
aluminium ( $\text{Al}^{3+}$ )	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium ( $\text{NH}_4^+$ )	ammonia produced on warming	–
calcium ( $\text{Ca}^{2+}$ )	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper(II) ( $\text{Cu}^{2+}$ )	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) ( $\text{Fe}^{2+}$ )	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) ( $\text{Fe}^{3+}$ )	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc ( $\text{Zn}^{2+}$ )	white ppt., soluble in excess, giving a colourless solution	white ppt., soluble in excess, giving a colourless solution

## Tests for gases

<i>gas</i>	<i>test and test result</i>
ammonia ( $\text{NH}_3$ )	turns damp red litmus paper blue
carbon dioxide ( $\text{CO}_2$ )	turns limewater milky
chlorine ( $\text{Cl}_2$ )	bleaches damp litmus paper
hydrogen ( $\text{H}_2$ )	'pops' with a lighted splint
oxygen ( $\text{O}_2$ )	relights a glowing splint
sulfur dioxide ( $\text{SO}_2$ )	turns aqueous acidified potassium manganate(VII) from purple to colourless

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cie.org.uk](http://www.cie.org.uk) after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.