

Cambridge O Level

CHEMISTRY 5070/12

Paper 1 Multiple Choice May/June 2021

1 hour

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.


INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 The formula of magnesium oxide can be investigated by using the fact that when magnesium is heated it reacts with oxygen to form magnesium oxide.

Which apparatus is used for this investigation?



- 2 Which property of a liquid ester can be used to check its purity before use as a food flavouring?
 - A boiling point
 - **B** colour
 - C smell
 - **D** solubility in water
- 3 Which separation method would give pure samples of **both** substances from the mixture?

	mixture	separation method
Α	copper sulfate crystals and water	crystallisation
В	ethanol and water	evaporation
С	salt and sand	filtration
D	nitrogen and oxygen	fractional distillation

4 An aqueous solution of J is a colourless solution that contains cations and chloride ions.

Separate samples of the solution give a white precipitate with a few drops of aqueous sodium hydroxide and with a few drops of aqueous ammonia.

Which statement about J is correct?

- **A** The cation in J must be Al^{3+} .
- **B** The cation in J must be Fe²⁺.
- **C** When dilute nitric acid and aqueous barium nitrate are added to an aqueous solution of J, a white precipitate is formed.
- **D** When dilute nitric acid and aqueous silver nitrate are added to an aqueous solution of J, a white precipitate is formed.

5 Gas X has the following properti	es.
------------------------------------	-----

- 1 colourless
- 2 no effect on either damp red or blue litmus papers
- 3 no effect on limewater
- 4 flammable

What is gas X?

- A ammonia
- **B** chlorine
- C hydrogen
- **D** oxygen

6 Which statement about states of matter is correct?

- A When a liquid freezes it becomes a solid and energy is released to the surroundings.
- **B** When a liquid reaches its boiling point it becomes a gas. This process is called evaporation.
- **C** When a solid changes directly to a gas the process is called condensation.
- **D** When a solid melts the particles get further apart and have less energy.
- 7 Use the Periodic Table to answer this question.

Which two particles have the same number of electrons?

- A Ar and Ca
- **B** Na⁺ and K⁺
- C Fe²⁺ and Fe³⁺
- **D** Ca²⁺ and Sc³⁺


8 The table shows data for particles W, X, Y and Z.


particle	proton number	nucleon number	number of electrons
W	6	12	6
X	6	14	6
Y	7	14	7
Z	8	16	10


Which statements are correct?


- 1 W and X are isotopes of the same element.
- 2 Y is in Group V of the Periodic Table.
- 3 Z is a cation.
- **A** 1 and 2
- **B** 1 and 3
- C 1 only
- **D** 2 and 3

9 Which dot-and-cross diagram correctly shows a molecule of ethene?









10 The names and formulae of three nitrogen compounds are shown.

ammonia	hydrazine	hydroxylamine
NH_3	N_2H_4	NH ₂ OH

Which compound has the highest relative molecular mass, $M_{\rm r}$, and in which compound is the percentage by mass of hydrogen the greatest?

	highest M _r	greatest percentage by mass of hydrogen	
Α	N_2H_4	NH ₃	
В	N_2H_4	N_2H_4	
С	NH₂OH	NH_3	
D	NH₂OH	N_2H_4	

11 The relative formula masses of four compounds are given.

A student has a 1.0 g sample of each compound.

Which sample contains the highest number of moles of oxygen atoms?

	compound	relative formula mass
Α	Al_2O_3	102
В	CuO	80
С	H ₂ SO ₄	98
D	HNO₃	63

12 10 cm³ of propane is burned in 70 cm³ of oxygen in a closed container.

$$C_3H_8(g) + 5O_2(g) \rightarrow 3CO_2(g) + 4H_2O(I)$$

What is the total volume of gas present after the reaction?

(Assume all volumes of gases are measured at room temperature and pressure.)

A 30 cm³

B 50 cm³ **C** 70 cm³

D $90 \, \text{cm}^3$

13 When a mixture of sodium chloride and sodium hydrogencarbonate is heated, the reaction shown takes place.

$$2NaHCO_3(s) \rightarrow Na_2CO_3(s) + CO_2(g) + H_2O(g)$$

Sodium chloride is unchanged on heating.

When 6.0 g of the mixture is heated, the loss in mass is 1.5 g.

What is the percentage by mass of sodium hydrogencarbonate in the mixture?

[relative molecular mass, M_r : NaHCO₃, 84; Na₂CO₃, 106; CO₂, 44; H₂O, 18]

- **A** 34%
- **B** 48%
- **C** 68%
- **D** 95%

14 Molten sodium chloride is electrolysed.

Which change occurs at the cathode?

- A Sodium ions are oxidised.
- **B** Sodium ions are reduced.
- **C** Chloride ions are oxidised.
- **D** Chloride ions are reduced.
- **15** Which positive ions are present in aqueous copper(II) sulfate?
 - A copper(II) ions only
 - **B** copper(II) ions and hydrogen ions
 - C sulfate ions only
 - **D** sulfate ions and hydroxide ions
- **16** Natural gas is used as a source of energy.

What is the main compound in natural gas?

- A ethane
- **B** ethene
- **C** methane
- **D** methanol

17 Ethanol is produced by the fermentation of glucose from sugar cane. In some countries ethanol is used as a fuel.

Which statements are correct?

- 1 Sugar cane is a non-renewable (finite) resource.
- 2 When sugar cane is growing it removes carbon dioxide from the atmosphere.
- A 1 only
- **B** 2 only
- C both 1 and 2
- **D** neither 1 nor 2
- **18** Aqueous sodium thiosulfate reacts with hydrochloric acid. The rate of the reaction increases if the concentration of both reactants is increased.

Nitrogen gas reacts with hydrogen gas. The rate of the reaction increases if the pressure in the reaction vessel is increased.

Which row correctly explains why the given change increases the rate of the reaction?

	aqueous sodium thiosulfate + hydrochloric acid	nitrogen + hydrogen	
Α	higher frequency of collisions between particles		
В	higher frequency of collisions between particles	the activation energy is decreased	
С	the activation energy is decreased	higher frequency of collisions between particles	
D	the activation energy is decreased	the activation energy is decreased	

19 Magnesium reacts with dilute sulfuric acid.

$$Mg(s) + H_2SO_4(aq) \rightarrow MgSO_4(aq) + H_2(g)$$


Two experiments are carried out at 25 °C.

experiment 1 24.0 g of powdered magnesium is reacted with 100 cm³ of 1.0 mol/dm³ sulfuric acid.

experiment 2 24.0 g of powdered magnesium is reacted with 50 cm³ of 2.0 mol/dm³ sulfuric acid.

During each experiment the volume of hydrogen produced is measured. The results are plotted on a graph.

Which graph is correct?



20 Solution X is colourless. A few drops of aqueous potassium iodide solution are added to a sample of X. No change is seen.

Solution Y is colourless. A few drops of aqueous acidified potassium manganate(VII) solution are added to a sample of Y. The colour of the potassium manganate(VII) disappears.

What can be deduced about X and Y from these two observations?

- **A** X and Y are both reducing agents.
- **B** X is an oxidising agent and Y is **not** a reducing agent.
- **C** X is **not** a reducing agent and Y is an oxidising agent.
- **D** X is **not** an oxidising agent and Y is a reducing agent.

21 Brown nitrogen dioxide reacts to form colourless dinitrogen tetroxide in a reversible reaction. The forward reaction is exothermic.

$$2NO_2(g) \iff N_2O_4(g)$$

brown colourless


Which changes would make the equilibrium mixture darker in colour?

	temperature	pressure	
Α	decrease	decrease decrease	
В	decrease	increase	
С	increase	decrease	
D	increase	increase	

22 Which row shows the pH values for 0.1 mol/dm³ solutions of ammonia, hydrochloric acid, sodium chloride and sodium hydroxide?

	pH values			
	NH ₃	HC1	NaC <i>l</i>	NaOH
Α	1	7	13	11
В	7	1	11	13
С	11	1	7	13
D	13	11	7	1

23 Four test-tubes are set up as shown.



What is the effect of adding dilute hydrochloric acid to each test-tube?

	W	Х	Y	Z	
Α	x	✓	x	✓	key
В	✓	X	✓	X	x = clear solution
С	✓	X	✓	✓	√ = precipitate formed
D	✓	X	X	X	

24 Aqueous ammonia reacts with a compound to form a salt, ammonium phosphate.

What type of reaction will ammonia undergo to form ammonium phosphate?

- A combustion
- **B** neutralisation
- **C** oxidation
- **D** precipitation
- 25 Sulfuric acid is manufactured in the contact process. Several substances are involved in this process, including vanadium(V) oxide and water.

Which roles are played by vanadium(V) oxide and water in the contact process?

	vanadium(V) oxide	water
Α	catalyst	reactant
В	catalyst	solvent
С	reactant	reactant
D	reactant	solvent

- 26 Some properties which indicate the differences in elements are listed.
 - 1 metallic character
 - 2 number of electron shells in an atom
 - 3 number of protons in an atom
 - 4 total number of electrons in an atom

Which two properties increase across a period of the Periodic Table?

A 1 and 2

B 1 and 3

C 2 and 4

D 3 and 4

27 Germanium is in Group IV of the Periodic Table. It has a proton number of 32.

Selenium is in Group VI of the Periodic Table. It has a proton number of 34.

Which prediction can be made, based on the positions of germanium and selenium in the Periodic Table?

- **A** A germanium atom has two more valence electrons than a selenium atom.
- **B** Germanium forms a Ge³⁺ ion and selenium forms an Se³⁻ ion.
- **C** Germanium has more metallic character than selenium.
- **D** Germanium has similar properties to tellurium, and selenium has similar properties to tin.
- 28 The proton number of caesium is 55.

Compared with lithium, the melting point of caesium is1..... and the reaction of caesium with water is2..... vigorous. The number of valence electrons in caesium is3..... compared to lithium.

Which words correctly complete gaps 1, 2 and 3?

	1	2	3
Α	higher	more	the same
В	higher	less	the same
С	lower	more	greater
D	lower	more	the same

29 Nickel is a transition element.

Which properties does it have?

- 1 It can act as a catalyst.
- 2 It conducts electricity when molten.
- 3 It forms coloured compounds.
- 4 It has only one oxidation state in its compounds.
- **A** 1, 2 and 3
- **B** 1, 3 and 4
- C 1 and 2 only
- **D** 1 and 3 only

30 Which metal reacts with steam and can be extracted from its ore by reduction with carbon?

- **A** magnesium
- **B** calcium
- C copper
- **D** zinc

31 Three correct statements about aluminium are listed.

- 1 Aluminium is the most common metal in the Earth's crust.
- 2 It is costly to extract aluminium from its ore, bauxite.
- 3 The world's supply of bauxite is limited.

Which statements explain why aluminium should be recycled?

- A 1 and 2 only
- **B** 2 and 3 only
- C 3 only
- **1**, 2 and 3

32 Attaching pieces of magnesium to underground iron pipes can protect the iron from corrosion.

Which reaction protects the iron from corrosion?

A
$$Fe^{2+}(aq) + 2e^- \rightarrow Fe(s)$$

$$\textbf{B} \quad \text{Fe(s)} \, \rightarrow \, \text{Fe}^{2^+} (\text{aq}) \, + \, 2\text{e}^-$$

C
$$Mg^{2+}(aq) + 2e^- \rightarrow Mg(s)$$

$$\label{eq:definition} \textbf{D} \quad \text{Mg(s)} \, \rightarrow \, \text{Mg}^{2^+}\!(\text{aq}) \, \, + \, \, 2\text{e}^-$$

33 Iron is extracted from its ore, haematite, in a blast furnace.

Which statement about this extraction process is correct?

- **A** Air is blown into the blast furnace to react with carbon.
- **B** At the bottom of a blast furnace a layer of molten iron floats on top of a layer of molten slag.
- **C** Limestone is decomposed in the blast furnace to produce carbon monoxide.
- **D** Silicon dioxide, an impurity in the ore, is a basic oxide.
- **34** Which statement about the preparation and properties of aluminium is correct?
 - **A** Aluminium is obtained by heating aluminium oxide with carbon.
 - **B** Aluminium is produced at the anode by electrolysis of aluminium oxide dissolved in molten cryolite.
 - **C** Aluminium is unreactive as it forms an oxide coating.
 - **D** Aluminium is used in overhead electricity cables as it is a good conductor of electricity and has a high density.

D 4

35 How many moles of hydrogen chloride are formed when one mole of methane reacts with a large excess of chlorine in sunlight?


A 1 **B** 2 **C** 3

36 Vegetable oils can be made into margarine.


Which row describes the changes which take place?

	hydrogen	viscosity					
Α	is added	increases					
В	is removed	decreases					
С	is added	decreases					
D	is removed	increases					

- 37 Which statements about alcohols are correct?
 - 1 All alcohols contain the hydroxide ion, OH⁻.
 - 2 Ethanol can be formed from ethene using a reaction catalysed by yeast.
 - 3 Methanol can be oxidised to methanoic acid.
 - 4 The alcohols X and Y shown are isomers.



38 Which circled structure shows only the functional group of a carboxylic acid?



- **39** Which statement about polymers is correct?
 - A Nylon and *Terylene* are both polyesters.
 - **B** Proteins and nylon have the same monomer units.
 - **C** Proteins have the same amide linkages as nylon.
 - **D** Terylene and fats are esters but with different linkages.

40 Some information about compound X is given.

X contains the elements carbon, hydrogen and oxygen only.

The product of the hydrolysis of X is the simple sugar, glucose.

What is X?

- A a polyester
- B a protein
- C nylon
- D starch

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2	He	nelium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	rypton 84	54	Xe	kenon 131	98	R	radon –			
	₹				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromin 80	53	Н	iodine 127	85	Ą	astatin			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	mninolod -	116	_	livermorium -
	>	-			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	: <u>S</u>	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=	_			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	18	l_l	thallium 204			
											30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	S	copernicium
											29	D O	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium
dn											28	ī	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Group											27	ဝိ	cobalt 59	45	格	rhodium 103	77	Ľ	iridium 192	109	¥	meitnerium -
		_	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	ss				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>n</u>	tantalum 181	105	op O	dubnium
						ato	rela				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	峜	rutherfordium -
								,			21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=	-			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	т Т	francium -

rı Lu	lutetium 175	103	۲	lawrencium	I
70 Yb	ytterbium 173	102	%	nobelium	I
e9 Tm	thulium 169	101	Md	mendelevium	I
® 可	erbium 167	100	Fm	fermium	I
67 Ho	holmium 165	66	Es	einsteinium	I
66 Dy	dysprosium 163	86	Ç	califomium	I
65 Tb	terbium 159	97	Ř	berkelium	I
64 Gd	gadolinium 157	96	Cm	curium	I
63 Eu	europium 152	92	Am	americium	I
ss Sm	samarium 150	94	Pu	plutonium	I
e1 Pm	promethium —	93	dΝ	neptunium	I
9 P	neodymium 144	92	\supset	uranium	238
₅₉	praseodymium 141	91	Ра	protactinium	231
Çe çe	cerium 140	06	Т	thorium	232
57 La	lanthanum 139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).