



# Cambridge O Level

**CHEMISTRY**

**5070/11**

Paper 1 Multiple Choice

**May/June 2022**

**1 hour**

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet  
Soft clean eraser  
Soft pencil (type B or HB is recommended)

## INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A, B, C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

## INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.



- 1 A scientist needs to add approximately  $100\text{ cm}^3$  of water to each of 50 large beakers. The scientist needs to fill the beakers as quickly as possible.

Which method should be used?

- A A  $50\text{ cm}^3$  burette should be used twice for each beaker.
- B A  $100\text{ cm}^3$  gas syringe should be used once for each beaker.
- C A  $25\text{ cm}^3$  graduated pipette should be used four times for each beaker.
- D A  $100\text{ cm}^3$  measuring cylinder should be used once for each beaker.

- 2 Four mixtures, each containing two substances, are shown in the table.

The two substances need to be separated and collected.

Which row is correct?

	mixture	separation method
<b>A</b>	copper(II) sulfate and water	chromatography
<b>B</b>	methanol and ethanol	evaporation
<b>C</b>	oxygen and nitrogen	fractional distillation
<b>D</b>	sand and barium sulfate	filtration

- 3 Two samples of a colourless solution are tested separately with aqueous sodium hydroxide,  $\text{NaOH}(\text{aq})$ , and aqueous ammonia,  $\text{NH}_3(\text{aq})$ , and the results are recorded.

- A white precipitate is formed with two drops of  $\text{NaOH}(\text{aq})$ . This precipitate dissolves in an excess of  $\text{NaOH}(\text{aq})$ .
- A white precipitate is formed with two drops of  $\text{NH}_3(\text{aq})$ . This precipitate dissolves in an excess of  $\text{NH}_3(\text{aq})$ .

What can be deduced from these results?


- A The anion present is  $\text{Cl}^-$ .
- B The anion present is not  $\text{Cl}^-$ .
- C The cation present is  $\text{Al}^{3+}$ .
- D The cation present is  $\text{Zn}^{2+}$ .

- 4 Which row correctly describes changes in the particles when a substance freezes?

	arrangement of the particles	energy change in the particles
<b>A</b>	particles become more ordered	particles gain energy
<b>B</b>	particles become more ordered	particles lose energy
<b>C</b>	particles become less ordered	particles gain energy
<b>D</b>	particles become less ordered	particles lose energy

- 5 Ethylamine gas,  $C_2H_5NH_2$ , and hydrogen chloride gas,  $HCl$ , react together to form a white solid, ethylamine hydrochloride.

At which position in the tube would a ring of solid white ethylamine hydrochloride form?



- 6 Two particles have the symbols  ${}^{54}_{26}Fe^{2+}$  and  ${}^{59}_{27}Co^{3+}$ .


Which statement about these particles is correct?

- A** They contain the same number of electrons.  
**B** They contain the same number of neutrons.  
**C** They contain the same number of protons.  
**D** They do not contain the same number of protons, neutrons or electrons.
- 7 Two isotopes of chlorine are  ${}^{35}Cl$  and  ${}^{37}Cl$ .

Using these isotopes and  ${}^{12}C$  and  ${}^1H$ , how many different relative molecular masses are possible for the compound with molecular formula  $C_2H_3Cl_3$ ?

- A** 2                      **B** 3                      **C** 4                      **D** 5

8 Which statement about the substances, at room temperature and pressure, is correct?




- A W and X conduct electricity.  
 B W and Y are elements.  
 C X and Z dissolve in water.  
 D Y and Z have low melting points.
- 9 A piece of magnesium reacts with dilute hydrochloric acid.  
 The resulting solution is then evaporated leaving a solid residue of magnesium chloride.

Which statement is correct?

- A A covalent solid is formed in this process.  
 B Each chlorine atom gains one electron in this process.  
 C Each magnesium atom loses only one electron in this process.  
 D Molecules of an element are formed during the reaction.
- 10 Which dot-and-cross diagram represents carbon dioxide?

Only outer shell electrons are shown.



11 Two statements about the structure and properties of metals are given.

statement 1 Metals are malleable and have high melting points.

statement 2 Metals have mobile electrons in their structure.

What is correct?

- A Both statements are correct and statement 2 explains statement 1.
- B Both statements are correct but statement 2 does not explain statement 1.
- C Statement 1 is correct but statement 2 is incorrect.
- D Statement 2 is correct but statement 1 is incorrect.

12 How many different elements are present in ammonium nitrate?

- A 2
- B 3
- C 4
- D 5

13 Aqueous calcium hydroxide is an alkali. It is neutralised by dilute nitric acid to produce calcium nitrate and water.

What is the **ionic** equation for this reaction?

- A  $\text{Ca}^+ + \text{OH}^- + \text{H}^+ + \text{NO}_3^- \rightarrow \text{CaNO}_3 + \text{H}_2\text{O}$
- B  $\text{Ca}(\text{OH})_2 + 2\text{HNO}_3 \rightarrow \text{Ca}(\text{NO}_3)_2 + \text{H}_2\text{O}$
- C  $\text{Ca}^{2+}(\text{OH}^-)_2 + 2\text{H}^+\text{NO}_3^- \rightarrow \text{Ca}^{2+}(\text{NO}_3^-)_2 + \text{H}_2\text{O}$
- D  $\text{OH}^- + \text{H}^+ \rightarrow \text{H}_2\text{O}$

14 The relative molecular mass,  $M_r$ , of liquid Z is 60. Z contains 40.0% carbon, 6.70% hydrogen and 53.3% oxygen.


Which row shows the correct empirical and molecular formulae of Z?

	empirical formula	molecular formula
A	$\text{CH}_2\text{O}$	$\text{CH}_2\text{O}$
B	$\text{CH}_2\text{O}$	$\text{C}_2\text{H}_4\text{O}_2$
C	$\text{C}_2\text{H}_4\text{O}_2$	$\text{C}_2\text{H}_4\text{O}_2$
D	$\text{CH}_3\text{O}$	$\text{C}_2\text{H}_6\text{O}_2$

15 How many tonnes of aluminium oxide,  $\text{Al}_2\text{O}_3$ , are required to produce 27 tonnes of aluminium?

- A 27
- B 51
- C 54
- D 102

16 Lead(II) bromide is electrolysed using inert electrodes.



Which statement is correct?

- A A brown gas is seen at the positive electrode.
- B Electrons pass through the solution from one electrode to the other.
- C Ions pass through the circuit from one electrode to the other.
- D The lead(II) ions are oxidised.

17 Compound X is sodium iodide, NaI.

Compound Y is methyl methanoate,  $\text{HCO}_2\text{CH}_3$ .

At room temperature and pressure, .....1..... solid. In aqueous solution, .....2..... electricity.

Which words correctly complete gaps 1 and 2?


	1	2
<b>A</b>	both X and Y are	both X and Y conduct
<b>B</b>	both X and Y are	only X conducts
<b>C</b>	only X is	both X and Y conduct
<b>D</b>	only X is	only X conducts

18 For the forward reaction of a reversible reaction, the enthalpy change of reaction,  $\Delta H$ , is  $-50 \text{ kJ/mol}$  and the activation energy,  $E_a$ , is  $+60 \text{ kJ/mol}$ .

What is the activation energy of the reverse reaction?

- A  $-110 \text{ kJ/mol}$
- B  $-10 \text{ kJ/mol}$
- C  $+10 \text{ kJ/mol}$
- D  $+110 \text{ kJ/mol}$


19 The diagram shows a titration experiment.



Which row about the reaction in the conical flask is correct?

	the reaction is	the value of $\Delta H$ is
<b>A</b>	endothermic	negative
<b>B</b>	endothermic	positive
<b>C</b>	exothermic	negative
<b>D</b>	exothermic	positive

20 Sulfur dioxide reacts with oxygen in the air.



The reaction is very slow if no catalyst is present.


Which statement explains this?

- A** Air contains only 21% oxygen so there is not enough oxygen for all the sulfur dioxide to react.
- B** Only a small proportion of the sulfur dioxide and oxygen molecules have enough energy to react, even at high temperatures.
- C** The reaction is exothermic and so at high temperatures the equilibrium shifts to the left.
- D** The reaction is reversible and so products turn back to reactants; this happens more quickly at high temperatures.


21 Which statement is correct?

- A An enzyme is a biological catalyst that decreases the activation energy of a reaction.
- B An enzyme is a biological catalyst that increases the activation energy of a reaction.
- C An enzyme is a compound of a transition element that decreases the activation energy of a reaction.
- D An enzyme is a compound of a transition element that increases the activation energy of a reaction.

22 Nitrogen dioxide,  $\text{NO}_2$ , is a dark brown gas that decomposes as shown in the equation.



The diagram shows a glass flask containing a mixture of the three gases. The mixture is pale brown.



More oxygen is forced into the flask.

Which colour change is seen in the mixture?

- A It becomes a darker brown.
- B It becomes a paler brown.
- C It turns colourless.
- D There is no change.

23 Concentrated hydrochloric acid is oxidised by manganese(IV) oxide,  $\text{MnO}_2$ .

What are two products of this reaction?

- A  $\text{Mn}^{2+}$  and  $\text{Cl}^-$
- B  $\text{Mn}^{2+}$  and  $\text{Cl}_2$
- C  $\text{Mn}^{6+}$  and  $\text{Cl}^-$
- D  $\text{Mn}^{6+}$  and  $\text{Cl}_2$



24 The table gives some information about four redox reactions.

Which row gives correct information about what is oxidised and the evidence that this is oxidation?

	equation	what is oxidised in the reaction	evidence for this oxidation
<b>A</b>	$\text{CuO(s)} + \text{C(s)} \rightleftharpoons \text{CO(g)} + \text{Cu(s)}$	copper	copper oxide has given oxygen to carbon
<b>B</b>	$\text{Na(s)} + \frac{1}{2}\text{Cl}_2\text{(g)} \rightleftharpoons \text{NaCl(s)}$	sodium	sodium has lost an electron
<b>C</b>	$\text{N}_2\text{(g)} + 3\text{H}_2\text{(g)} \rightleftharpoons 2\text{NH}_3\text{(g)}$	nitrogen	nitrogen has gained hydrogen
<b>D</b>	$\text{Zn(NO}_3)_2\text{(aq)} + \text{Mg(s)} \rightleftharpoons \text{Mg(NO}_3)_2\text{(aq)} + \text{Zn(s)}$	zinc	zinc has gained two electrons

25 Which statement about acids and bases is correct?

- A** All strong acids react with carbonates but all weak acids do not.
- B** The oxides of Group I metals are amphoteric.
- C** The pH of  $1.0 \text{ mol/dm}^3$  ethanoic acid,  $\text{CH}_3\text{COOH}$ , is higher than the pH of  $1.0 \text{ mol/dm}^3$  sulfuric acid,  $\text{H}_2\text{SO}_4$ .
- D** The pH of  $1.0 \text{ mol/dm}^3$  nitric acid,  $\text{HNO}_3$ , is lower than the pH of  $1.0 \text{ mol/dm}^3$  hydrochloric acid,  $\text{HCl}$ .

26 Some types of chemical reaction are listed.

- 1 acid-base
- 2 combustion
- 3 redox

Which types of reaction occur in a blast furnace during the extraction of iron?

- A** 1, 2 and 3      **B** 1 and 2 only      **C** 1 and 3 only      **D** 2 and 3 only

27 Which method should be used to make a pure sample of potassium chloride?

- A** adding  $\text{AgCl(s)}$  to  $\text{KNO}_3\text{(aq)}$
- B** adding excess  $\text{K}_2\text{CO}_3\text{(s)}$  to  $\text{HCl(aq)}$
- C** mixing  $\text{KNO}_3\text{(aq)}$  with  $\text{NaCl(aq)}$
- D** titrating  $\text{KOH(aq)}$  with  $\text{HCl(aq)}$

- 28 A pure sample of lead sulfate is made by reacting aqueous solutions of two salts. The lead sulfate formed is then separated from the mixture.

Which solutions and method of separation are used?

	salt solution 1	salt solution 2	method of separation
<b>A</b>	lead chloride	sodium sulfate	crystallisation
<b>B</b>	lead chloride	sodium sulfate	filtration
<b>C</b>	lead nitrate	potassium sulfate	crystallisation
<b>D</b>	lead nitrate	potassium sulfate	filtration

- 29 Which statement is correct?

- A** Food can be preserved by using sulfur dioxide.  
**B** In the Contact process oxygen reacts with sulfur to make sulfur trioxide.  
**C** Sulfur dioxide is used to kill bacteria present in wood pulp.  
**D** Sulfuric acid is used as a bleach.

- 30 Element Y is in Period 3 of the Periodic Table. It forms a chloride that is a liquid at room temperature.

Which row shows correct information about the group number and the nature of the oxide of element Y?

	group number	nature of oxide
<b>A</b>	I	basic
<b>B</b>	II	acidic
<b>C</b>	IV	amphoteric
<b>D</b>	VI	acidic

- 31 Which gases are used in light bulbs?

- 1 argon  
 2 oxygen  
 3 neon

- A** 1 only      **B** 1 and 2 only      **C** 1 and 3 only      **D** 1, 2 and 3

32 The carbonates of metals W, X and Y are heated and the results are shown.

	colour of metal carbonate	gas given off which turns limewater cloudy	colour after heating
W	white	yes	yellow when hot, white when cold
X	green	yes	black
Y	white	no	no change


These experimental results can be used to write statements about W, X and Y.

- 1 The carbonates of W and X gave off carbon dioxide on heating.
- 2 Metals X and Y are less reactive than metal W.
- 3 X could be copper.


Which statements are correct?

- A** 1, 2 and 3      **B** 1 and 2 only      **C** 1 and 3 only      **D** 2 and 3 only

33 The diagram shows an experiment to determine the percentage of oxygen in air.



Which diagram shows the correct level of water after the candle stops burning?



34 Two statements are given.

statement 1 The percentage of carbon by mass is greater in methane than in butane.

statement 2 Butane is one of two isomers with the molecular formula  $C_4H_{10}$ .

Which statements are correct?

- A both statement 1 and statement 2
- B statement 1 only
- C statement 2 only
- D neither statement 1 nor statement 2



35 One mole of each of the compounds shown is completely combusted.



How many of the compounds need exactly nine moles of oxygen for complete combustion?

- A 1
- B 2
- C 3
- D 4

36 The reactants and products of two reactions are shown.




Which row correctly describes these two reactions?

	identity of compound X	conditions for reaction 1	reaction 2
A	butanol	high pressure and a catalyst	combustion
B	butanol	heat and a catalyst	decomposition
C	propanol	heat and a catalyst	decomposition
D	propanol	heat and a catalyst	combustion

37 Which statement about carboxylic acids is correct?

A All carboxylic acids include the group:




B Ethanoic acid reacts with both copper(II) oxide and copper.

C Methanoic acid, formed by bacterial oxidation, is present in vinegar.

D Propanoic acid decolourises acidified potassium manganate(VII).

38 The structure of an ester is shown.



What is the name of this ester?

A butyl butanoate

B butyl propanoate

C propyl butanoate

D propyl propanoate

39 Poly(ethene) is formed by .....1..... polymerisation of ethene.

The formation of nylon and *Terylene* are examples of .....2..... polymerisation.

Proteins contain the same .....3..... linkage as nylon.


Fats contain the same .....4..... linkage as *Terylene*.

On hydrolysis, proteins form .....5..... .

Which words correctly complete gaps 1–5?


	1	2	3	4	5
<b>A</b>	addition	condensation	amide	ester	amino acids
<b>B</b>	addition	condensation	amide	ester	simple sugars
<b>C</b>	addition	condensation	ester	amide	amino acids
<b>D</b>	condensation	addition	ester	amide	simple sugars

40 The repeat unit of a polymer is shown.




Which monomer would produce this polymer?


**A**




**B**



**C**



**D**



**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																																																																																																																																																																																																																																																																																																																																																																																																												
I	II	III	IV	V	VI	VII	VIII																																																																																																																																																																																																																																																																																																																																																																																																					
3 Li lithium 7	4 Be beryllium 9	1 H hydrogen 1	5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20																																																																																																																																																																																																																																																																																																																																																																																																				
11 Na sodium 23	12 Mg magnesium 24	13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31	16 S sulfur 32	17 Cl chlorine 35.5	18 Ar argon 40																																																																																																																																																																																																																																																																																																																																																																																																					
19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84																																																																																																																																																																																																																																																																																																																																																																																											
37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium —	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131																																																																																																																																																																																																																																																																																																																																																																																											
55 Cs caesium 133	56 Ba barium 137	57–71 lanthanoids	72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium —	85 At astatine —	86 Rn radon —																																																																																																																																																																																																																																																																																																																																																																																											
87 Fr francium —	88 Ra radium —	89–103 actinoids	104 Rf rutherfordium —	105 Db dubnium —	106 Sg seaborgium —	107 Bh bohrium —	108 Hs hassium —	109 Mt meitnerium —	110 Ds darmstadtium —	111 Rg roentgenium —	112 Cn copernicium —	114 Fl flerovium —	116 Lv livermorium —	118 Og oganeson —	119 Uue unbinilium —	120 Uub unbinilium —	121 Uut ununilium —	122 Uuq ununilium —	123 Uub ununilium —	124 Uuq ununilium —	125 Uut ununilium —	126 Uuq ununilium —	127 Uub ununilium —	128 Uuq ununilium —	129 Uut ununilium —	130 Uuq ununilium —	131 Uub ununilium —	132 Uuq ununilium —	133 Uut ununilium —	134 Uuq ununilium —	135 Uub ununilium —	136 Uuq ununilium —	137 Uut ununilium —	138 Uuq ununilium —	139 Uub ununilium —	140 Uuq ununilium —	141 Uut ununilium —	142 Uuq ununilium —	143 Uub ununilium —	144 Uuq ununilium —	145 Uut ununilium —	146 Uuq ununilium —	147 Uub ununilium —	148 Uuq ununilium —	149 Uut ununilium —	150 Uuq ununilium —	151 Uub ununilium —	152 Uuq ununilium —	153 Uut ununilium —	154 Uuq ununilium —	155 Uub ununilium —	156 Uuq ununilium —	157 Uut ununilium —	158 Uuq ununilium —	159 Uub ununilium —	160 Uuq ununilium —	161 Uut ununilium —	162 Uuq ununilium —	163 Uub ununilium —	164 Uuq ununilium —	165 Uut ununilium —	166 Uuq ununilium —	167 Uub ununilium —	168 Uuq ununilium —	169 Uut ununilium —	170 Uuq ununilium —	171 Uub ununilium —	172 Uuq ununilium —	173 Uut ununilium —	174 Uuq ununilium —	175 Uub ununilium —	176 Uuq ununilium —	177 Uut ununilium —	178 Uuq ununilium —	179 Uub ununilium —	180 Uuq ununilium —	181 Uut ununilium —	182 Uuq ununilium —	183 Uub ununilium —	184 Uuq ununilium —	185 Uut ununilium —	186 Uuq ununilium —	187 Uub ununilium —	188 Uuq ununilium —	189 Uut ununilium —	190 Uuq ununilium —	191 Uub ununilium —	192 Uuq ununilium —	193 Uut ununilium —	194 Uuq ununilium —	195 Uub ununilium —	196 Uuq ununilium —	197 Uut ununilium —	198 Uuq ununilium —	199 Uub ununilium —	200 Uuq ununilium —	201 Uut ununilium —	202 Uuq ununilium —	203 Uub ununilium —	204 Uuq ununilium —	205 Uut ununilium —	206 Uuq ununilium —	207 Uub ununilium —	208 Uuq ununilium —	209 Uut ununilium —	210 Uuq ununilium —	211 Uub ununilium —	212 Uuq ununilium —	213 Uut ununilium —	214 Uuq ununilium —	215 Uub ununilium —	216 Uuq ununilium —	217 Uut ununilium —	218 Uuq ununilium —	219 Uub ununilium —	220 Uuq ununilium —	221 Uut ununilium —	222 Uuq ununilium —	223 Uub ununilium —	224 Uuq ununilium —	225 Uut ununilium —	226 Uuq ununilium —	227 Uub ununilium —	228 Uuq ununilium —	229 Uut ununilium —	230 Uuq ununilium —	231 Uub ununilium —	232 Uuq ununilium —	233 Uut ununilium —	234 Uuq ununilium —	235 Uub ununilium —	236 Uuq ununilium —	237 Uut ununilium —	238 Uuq ununilium —	239 Uub ununilium —	240 Uuq ununilium —	241 Uut ununilium —	242 Uuq ununilium —	243 Uub ununilium —	244 Uuq ununilium —	245 Uut ununilium —	246 Uuq ununilium —	247 Uub ununilium —	248 Uuq ununilium —	249 Uut ununilium —	250 Uuq ununilium —	251 Uub ununilium —	252 Uuq ununilium —	253 Uut ununilium —	254 Uuq ununilium —	255 Uub ununilium —	256 Uuq ununilium —	257 Uut ununilium —	258 Uuq ununilium —	259 Uub ununilium —	260 Uuq ununilium —	261 Uut ununilium —	262 Uuq ununilium —	263 Uub ununilium —	264 Uuq ununilium —	265 Uut ununilium —	266 Uuq ununilium —	267 Uub ununilium —	268 Uuq ununilium —	269 Uut ununilium —	270 Uuq ununilium —	271 Uub ununilium —	272 Uuq ununilium —	273 Uut ununilium —	274 Uuq ununilium —	275 Uub ununilium —	276 Uuq ununilium —	277 Uut ununilium —	278 Uuq ununilium —	279 Uub ununilium —	280 Uuq ununilium —	281 Uut ununilium —	282 Uuq ununilium —	283 Uub ununilium —	284 Uuq ununilium —	285 Uut ununilium —	286 Uuq ununilium —	287 Uub ununilium —	288 Uuq ununilium —	289 Uut ununilium —	290 Uuq ununilium —	291 Uub ununilium —	292 Uuq ununilium —	293 Uut ununilium —	294 Uuq ununilium —	295 Uub ununilium —	296 Uuq ununilium —	297 Uut ununilium —	298 Uuq ununilium —	299 Uub ununilium —	300 Uuq ununilium —	301 Uut ununilium —	302 Uuq ununilium —	303 Uub ununilium —	304 Uuq ununilium —	305 Uut ununilium —	306 Uuq ununilium —	307 Uub ununilium —	308 Uuq ununilium —	309 Uut ununilium —	310 Uuq ununilium —	311 Uub ununilium —	312 Uuq ununilium —	313 Uut ununilium —	314 Uuq ununilium —	315 Uub ununilium —	316 Uuq ununilium —	317 Uut ununilium —	318 Uuq ununilium —	319 Uub ununilium —	320 Uuq ununilium —	321 Uut ununilium —	322 Uuq ununilium —	323 Uub ununilium —	324 Uuq ununilium —	325 Uut ununilium —	326 Uuq ununilium —	327 Uub ununilium —	328 Uuq ununilium —	329 Uut ununilium —	330 Uuq ununilium —	331 Uub ununilium —	332 Uuq ununilium —	333 Uut ununilium —	334 Uuq ununilium —	335 Uub ununilium —	336 Uuq ununilium —	337 Uut ununilium —	338 Uuq ununilium —	339 Uub ununilium —	340 Uuq ununilium —	341 Uut ununilium —	342 Uuq ununilium —	343 Uub ununilium —	344 Uuq ununilium —	345 Uut ununilium —	346 Uuq ununilium —	347 Uub ununilium —	348 Uuq ununilium —	349 Uut ununilium —	350 Uuq ununilium —	351 Uub ununilium —	352 Uuq ununilium —	353 Uut ununilium —	354 Uuq ununilium —	355 Uub ununilium —	356 Uuq ununilium —	357 Uut ununilium —	358 Uuq ununilium —	359 Uub ununilium —	360 Uuq ununilium —	361 Uut ununilium —	362 Uuq ununilium —	363 Uub ununilium —	364 Uuq ununilium —	365 Uut ununilium —	366 Uuq ununilium —	367 Uub ununilium —	368 Uuq ununilium —	369 Uut ununilium —	370 Uuq ununilium —	371 Uub ununilium —	372 Uuq ununilium —	373 Uut ununilium —	374 Uuq ununilium —	375 Uub ununilium —	376 Uuq ununilium —	377 Uut ununilium —	378 Uuq ununilium —	379 Uub ununilium —	380 Uuq ununilium —	381 Uut ununilium —	382 Uuq ununilium —	383 Uub ununilium —	384 Uuq ununilium —	385 Uut ununilium —	386 Uuq ununilium —	387 Uub ununilium —	388 Uuq ununilium —	389 Uut ununilium —	390 Uuq ununilium —	391 Uub ununilium —	392 Uuq ununilium —	393 Uut ununilium —	394 Uuq ununilium —	395 Uub ununilium —	396 Uuq ununilium —	397 Uut ununilium —	398 Uuq ununilium —	399 Uub ununilium —	400 Uuq ununilium —	401 Uut ununilium —	402 Uuq ununilium —	403 Uub ununilium —	404 Uuq ununilium —	405 Uut ununilium —	406 Uuq ununilium —	407 Uub ununilium —	408 Uuq ununilium —	409 Uut ununilium —	410 Uuq ununilium —	411 Uub ununilium —	412 Uuq ununilium —	413 Uut ununilium —	414 Uuq ununilium —	415 Uub ununilium —	416 Uuq ununilium —	417 Uut ununilium —	418 Uuq ununilium —	419 Uub ununilium —	420 Uuq ununilium —	421 Uut ununilium —	422 Uuq ununilium —	423 Uub ununilium —	424 Uuq ununilium —	425 Uut ununilium —	426 Uuq ununilium —	427 Uub ununilium —	428 Uuq ununilium —	429 Uut ununilium —	430 Uuq ununilium —	431 Uub ununilium —	432 Uuq ununilium —	433 Uut ununilium —	434 Uuq ununilium —	435 Uub ununilium —	436 Uuq ununilium —	437 Uut ununilium —	438 Uuq ununilium —	439 Uub ununilium —	440 Uuq ununilium —	441 Uut ununilium —	442 Uuq ununilium —	443 Uub ununilium —	444 Uuq ununilium —	445 Uut ununilium —	446 Uuq ununilium —	447 Uub ununilium —	448 Uuq ununilium —	449 Uut ununilium —	450 Uuq ununilium —	451 Uub ununilium —	452 Uuq ununilium —	453 Uut ununilium —	454 Uuq ununilium —	455 Uub ununilium —	456 Uuq ununilium —	457 Uut ununilium —	458 Uuq ununilium —	459 Uub ununilium —	460 Uuq ununilium —	461 Uut ununilium —	462 Uuq ununilium —	463 Uub ununilium —	464 Uuq ununilium —	465 Uut ununilium —	466 Uuq ununilium —	467 Uub ununilium —	468 Uuq ununilium —	469 Uut ununilium —	470 Uuq ununilium —	471 Uub ununilium —	472 Uuq ununilium —	473 Uut ununilium —	474 Uuq ununilium —	475 Uub ununilium —	476 Uuq ununilium —	477 Uut ununilium —	478 Uuq ununilium —	479 Uub ununilium —	480 Uuq ununilium —	481 Uut ununilium —	482 Uuq ununilium —	483 Uub ununilium —	484 Uuq ununilium —	485 Uut ununilium —	486 Uuq ununilium —	487 Uub ununilium —	488 Uuq ununilium —	489 Uut ununilium —	490 Uuq ununilium —	491 Uub ununilium —	492 Uuq ununilium —	493 Uut ununilium —	494 Uuq ununilium —	495 Uub ununilium —	496 Uuq ununilium —	497 Uut ununilium —	498 Uuq ununilium —	499 Uub ununilium —	500 Uuq ununilium —

**Key**  
atomic number  
atomic symbol  
name  
relative atomic mass

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).