

## Cambridge O Level

CHEMISTRY 5070/12

Paper 1 Multiple Choice

October/November 2022

1 hour

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


## **INSTRUCTIONS**

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

## **INFORMATION**


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



- **1** Which piece of apparatus would be the most suitable for measuring exactly 37.00 cm<sup>3</sup> of aqueous ammonia?
  - A a 50 cm<sup>3</sup> burette
  - **B** a 50 cm<sup>3</sup> pipette
  - **C** a 50 cm<sup>3</sup> gas syringe
  - **D** a 50 cm<sup>3</sup> measuring cylinder

When iron reacts with dilute hydrochloric acid, hydrogen is formed. Impurities in the iron mean that some hydrogen sulfide gas is also formed. Hydrogen sulfide gas is soluble in water. Water vapour can be removed from a mixture of gases using concentrated sulfuric acid.

Which diagram shows apparatus suitable to prepare a pure, dry sample of hydrogen?



**3** The following tests are carried out on a sample of green crystals.

The crystals are dissolved in water and the resulting solution is divided into two portions.

 Aqueous sodium hydroxide is added to the first portion. A green precipitate, soluble in excess aqueous sodium hydroxide, is formed.

The solution formed is heated and a gas is produced which turns litmus paper blue.

• Dilute nitric acid is added to the second portion followed by aqueous barium nitrate. A white precipitate is formed.

Which three ions are present in the green crystals?

- A ammonium, chromium(III), sulfate
- **B** ammonium, iron(II), sulfate
- **C** chromium(III), carbonate, sulfate
- **D** iron(II), nitrate, sulfate
- 4 Changes of state occur between solids, liquids and gases.

$$\begin{array}{ccc} \text{gas} & \overset{\mathsf{P}}{\longleftarrow} & \text{liquid} & \overset{\mathsf{Q}}{\longleftarrow} & \text{solid} \\ \mathsf{R} & & \mathsf{S} \end{array}$$

Which changes are occurring at P, Q, R and S?

	Р	Q	R	S
Α	boiling	melting	freezing	condensing
В	condensing	freezing	boiling	melting
С	freezing	condensing	boiling	melting
D	melting	boiling	condensing	freezing

**5** The table shows information about some oxides.

structure		effect of water	
oxide	simple molecular	dissolves to form an acid	

For which of the elements nitrogen, phosphorus, sulfur and silicon could this information about their oxides be correct?

- A phosphorus and sulfur only
- B nitrogen and silicon only
- **C** nitrogen, phosphorus and sulfur only
- **D** nitrogen, phosphorus, sulfur and silicon

- Which statement about iodine atoms and iodide ions is correct? 6
  - They are both isotopes of iodine.
  - В They undergo the same chemical reactions.
  - **C** They have the same number of protons.
  - **D** They have the same physical properties.
- 7 The table contains information about four substances.

Which substance is an ionic compound?

	state at room temperature	conducts electricity at room temperature	conducts electricity when molten	conducts electricity when in aqueous solution
Α	liquid	x	x	✓
В	solid	✓	✓	✓
С	solid	✓	✓	insoluble
D	solid	X	✓	✓

- What is the nucleon number of the isotope of uranium,  $^{235}_{92}$ U?
  - **A** 92
- В 143
- 235
- D 327

9 An ionic compound has the formula  $Al_2O_3$ .

What are the charges on the ions?

- $\mathbf{A} \quad \mathsf{A}l^+ \; \mathsf{O}^-$
- **B**  $Al^{2+} O^{2-}$  **C**  $Al^{2+} O^{3-}$
- **D**  $A1^{3+}$   $O^{2-}$
- 10 Which two pairs of atoms are held together by the same number of bonds?

	first pair of atoms	second pair of atoms
Α	the two carbon atoms in a C₂H₄ molecule	the carbon atom and one oxygen atom in a CO <sub>2</sub> molecule
В	the two nitrogen atoms in an N₂ molecule	the two hydrogen atoms in an H₂ molecule
С	the two oxygen atoms in an O₂ molecule	the carbon atom and one hydrogen atom in a CH₄ molecule
D	the two oxygen atoms in an O₂ molecule	the two nitrogen atoms in an $N_2$ molecule

**11** Boron trifluoride, BF<sub>3</sub>, is a simple molecule. There are three covalent bonds in each BF<sub>3</sub> molecule. Each of these bonds is made by sharing one electron from the boron atom and one electron from a fluorine atom.

What is unusual about the bonding in boron trifluoride?

- **A** It is unusual for a non-metal such as fluorine to form covalent bonds.
- **B** The boron atom in each molecule does **not** gain the electronic configuration of a noble gas.
- **C** The covalent bonds do **not** consist of shared pairs of electrons.
- **D** The fluorine atoms in each molecule do **not** gain the electronic configuration of a noble gas.
- **12** Which equation is correct for the reaction between carbon dioxide and magnesium hydroxide?
  - **A**  $CO_2 + Mg(OH)_2 \rightarrow MgCO_3 + H_2O$
  - $\textbf{B} \quad \text{CO}_2 \,\, + \,\, 2\text{Mg}(\text{OH})_2 \,\, \rightarrow \,\, 2\text{MgCO}_3 \,\, + \,\, 2\text{H}_2\text{O}$
  - C 2CO<sub>2</sub> + Mg(OH)<sub>2</sub>  $\rightarrow$  MgCO<sub>3</sub> + H<sub>2</sub>O
  - **D**  $2CO_2 + Mg(OH)_2 \rightarrow 2MgCO_3 + H_2O$
- 13 Which mass of oxygen gas combines with exactly 16 g of sulfur to form sulfur dioxide, SO<sub>2</sub>?
  - **A** 4g
- **B** 8g
- **C** 16g
- **D** 32 g
- 14 Which compound has an empirical formula that is different from its molecular formula?
  - **A** butanol, C<sub>4</sub>H<sub>10</sub>O
  - **B** hydrogen peroxide, H<sub>2</sub>O<sub>2</sub>
  - C nitrogen dioxide, NO<sub>2</sub>
  - **D** water, H<sub>2</sub>O
- **15** 4.0 g of sodium hydroxide, NaOH, is dissolved in 250 cm<sup>3</sup> of water in a graduated flask.

A 25 cm<sup>3</sup> sample of this solution is titrated with 0.50 mol/dm<sup>3</sup> hydrochloric acid.

Which volume of hydrochloric acid is required to exactly neutralise the alkali?

- $\mathbf{A} \quad 10 \, \mathrm{cm}^3$
- **B** 20 cm<sup>3</sup>
- **C**  $40 \, \text{cm}^3$
- **D**  $200 \, \text{cm}^3$

**16** Dilute aqueous solutions of potassium chloride and magnesium chloride are mixed together.

A sample of the mixture is electrolysed using inert electrodes.

What are possible products at each of the electrodes?

	anode	cathode	
A chlorine		oxygen	
<b>B</b> chlorine p		potassium	
С	oxygen hydrogen		
<b>D</b> oxygen mag		magnesium	


17 The table gives some statements about electrolysis and the reason why each statement is true.


Which row shows a correct statement and the correct reason why the statement is true?


	statement	reason
A	Aqueous copper(II) sulfate and aqueous copper(II) nitrate are suitable electrolytes when used to copper plate objects.	Both solutions contain Cu <sup>2+</sup> (aq) and can transfer copper from the anode to the cathode.
В	During the extraction of aluminium from aluminium oxide the carbon anodes have to be replaced regularly.	The anodes gradually dissolve in the molten cryolite.
С	In the electrolysis of concentrated aqueous sodium chloride and of dilute sulfuric acid the same products are formed.	H <sup>⁺</sup> (aq) is present in both aqueous solutions.
D	When an aqueous mixture of zinc nitrate and copper(II) sulfate is electrolysed, zinc is formed on the cathode.	Zinc is more reactive than copper.


**18** Students proposed four cells to produce electricity in a school laboratory.

Which cell would produce the largest voltage in a safe way?











19 Nitrogen oxides may form in the atmosphere during lightning activity.


$$N_2 + O_2 \rightarrow 2NO$$


The reaction is endothermic.

Which energy profile diagram is correct for this reaction?









20 Which two processes are both endothermic?

- A combustion and cracking
- **B** combustion and fermentation
- **C** cracking and photosynthesis
- **D** respiration and photosynthesis

21 Magnesium reacts with dilute sulfuric acid.

$$Mg(s) + H_2SO_4(aq) \rightarrow MgSO_4(aq) + H_2(q)$$


Which changes in the conditions will result in the lowest rate of production of hydrogen?

	acid concentration	solid particle size	temperature
Α	decrease	decrease	increase
В	decrease	increase	decrease
С	increase	decrease	increase
D	increase	increase	decrease

22 Carbonates react with dilute acids to produce carbon dioxide. A student uses excess carbonate and 100 cm³ of 0.1 mol/dm³ acid and measures the volume of gas produced at regular time intervals.

The results give line X on the graph. The student repeats the experiment using  $50\,\text{cm}^3$  of  $0.2\,\text{mol/dm}^3$  acid whilst keeping everything else the same.

Which line shows the results for the second experiment?



23 In the Contact process, sulfur is converted into sulfuric acid. A catalyst is added to the reaction mixture shown in the equation.

$$2SO_2 + O_2 \rightleftharpoons 2SO_3$$

What is the purpose of the catalyst?

- **A** to lower the activation energy for the reaction
- B to oxidise the sulfur dioxide
- C to reduce the sulfur dioxide
- **D** to shift the equilibrium to the right

- 24 Which change involves reduction?
  - A calcium carbonate to calcium oxide
  - B copper to brass
  - **C** ethene to poly(ethene)
  - **D** sand to silicon
- **25** Under certain conditions, iron reacts with chlorine to form iron(III) chloride.

2Fe + 
$$3Cl_2 \rightarrow 2FeCl_3$$

Which statement about this reaction is correct?

- **A** Chlorine is the oxidising agent.
- **B** Iron gains electrons.
- C Iron is reduced.
- **D** This is **not** a redox reaction.
- **26** The equation shows a reaction in the Contact process.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$
  $\Delta H = -196 \text{ kJ/mol}$ 

Which change would move the position of equilibrium to the left?

- A adding more O<sub>2</sub>
- **B** increasing the pressure
- **C** increasing the temperature
- **D** removing SO<sub>3</sub> from the reacting mixture

**27** The table shows the pH values of some substances that can be consumed by humans.

substance	pH value
Р	6.6
Q	3.1
R	10.4
S	7.8

Which statement about these substances is correct?

- A P is alkaline.
- **B** Q has the lowest concentration of hydrogen ions.
- C R can neutralise excess stomach acid.
- **D** S has a pH value closest to neutral.
- **28** Solution X is added to a solid salt, causing gas Y to be evolved.

Gas Y dissolves in water resulting in a solution with a pH of less than 7.

What are the possible identities of X and Y?

	X	Y
Α	aqueous sodium hydroxide	ammonia
В	aqueous sodium hydroxide	carbon dioxide
С	dilute hydrochloric acid	ammonia
D	dilute hydrochloric acid	carbon dioxide

- **29** Which substance reacts with dilute sulfuric acid in the preparation of a pure sample of lead(II) sulfate?
  - A aqueous lead(II) nitrate
  - **B** lead foil
  - **C** powdered lead(II) carbonate
  - **D** powdered lead(II) oxide

**30** A pure sample of a salt is obtained by filtration followed by evaporation of the filtrate.


Which pair of reagents would produce the salt?

- A copper and hydrochloric acid
- **B** excess copper(II) carbonate and hydrochloric acid
- C aqueous silver nitrate and hydrochloric acid
- D aqueous sodium hydroxide and hydrochloric acid
- 31 Which set of conditions is used in the Contact process?

	temperature /°C	pressure /atm	catalyst
Α	100–200	200	$V_2O_5$
В	100–200	1–2	Fe
С	400–500	1–2	$V_2O_5$
D	400–500	200	$V_2O_5$

32 Part of the Periodic Table is shown.

Which substance is an unreactive gas found in the atmosphere?



33 Iron is obtained in the blast furnace from the ore haematite.

Which statement is correct?

- A Calcium carbonate is used to remove acidic impurities.
- **B** Coke is reduced to carbon dioxide.
- **C** Haematite is oxidised by carbon monoxide.
- **D** Haematite undergoes thermal decomposition.

**34** Pollution may be caused by oxides of carbon, nitrogen and sulfur.

Which elements can each form more than one oxide?

- A carbon, nitrogen and sulfur
- B carbon and nitrogen only
- C carbon and sulfur only
- **D** nitrogen and sulfur only
- **35** A river runs through an area of land that is used for growing cotton. The cotton farmers applied a large amount of fertiliser to their fields. This caused eutrophication in the river water.

Which statement is correct?

- **A** Decreased levels of mineral salts caused the eutrophication.
- **B** Desalination of the river water occurred.
- **C** Increased levels of phosphates caused the eutrophication.
- **D** Oxygen levels in the river water increased.
- **36** Which compound is an alkane?
  - A CH<sub>2</sub>CHCH<sub>2</sub>CH<sub>3</sub>
  - B CH<sub>3</sub>CH(CH<sub>3</sub>)CH<sub>3</sub>
  - C CH<sub>3</sub>CHCHCH<sub>3</sub>
  - $\mathbf{D}$  (CH<sub>3</sub>)<sub>2</sub>CCH<sub>2</sub>
- 37 The equation shows the reaction that takes place when butanol is completely combusted in air.

$$C_4H_9OH(I) + xO_2(g) \rightarrow yCO_2(g) + zH_2O(g)$$

What are the values of x, y and z?

	X	у	Z
Α	4	6	5
В	5	4	6
С	5	6	4
D	6	4	5

**38** Propanoic acid reacts with calcium carbonate. The products of this reaction are calcium propanoate, carbon dioxide and water.

What is the equation for this reaction?

A 
$$2C_2H_5COOH + Ca_2CO_3 \rightarrow 2C_2H_5COOCa + CO_2 + H_2O$$

**B** 
$$2C_2H_5COOH + CaCO_3 \rightarrow (C_2H_5COO)_2Ca + CO_2 + H_2O$$


**C** 
$$2C_3H_7COOH + Ca_2CO_3 \rightarrow 2C_3H_7COOCa + CO_2 + H_2O$$

**D** 
$$2C_3H_7COOH + CaCO_3 \rightarrow (C_3H_7COO)_2Ca + CO_2 + H_2O$$


- 39 Which row shows all the elements present in the polymers listed?
  - nylon
  - poly(ethene)
  - Terylene

	nylon	poly(ethene)	Terylene
Α	C, H	C, H, O	C, H, N, O
В	C, H, N, O	C, H	C, H, N, O
С	C, H, O	C, H, N	C, H, O
D	C, H, N, O	C, H	C, H, O

**40** The partial structure of a polyamide is shown.



Which monomers would produce this polymer?



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	polonium -	116	^	livermorium —
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	2			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	Εl	flerovium
	≡			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
							•			30	Zu	zinc 65	48	р О	cadmium 112	80	ЭĤ	mercury 201	112	S	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium
Group										28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Gro										27	ဝိ	cobalt 59	45	格	rhodium 103	77	Ľ	iridium 192	109	₩	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>n</u>	tantalum 181	105	o O	dubnium -
					ato	rels				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	峜	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_			က	=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ē.	francium

71 Lu	lutetium 175	103	۲	lawrencium	ı
70 Yb					ı
69 Tm	thulium 169	101	Md	mendelevium	ı
<sub>88</sub> Г	erbium 167	100	Fm	ferminm	I
67 H	holmium 165	66	Es	einsteinium	I
。 O	dysprosium 163	86	ŭ	californium	ı
65 Tb	terbium 159	97	益	berkelium	ı
Gd Gd	gadolinium 157	96	Cm	curium	ı
63 Eu	europium 152	92	Am	americium	I
Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium -	93	Δ	neptunium	I
9 <b>P</b>	neodymium 144	92	$\supset$	uranium	238
59 P	praseodymium 141	91	Ра	protactinium	231
Çe O	cerium 140	06	┖	thorium	232
57 <b>La</b>	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).