


# Cambridge O Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



CHEMISTRY 5070/22

Paper 2 Theory October/November 2023

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

## **BLANK PAGE**

[Total: 5]

1 Choose from the list of compounds to answer these questions.

ammonia

ethanol

glucose

magnesium chloride

magnesium oxide

methane

nitrogen dioxide

phosphorus(V) chloride

poly(ethene)

## sodium bromide

## water

Each compound may be used once, more than once or not at all.

Identify the compound that:

[1]
[1]
[1]
[1]
[1]
[1]

[2]

2 This question is abo	ut metals
------------------------	-----------

(a) Chromium is a transition element.

Sodium is an element in Group I of the Periodic Table.

State **two** physical properties of chromium that are different to those of sodium.

1	
2	

(b) Deduce the number of protons and neutrons in the chromium atom shown.

(c) Chromium(III) oxide,  $Cr_2O_3$ , reacts with carbon and chlorine to produce chromium(III) chloride,  $CrCl_3$ , and carbon monoxide.

Construct the symbol equation for this reaction.



(d) Complete the diagram in Fig. 2.1 to show the electronic configuration of a sodium ion. Include the charge on the ion.




Fig. 2.1 [2]

(e) Table 2.1 shows the observations made when four different metals are heated in oxygen.

Table 2.1

metal	observations
lanthanum	forms a layer of oxide rapidly on the surface but does not burn
mercury	does not form a layer of oxide on the surface
nickel	forms a layer of oxide slowly on the surface but does not burn
sodium	burns rapidly

		t the four metals in order of their reactivity.  t the least reactive metal first.  least reactive most reactive	
			[1]
f)		uminium is used in food containers and overhead electrical cables because it is resistrosion.	stant to
	(i)	Explain why aluminium is resistant to corrosion.	
			[2]
	(ii)	State two <b>other</b> reasons why aluminium is used in overhead electrical cables.	
		1	
		2	
			[2]
		[To	tal: 13]

- 3 A student investigates the reaction of large pieces of calcium carbonate with dilute hydrochloric acid at 25 °C. The hydrochloric acid is in excess.
  - (a) Complete the equation for this reaction by adding state symbols.

$$CaCO_3(.....) + 2HCl(.....) \rightarrow CaCl_2(aq) + H_2O(.....) + CO_2(g)$$
 [2]

(b) Fig. 3.1 shows the volume of carbon dioxide gas released as the reaction proceeds.




Fig. 3.1

(i) Deduce the volume of carbon dioxide gas released after 40 seconds.

volume ...... cm<sup>3</sup> [1]

(ii) The student repeats the experiment using the same mass of smaller pieces of calcium carbonate.

All other conditions stay the same.

Draw a line on the grid in Fig. 3.1 to show how the volume of carbon dioxide changes when smaller pieces of calcium carbonate are used. [2]

(c)	The student repeats the experiment at 20°C.
	All other conditions stay the same.
	Describe and explain, using collision theory, how the rate of reaction differs when a temperature of 20 °C is used.
	[2]
(d)	A sample of carbon dioxide is put into a gas syringe. The end of the gas syringe is then blocked so that no gas can escape.
	Explain, using kinetic particle theory, why increasing the pressure in the gas syringe decreases the volume of gas when the temperature stays the same.
	[1]
	[Total: 8]

4

(a)	Cor	ncentrated aqueous magnesium iodide is electrolysed using graphite electrodes.
	Pre	dict the product at each electrode.
	ano	ode
	cath	node
		[2
(b)	Mol	ten magnesium iodide is electrolysed using graphite electrodes.
		nstruct the ionic half-equation for the reaction at each electrode when molter gnesium iodide is electrolysed.
	ano	de
	cath	node[2
(c)	Des	scribe a test for aqueous iodide ions. Include the observations for a positive result.
(0)		
	test	
	obs	ervations[2
(d)	lodi	de ions reduce manganese(IV) oxide, $MnO_2$ , to $Mn^{2+}$ ions.
		$2I^-$ + $MnO_2$ + $4H^+$ $\rightarrow$ $Mn^{2+}$ + $I_2$ + $2H_2O$
	(i)	Explain, in terms of movement of electrons, how iodide ions act as a reducing agent in this reaction.
		[1
	<b></b> \	·
	(ii)	State the name of the type of reaction that involves simultaneous oxidation and reduction
		[1

(e) Phosphorus(III) iodide is produced when phosphorus reacts with iodine.Complete Fig. 4.1 to show the dot-and-cross diagram for a molecule of phosphorus(III) iodide.

Show only the outer shell electrons.




Fig. 4.1

[2]

[Total: 10]

[2]

**5** (a) Fig. 5.1 shows the displayed formula of compound **A**.

Fig. 5.1

(i)	On Fig. 5.1, draw a circle around the functional group that reacts with aqueous bromine. [1]
(ii)	Describe the colour change when excess compound ${\bf A}$ is added to a few drops of aqueous bromine in a test tube.
	colour of aqueous bromine
	colour after addition of compound <b>A</b> [2]
(iii)	Deduce the molecular formula of compound <b>A</b> .
	[1]
(iv)	Compound <b>A</b> is a liquid at room temperature.
	Describe the motion and separation of the particles in a liquid.
	motion

[Total: 10]

(b) Fig. 5.2 shows the structure of compound B.

Fig. 5.2

Compound **B** is polymerised.

Draw **two** repeat units of the polymer formed when compound **B** is polymerised.

		[4]
(c)	Describe <b>two</b> environmental challenges caused by the disposal of plastics.	
	1	
	2	
		[2]

## **BLANK PAGE**

6

Stea	am reacts with carbon to produce carbon monoxide and hydrogen.
	steam + carbon
The	forward reaction is endothermic.
(i)	Explain, in terms of bond making and bond breaking, why this reaction is endothermic.
	[2]
(ii)	The transfer of thermal energy in a chemical reaction is called the enthalpy change.
	Write the symbol for an enthalpy change. Include the sign for an endothermic enthalpy change.
	[1]
	bon monoxide, water and carbon dioxide are formed during the incomplete combustion of bon-containing fuels.
(i)	Name <b>one</b> other substance formed during the incomplete combustion of carbon-containing fuels.
	[1]
(ii)	State <b>one</b> adverse effect of carbon monoxide.
	[1]
Hyd	rogen is used in a hydrogen-oxygen fuel cell.
Des eng	cribe <b>two</b> advantages of a hydrogen-oxygen fuel cell compared with a gasoline/petrol ine.
1	
2	
	[2]
	[Total: 7]
	(ii) Carcart (i) Hyd Des

7	(a)	Dilute hy	/drochloric	acid	reacts	with	aqueous	sodium	carbonate
	(4)	Dilatori	, ai coi iici ic	aoia	louoto	** ! [ ]	aqaccac	ocalani	darboriate

$$\mathrm{2HC}l \ + \ \mathrm{Na_2CO_3} \ \rightarrow \ \mathrm{2NaC}l \ + \ \mathrm{H_2O} \ + \ \mathrm{CO_2}$$

A student titrates  $20.0\,\mathrm{cm^3}$  of  $0.0250\,\mathrm{mol/dm^3}$  aqueous sodium carbonate with dilute hydrochloric acid using methyl orange as an indicator.

A volume of  $15.5\,\mathrm{cm^3}$  of dilute hydrochloric acid reacts exactly with the  $0.0250\,\mathrm{mol/dm^3}$  aqueous sodium carbonate.

Calculate the concentration, in mol/dm<sup>3</sup>, of the dilute hydrochloric acid.

		concentration of dilute hydrochloric acid mol/dm <sup>3</sup> [	3
(b)	(i)	State the colour of methyl orange in alkaline solution.	
		[	1]
	(ii)	Write the formula of the ion present in aqueous solutions of alkalis.	
		[	1]
(c)		culate the volume, measured at r.t.p., of carbon dioxide produced, in cm <sup>3</sup> , when 2.65 g ium carbonate reacts with excess hydrochloric acid.	Of
		$2HCl + Na_2CO_2 \rightarrow 2NaCl + H_2O + CO_2$	

volume of carbon dioxide ...... cm<sup>3</sup> [2]

(d)	Hyd	lrochloric acid is a strong acid.	
	Defi	ine the term strong in the phrase strong acid.	
			[1]
(e)	Oxio	des of nitrogen contribute to acid rain.	
	(i)	State <b>one</b> other adverse effect of oxides of nitrogen.	
			[1]
	(ii)	Oxides of nitrogen are removed from car exhausts by catalytic converters.	
		Complete the symbol equation for the reaction that occurs in catalytic converters.	
		2CO + 2NO → +	[2]
		[Total:	11]

8	(a)	The equation for the reaction of carbon monoxide with hydrogen at a high temperature in a
		closed container is shown.

$$\begin{array}{cccc} \mathsf{CO}(\mathsf{g}) & + & 2\mathsf{H}_2(\mathsf{g}) & \Longrightarrow & \mathsf{CH}_3\mathsf{OH}(\mathsf{g}) \\ & & \mathsf{methanol} \end{array}$$

The forward reaction is exothermic.

	(i)	Predict and explain the effect, if any, on the position of equilibrium when the pressure is increased and the temperature remains constant.
		[2]
	(ii)	Predict and explain the effect, if any, on the position of equilibrium when the temperature is increased and the pressure remains constant.
		[1]
(b)	Met	hanol reacts with ethanoic acid, CH <sub>3</sub> COOH, to produce an ester.
	Nar	ne the ester and draw its displayed formula.
	nan	ne
	disn	played formula

C)	Methanol is a member of the alcohol homologous series.
	Describe <b>two</b> general characteristics of a homologous series.
	1
	2
	[2]
	[Total: 7]

9 (a) Table 9.1 shows the melting points and relative electrical conductivities of three elements.

Table 9.1

	calcium	carbon (diamond)	iodine
melting point /°C	839	3550	114
relative electrical conductivity of solid	good	poor	poor

Use ideas about structure and bonding to explain:

	(i)	the difference in the melting points of diamond and iodine	
			[3]
	(ii)	the difference in the electrical conductivities of calcium and iodine.	
			[2]
(b)	Dia	mond and graphite are different forms of carbon.	
	Ехр	lain, in terms of its structure, why graphite is a lubricant.	
			[2]

(c)	A compound of sodium, 24.24% oxygen by mass.		oxygen	contains	11.62%	sodium,	64.14%	iodine	and
	Deduce the empirical form	nula of this	compour	nd.					

empirical formula ......[2]

[Total: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson —
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	н	iodine 127	85	Αt	astatine -	117	<u>s</u>	tennessine -
	5			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ро	moloum –	116	_	livermorium -
	>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium -
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Ър	lead 207	114	lΉ	flerovium -
	=			5	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> 1	thallium 204	113	Z	nihonium -
										30	Zu	zinc 65	48	B	cadmium 112	80	Ŗ	mercury 201	112	ე	copemicium -
										29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group										28	ïZ	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium -
) Dig										27	රි	cobalt 59	45	格	rhodium 103	77	٦	iridium 192	109	M	meitnerium -
		- I	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	ΗS	hassium –
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					lod	ass				24	ပ်	chromium 52	42	Мо	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	ц	tantalum 181	105	Db	dubnium —
					ato	rela				22	ï	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	26	Ba	barium 137	88	Ra	radium _
	_			3	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ļ	francium -

103 Lr lawrencium
No nobelium
Md mendelevium
100 Fm fermium
99 ES einsteinium
98 Cf califomium
97 Bk berkelium
96 Cm curium
95 Am americium
94 Pu plutonium
93 Np neptunium
92 U uranium 238
91 Pa protactinium 231
90 Th
89 Ac actinium

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).