

# Cambridge International AS & A Level

COMPUTER SCIENCE		9618/31
Paper 3 Advanced Theory		October/November 2023
MARK SCHEME		
Maximum Mark: 75		
	Published	

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

## **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

#### GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

#### GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

#### **GENERIC MARKING PRINCIPLE 3:**

### Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit
  is given for valid answers which go beyond the scope of the syllabus and mark scheme,
  referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these
  features are specifically assessed by the question as indicated by the mark scheme. The
  meaning, however, should be unambiguous.

## **GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

## **GENERIC MARKING PRINCIPLE 5:**


Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

#### GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2023 Page 2 of 9

Question	Answer							
1(a)	One mark for working (Max 1)  conversion of 65.25 to binary seen e.g. 1000001.01 = 65.25 // 64 + 1 + 0.25 / 1/4							
	<ul> <li>One mark per mark point (Max 2)</li> <li>correct mantissa</li> <li>correct exponent</li> </ul>							
	Mantissa Exponent							
	0 1 0 0 0 0 1 0 1 0 0 0 1 1							
1(b)	One mark per mark point (Max 2) MP1 the decimal fraction 0.20 cannot be represented exactly (the closest is 0.25 / 0.1875)	2						
	MP2 therefore, there will be a loss of precision due to a rounding error/truncation							



© UCLES 2023 Page 3 of 9

Question	Answer	Marks
3	One mark per mark point – enumerated type (Max 2)  MP1 A user-defined non-composite (data type) (only award once)  MP2with a list of all possible values  MP3that is ordered.  One mark per mark point – pointer type (Max 2)  MP4 A user-defined non-composite (data type) (only award once)	4
	MP5that stores addresses/memory locations only MP6and indicates the type of data stored in the memory location.	

Question	Answer	Marks
4(a)	One mark per mark point – sequential (Max 2) MP1 Records (in the file) are ordered MP2based on the key field MP3 A new version (of the file) has to be created to update the file  One mark per mark point – random (Max 2) MP4 Records are stored in no particular order within the file // There is no sequencing in the placement of the records  MP5 There is a relationship between the key of the record and its location within the file // a hashing algorithm is used to find the location of the record  MP6 Updates to the file can be carried out directly.	4
4(b)	One mark per mark point (Max 2)  MP1 Start at the beginning of the file  MP2check records linearly  MP3until the desired record is found // processing / updating records as required // EOF found.	2

Question	Answer	Marks
5	<ul> <li>One mark per mark point – SISD (Max 2)</li> <li>MP1 Single Instruction, Single Data (architecture). // Data is taken from a single source and a single instruction is performed on the data.</li> <li>MP2 Contains one processor, a control unit and a memory unit.</li> <li>MP3that executes instructions sequentially.</li> <li>One mark per mark point – MIMD (Max 2)</li> <li>MP4 Multiple Instruction, Multiple Data (architecture). // At any time, any processor can execute different instructions on different sets of data.</li> <li>MP5 Contains many processors</li> <li>MP6that operate asynchronously / independently.</li> </ul>	4

© UCLES 2023 Page 4 of 9

Question						Answer	Marks
6(a)	One r	mark f	or eve	ry sha	aded blo	ock of rows for column Z correct (Max 3)	3
	A	В	С	D	Z		
	0	0	0	0	1		
	0	0	0	1	0		
	0	0	1	0	1		
	0	0	1	1	0		
	0	1	0	0	1		
	0	1	0	1	0		
	0	1	1	0	1		
	0	1	1	1	0		
	1	0	0	0	1		
	1	0	0	1	0		
	1	0	1	0	1		
	1	0	1	1	0		
	1	1	0	0	1		
	1	1	0	1	0		
	1	1	1	0	0		
	1	1	1	1	0		
6(b)	(Y =) (Y =)	A.B.C Ā.D.(Ē Ā.D.(Ē Ā.D.(Ē Ā.D.(Ē Ā.D.(f	3.C + A 3.C + B 3.(C + B) 3.(1) + B)	N.B.C.I B.C + C) + I B.(1)	D + Ā.B B.C + E B.(C + (		3

© UCLES 2023 Page 5 of 9

Question	Answer	Marks
7(a)	One mark for a benefit (Max 1) e.g.  MP1 The user interface hides the complexities of the computer hardware/operating system from the user  MP2 It provides appropriate access systems for users with differing needs Complex commands involving memory locations/buses/computer hardware/ are avoided  One mark for a valid example (Max 1) e.g.  Clicking on icon rather than writing code Using a graphical user interface / icons for navigation	2
7(b)	Blocked (state)	1
7(c)	One mark per mark point (Max 2)  MP1 When the time slice of the running process expires (round robin).  MP2and there is a process with a higher priority in the ready queue, the running process is pre-empted  MP3 When an interrupt arrives at the CPU, (the process running on the CPU gets pre-empted).	2

Question	Answer	Marks
8(a)	One mark for each correctly completed line (Max 5)	5
	DECLARE Customer: TAccount DECLARE Location: INTEGER DECLARE AccountFile: STRING AccountFile	
8(b)	One mark for correct definition (Exception handling is the process of) responding to an unexpected event when the program is running so it does not halt unexpectedly	1
8(c)	One mark per mark point (Max 2), for example:  • Programming errors  • User errors  • Hardware failure  • Runtime errors	2

© UCLES 2023 Page 6 of 9

Question	Answer	Marks
9(a)(i)	One mark per mark point (Max 2)  • (5 - 2)  • * (5 + 4) / 9  Final correct expression (5 - 2) * (5 + 4) / 9	2
9(a)(ii)	One mark per ring (Max 4)  4	4
9(b)	One mark per mark point (Max 3) MP1 Evaluate the RPN expression from left to right MP2 Push each element of the RPN expression onto the stack in order until an operator is reached MP3 Pop the last two elements from the stack and apply the operator MP4 Push the result of the operation onto the stack	3

© UCLES 2023 Page 7 of 9

Question	Answer	Marks
10(a)	One mark per mark point (Max 3) MP1 Correct constant declaration MP2 Two correct variable declarations MP3 Correct array declaration	3
	Example answer:  CONSTANT Capacity = 25  DECLARE BasePointer : INTEGER  DECLARE TopPointer : INTEGER  DECLARE Stack : ARRAY[1:25] OF REAL	
10(b)	One mark for each correctly completed line (Max 5)	5
	<pre>// popping an item from the stack FUNCTION Pop() RETURNS REAL     DECLARE Item : REAL     Item ← 0     If TopPointer &gt;= BasePointer THEN         Item ← Stack[TopPointer]         TopPointer ← TopPointer - 1 ELSE         OUTPUT "The stack is empty - error" ENDIF     RETURN Item ENDFUNCTION</pre>	
10(c)	One mark per mark point (Max 2)  MP1 A queue is a first in first out / FIFO data structure and a stack is a first in last out / FILO / LIFO data structure // Data is removed from a queue in the order it is received and removed from a stack in the reverse order to which it is received  MP2 Both ADTs can vary in size / are of indeterminate length  MP3 Data is popped and pushed (onto/from a stack) at the same end but it is enqueued and dequeued (to/from a queue) at different/opposite ends // a queue has two accessible ends and a stack has only one  MP4 A stack has only one moveable pointer whereas a queue has two.	2

Question	Answer	Marks
11(a)	One mark for each correctly completed clause (Max 3)	3
	<pre>(22) student(anthony). (23) choice1(anthony, history). (24) choice2(anthony, geography).</pre>	
11(b)	X = tomaz, pietre, nico	1

© UCLES 2023 Page 8 of 9

Question	Answer	Marks
11(c)	<pre>One mark per mark point (Max 4) • student(N) • subject(S) • choicel(N, S) • all logical operators correct with no additional code (see example answers)</pre>	4
	Example answers:  may_choose_subject(N, S)  IF student(N) AND subject(S) AND NOT choice1(N, S)  may_choose_subject(N, S)  IF NOT choice1(N, S), student(N), subject(S)	

Question	Answer	Marks
12	<ul> <li>One mark per mark point (Max 4)</li> <li>MP1 An artificial neural network is the component of artificial intelligence that is meant to simulate the functioning of a biological brain.</li> <li>MP2 Artificial neural networks are a key component of machine learning.</li> <li>MP3 They can solve problems that would prove impossible or difficult for humans // Artificial neural networks have self-learning capabilities that enable them to produce better results as more data becomes available</li> <li>MP4 Artificial neural networks can be layered (input, hidden and output layers) // Artificial neural networks have many interconnected layers, some / many of which are hidden</li> <li>MP5 Weights are assigned between nodes</li> <li>MP6 Weights are adjusted through training to give a more accurate result</li> <li>MP7 More complex learning capabilities / more accurate results are available with larger numbers of hidden layers</li> </ul>	4

© UCLES 2023 Page 9 of 9