



## Cambridge International AS & A Level

---

**BIOLOGY**

**9700/52**

Paper 5 Planning, Analysis and Evaluation

**May/June 2021**

MARK SCHEME

Maximum Mark: 30

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2021 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **11** printed pages.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
- 5 'List rule' guidance  
For questions that require *n* responses (e.g. State **two** reasons ...):
  - The response should be read as continuous prose, even when numbered answer spaces are provided.
  - Any response marked *ignore* in the mark scheme should not count towards *n*.
  - Incorrect responses should not be awarded credit but will still count towards *n*.
  - Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
  - Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient ( $a$ ) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7** Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

<b>Examples of how to apply the list rule</b>			
State <b>three</b> reasons.... [3]			
<b>A</b>	1. Correct	✓	<b>2</b>
	2. Correct	✓	
	3. Wrong	✗	
<b>B</b> <b>(4 responses)</b>	1. Correct, Correct	✓, ✓	<b>3</b>
	2. Correct	✓	
	3. Wrong	ignore	
<b>C</b> <b>(4 responses)</b>	1. Correct	✓	<b>2</b>
	2. Correct, Wrong	✓, ✗	
	3. Correct	ignore	
<b>D</b> <b>(4 responses)</b>	1. Correct	✓	<b>2</b>
	2. Correct, CON (of 2.)	✗, (discount 2)	
	3. Correct	✓	
<b>E</b> <b>(4 responses)</b>	1. Correct	✓	<b>3</b>
	2. Correct	✓	
	3. Correct, Wrong	✓	
<b>F</b> <b>(4 responses)</b>	1. Correct	✓	<b>2</b>
	2. Correct	✓	
	3. Correct CON (of 3.)	✗ (discount 3)	
<b>G</b> <b>(5 responses)</b>	1. Correct	✓	<b>3</b>
	2. Correct	✓	
	3. Correct Correct CON (of 4.)	✓ ignore ignore	
<b>H</b> <b>(4 responses)</b>	1. Correct	✓	<b>2</b>
	2. Correct	✗	
	3. CON (of 2.) Correct	(discount 2) ✓	
<b>I</b> <b>(4 responses)</b>	1. Correct	✓	<b>2</b>
	2. Correct	✗	
	3. Correct CON (of 2.)	✓ (discount 2)	

**Mark scheme abbreviations**

;	separates marking points
/	alternative answers for the same point
<b>R</b>	reject
<b>A</b>	accept (for answers correctly cued by the question, or by extra guidance)
<b>AW</b>	alternative wording (where responses vary more than usual)
<b><u>underline</u></b>	actual word given must be used by candidate (grammatical variants accepted)
<b>max</b>	indicates the maximum number of marks that can be given
<b>ora</b>	or reverse argument
<b>mp</b>	marking point (with relevant number)
<b>ecf</b>	error carried forward
<b>I</b>	ignore


**PUBLISHED**

Question	Answer	Marks
1(a)	<i>independent variable:</i> <u>concentration</u> of, copper (II) sulfate ;  <i>dependent variable:</i> <u>volume</u> of, oxygen ;	<b>2</b>
1(b)(i)	1 minimum of five <u>stated</u> dilutions <u>and</u> correct units ; 2 method of <u>serial</u> dilution for a minimum of 2 intermediate (concentrations) ;	<b>2</b>

Question	Answer	Marks																	
1(b)(ii)	<p><i>any six from:</i></p> <ol style="list-style-type: none"> <li>1 maintaining a constant temperature <b>and</b> a suitable method ;</li> <li>2 maintaining a constant pH <u>and</u> use a buffer ;</li> </ol> <p><i>mp 3 and 4 and 5: if 'amount' rather than 'volume', penalise only once and ecf the following ones</i></p> <ol style="list-style-type: none"> <li>3 same / stated, volume of catalase / enzyme <b>or</b> same / stated, concentration of catalase / enzyme ;</li> <li>4 same / stated, volume of each copper sulfate / inhibitor solution ;</li> <li>5 measure / record, volume of oxygen / gas collected, in set time / set intervals <b>or</b> time taken to reach a set volume ;</li> <li>6 state a suitable control ;</li> <li>7 use new / fresh (named) solutions for each replicate / experiment ;</li> <li>8 repeat at least twice / three replicates, <u>and</u> finding mean for at least one concentration ;</li> <li>9 named hazard <u>and</u> risk <u>and</u> precaution ;</li> </ol> <p>e.g.</p> <table border="1" data-bbox="349 722 1516 1378"> <thead> <tr> <th>hazard</th> <th>risk</th> <th>precaution</th> </tr> </thead> <tbody> <tr> <td rowspan="2">catalase / enzyme</td> <td>irritant / allergy</td> <td rowspan="8">wear gloves / goggles / mask PPA</td> </tr> <tr> <td>moderate / medium, hazard</td> </tr> <tr> <td rowspan="3">hydrogen peroxide</td> <td>irritant / allergy</td> </tr> <tr> <td>moderate / medium, hazard</td> </tr> <tr> <td>oxidising agent</td> </tr> <tr> <td rowspan="4">copper(II) sulfate</td> <td>irritant / allergy</td> </tr> <tr> <td>moderate / medium, hazard</td> </tr> <tr> <td>corrosive</td> </tr> <tr> <td>toxic</td> <td>do not pour down sink</td> </tr> </tbody> </table> <p>10 AVP ;</p>	hazard	risk	precaution	catalase / enzyme	irritant / allergy	wear gloves / goggles / mask PPA	moderate / medium, hazard	hydrogen peroxide	irritant / allergy	moderate / medium, hazard	oxidising agent	copper(II) sulfate	irritant / allergy	moderate / medium, hazard	corrosive	toxic	do not pour down sink	<b>6</b>
hazard	risk	precaution																	
catalase / enzyme	irritant / allergy	wear gloves / goggles / mask PPA																	
	moderate / medium, hazard																		
hydrogen peroxide	irritant / allergy																		
	moderate / medium, hazard																		
	oxidising agent																		
copper(II) sulfate	irritant / allergy																		
	moderate / medium, hazard																		
	corrosive																		
	toxic	do not pour down sink																	



**PUBLISHED**

Question	Answer	Marks
1(b)(iii)	<p>1 axes correctly orientated with labels ;</p> <p>2 axes labels have correct units ;</p> <p>3 line shows downward trend as concentration of copper(II) sulfate increases ;</p> <p>e.g.</p> 	3
1(c)(i)	<p>All three lines correctly drawn / indicated ;</p> <p><math>V_{\max}</math> <b>or</b> <math>\frac{1}{2} V_{\max}</math> correctly labelled for lines drawn ;</p> <p><math>K_m</math> correctly labelled (on correct line) ;</p>	3
1(c)(ii)	<p>plateaus below <math>V_{\max}</math> / does not reach <math>V_{\max}</math> / <math>V_{\max}</math> is lower (than without inhibitor) ;</p> <p>same / almost same / similar, <math>K_m</math> ;</p>	2

Question	Answer	Marks
2(a)(i)	remove / cover, anthers (from plant <b>B</b> ) ;	1
2(a)(ii)	<p>method of transferring pollen (from anther) to stigma ;</p> <p><b>or</b></p> <p>shake anthers, on / over, stigmas ;</p>	1

**PUBLISHED**

Question	Answer			Marks																								
2(b)	<p><i>any three from:</i></p> <p>light, intensity / duration / amount / strength / wavelength / colour ;            temperature ;            frequency of watering / amount of water ;            humidity ;            CO<sub>2</sub> / O<sub>2</sub> concentration ;            growing medium / soil composition ;            planting density ;</p>			<b>3</b>																								
2(c)(i)	<table border="1"> <thead> <tr> <th data-bbox="349 547 703 671">offspring phenotype</th> <th data-bbox="710 547 900 671">O</th> <th data-bbox="907 547 1070 671">E</th> <th data-bbox="1077 547 1386 671"><math>\frac{(O - E)^2}{E}</math></th> </tr> </thead> <tbody> <tr> <td data-bbox="349 676 703 772">purple petals long pollen grains</td> <td data-bbox="710 676 900 772">102</td> <td data-bbox="907 676 1070 772">62</td> <td data-bbox="1077 676 1386 772">25.81</td> </tr> <tr> <td data-bbox="349 777 703 873">red petals round pollen grains</td> <td data-bbox="710 777 900 873">112</td> <td data-bbox="907 777 1070 873">62</td> <td data-bbox="1077 777 1386 873">40.32</td> </tr> <tr> <td data-bbox="349 877 703 973">purple petals round pollen grains</td> <td data-bbox="710 877 900 973">14</td> <td data-bbox="907 877 1070 973">62</td> <td data-bbox="1077 877 1386 973">37.16</td> </tr> <tr> <td data-bbox="349 978 703 1074">red petals long pollen grains</td> <td data-bbox="710 978 900 1074">20</td> <td data-bbox="907 978 1070 1074">62</td> <td data-bbox="1077 978 1386 1074">28.45 ;</td> </tr> <tr> <td colspan="3" data-bbox="349 1078 1070 1145" style="text-align: right;"><math>\chi^2 =</math></td> <td data-bbox="1077 1078 1386 1145">131.74 ;</td> </tr> </tbody> </table>			offspring phenotype	O	E	$\frac{(O - E)^2}{E}$	purple petals long pollen grains	102	62	25.81	red petals round pollen grains	112	62	40.32	purple petals round pollen grains	14	62	37.16	red petals long pollen grains	20	62	28.45 ;	$\chi^2 =$			131.74 ;	<b>2</b>
offspring phenotype	O	E	$\frac{(O - E)^2}{E}$																									
purple petals long pollen grains	102	62	25.81																									
red petals round pollen grains	112	62	40.32																									
purple petals round pollen grains	14	62	37.16																									
red petals long pollen grains	20	62	28.45 ;																									
$\chi^2 =$			131.74 ;																									

**PUBLISHED**

Question	Answer	Marks
2(c)(ii)	<p>1 reject <u>and</u> state that their calculated value / <math>\chi^2</math>, is higher than 7.82 / critical value ;</p> <p>any <b>two</b> from:</p> <p>2 (if the null hypothesis is rejected) There is a significant difference between the expected and observed values <b>or</b> there is a <b>less</b> than 5% / 0.05 probability that the difference has occurred due to chance ;</p> <p>3 genes, are on the same chromosome / are not on different chromosomes / are linked / do not assort independently <b>or</b> autosomal linkage <b>or</b> <u>alleles</u> (likely to be) inherited together ;</p> <p>4 the two genes are close together (on the same chromosome) <b>or</b> small number of recombinants ;</p>	<b>3</b>
2(d)	<p>1 yes in copper sensitive plants <u>and</u> no in copper tolerant plants / only in copper sensitive plants ;</p> <p>2 decrease, in <u>percentage / %</u>, viability, in sensitive plants / ora <b>or</b> slight increase, in <u>percentage / %</u>, viability, in tolerant plants ;</p> <p>3 in sensitive plants, there is no overlap of (error) bars, which means the <u>difference</u> may be significant <b>or</b> in tolerant plants, there is an overlap of (error) bars, which means <u>difference</u> is not significant ;</p> <p>4 no statistical test was carried out (in copper-sensitive plants) ;</p> <p>5 growth of pollen tube does not indicate pollen grain is viable ;</p> <p>6 no reference to concentration of copper ions used in the investigation ;</p>	<b>2</b>